

Gazette
officielle
du Québec

Part
2

No. 13B
31 March 2003

Laws and Regulations
Volume 135

Summary

Table of Contents
Regulations and other acts
Index

Legal deposit – 1st Quarter 1968
Bibliothèque nationale du Québec
© Éditeur officiel du Québec, 2003

All rights reserved in all countries. No part of this publication may be translated, used or reproduced for commercial purposes by any means, whether electronic or mechanical, including micro-reproduction, without the written authorization of the Québec Official Publisher.

Table of Contents**Page****Regulations and other acts**

Unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants	1317B
Value of silvicultural treatments admitted as payment of dues for the fiscal year 2003-2004	1330B

Regulations and other acts

M.O., 2003

Order number AM 2003-007 of the Minister of Natural Resources dated 24 March 2003 respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants

Forest Act
(R.S.Q., c. F-4.1; 2002, c. 25 and 68)

THE MINISTER OF NATURAL RESOURCES,

CONSIDERING the third paragraph of section 5 of the Forest Act (R.S.Q., c. F-4.1) which provides that the Minister shall determine the unit rates for the classes of forest management permits for which the unit rates have not been determined by regulation of the Government;

CONSIDERING section 72 of that Act which provides that the Minister shall determine the unit rate corresponding to the stumpage value according to the rules of calculation determined by regulation of the Government;

CONSIDERING Order in Council number 372-87 dated 18 March 1987 according to which the Government made the Regulation respecting forest royalties;

CONSIDERING THAT, in accordance with sections 2 and 7 of that Regulation, it is expedient to establish the unit rates for the stumpage value applicable to the calculation of the dues payable by the holder of a forest management permit for the supply of a wood processing plant for the 2003-2004 fiscal year;

CONSIDERING THAT, in accordance with sections 10, 12 and 13 of the Regulations Act (R.S.Q., c. R-18.1), a draft of the Regulation attached to this Order was published in Part 2 of the *Gazette officielle du Québec* of 12 February 2003 with a notice that it could be made by the Minister upon the expiry of a 35-day period following that publication;

CONSIDERING THAT the 35-day period has expired;

CONSIDERING section 18 of that Act which provides that a regulation may come into force on the date of its publication in the *Gazette officielle du Québec*, or between that date and the date applicable under section 17 of that Act, where the authority that has made it is of the opinion that the urgency of the situation requires it;

CONSIDERING the same section which provides that the reason justifying such coming into force shall be published with the regulation;

CONSIDERING THAT in the opinion of the Minister the urgency due to the following circumstances justifies such coming into force:

— The first paragraph of section 2 of the Regulation respecting forest royalties specifies that in order to determine a unit rate fixed by the Minister under the first paragraph of section 72 of the Forest Act (R.S.Q., c. F-4.1), the stumpage value of standing timber shall be calculated on 1 April of each year in each forest tariffing zone, by species or group of species and quality of timber, according to the parity technique applicable in property assessment, by comparing the timber to similar timber for which the selling price is known.

For the application of that regulation, the rates must be known as soon as possible;

CONSIDERING THAT it is expedient to make the Regulation with amendments;

ORDERS:

The Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants, attached to this Order, is made.

Québec, 24 March 2003

FRANÇOIS GENDRON,
Minister of Natural Resources

Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants

Forest Act
(R.S.Q., c. F-4.1, ss. 5 and 72)

1. The unit rates for stumpage in forests in the public domain by tariffing zone for the fiscal year 2003-2004 set out in Schedule I shall be indexed on 1 April, 1 July, 1 October 2003 and 1 January 2004 in accordance with the performance of the price indexes for the forest products specified in Schedule II. The index rates per species, group of species and quality shall be calculated in accordance with the following formulas:

Index rate at	=	Average price index for the months of December 2002, January and February 2003
		Average price index for the months of April 2000 to March 2002
Index rate at	=	Average price index for the months of March, April and May 2003
		Average price index for the months of April 2000 to March 2002
Index rate at	=	Average price index for the months of June, July and August 2003
		Average price index for the months of April 2000 to March 2002
Index rate at	=	Average price index for the months of September, October and November 2003
		Average price index for the months of April 2000 to March 2002

The amounts thus indexed shall apply, in each forest tariffing zone indicated in Schedule I, to the calculation of the dues payable by the holder of a forest management permit for the supply of a wood processing plant for the 3-month period following the date of indexing.

The amounts indexed in the manner prescribed in the first paragraph shall be reduced to the nearest fraction of \$0.10/m³ where they contain a fraction less than \$0.025/m³. They shall be rounded off to the nearest fraction of \$0.05/m³ where they contain a fraction equal to or greater than \$0.025/m³ but less than \$0.075/m³ and shall be increased to the nearest fraction of \$0.10/m³ where they contain a fraction equal to or greater than \$0.075/m³.

The Minister of Natural Resources shall inform the public, through Part I of the *Gazette officielle du Québec* and, where he considers it appropriate, by any other means, of the indexing calculated under this section.

2. This Regulation replaces the Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants, made by Minister's Order number AM 2002-005 of the Minister of Natural Resources, dated 23 April 2002 and published in Part 2 of the *Gazette officielle du Québec* of 29 April 2002.

3. This Regulation comes into force on 1 April 2003.

SCHEDULE 1

(s.1)

**REFERENCE UNIT RATES FOR STUMPPAGE IN FORESTS IN THE DOMAIN OF THE STATE
FOR THE 2003-2004 FISCAL YEAR**

Species	Quality*	Stumpage (\$/m ³)										2004				
		Zones					2004					2005				
101	102	103	104	111	112	113	114	115	116	117	201	202	203	204	205	
Jack pine	F	20,37	17,15	16,16	17,70	14,03	14,92	13,96	13,97	14,20	14,75	14,69	17,64	17,60	19,51	19,65
Fir, spruce, jack pine, tamarack	B	20,37	17,15	16,16	17,70	12,49	14,92	8,41	9,10	11,20	14,26	14,69	14,31	19,51	15,51	19,53
White pine	G	24,26	18,15	14,37	14,20	9,79	9,79	9,79	9,79	9,79	9,79	9,79	18,19	15,67	16,95	17,50
	H	16,01	11,97	9,48	9,37	6,49	6,49	6,49	6,49	6,49	6,49	6,49	12,00	10,34	11,18	11,54
	I	14,71	11,00	8,71	8,61	5,92	5,92	5,92	5,92	5,92	5,92	5,92	11,03	9,50	10,27	10,61
Red pine	F	18,68	14,89	14,77	14,78	14,01	14,00	13,98	13,98	14,01	14,01	14,00	18,33	18,33	17,83	16,31
	G	17,99	13,46	10,66	10,53	7,22	7,22	7,22	7,22	7,22	7,22	7,22	13,49	11,62	12,57	12,98
	H	11,87	8,88	7,03	6,94	4,79	4,79	4,79	4,79	4,79	4,79	4,79	8,90	7,66	8,29	8,56
	I	10,91	8,16	6,46	6,38	4,37	4,37	4,37	4,37	4,37	4,37	4,37	8,18	7,04	7,62	7,87
Hemlock, cedar	B	3,11	2,67	2,64	2,65	2,49	2,49	2,48	2,48	2,49	2,49	2,49	2,86	2,96	2,34	2,53
White pine, red pine, hemlock, cedar	C	1,60	1,42	1,42	1,42	1,40	1,40	1,40	1,40	1,40	1,40	1,40	1,56	1,57	1,28	1,38
Oak, cherry, walnut, hickory	A	59,77	50,58	42,76	39,12	29,47	19,70	19,70	19,70	19,70	19,70	19,70	34,12	22,19	33,18	30,31
	B	28,67	24,26	20,51	18,76	14,14	9,14	9,14	9,14	9,14	9,14	9,14	13,36	9,14	13,68	11,78
	C	10,66	9,02	7,63	6,98	5,26	3,95	3,95	3,95	3,95	4,97	3,95	4,97	3,95	5,09	4,38
Yellow birch, ash, basswood, elm	A	59,77	50,58	41,90	39,12	29,47	18,94	18,94	18,94	18,94	18,94	18,94	34,12	22,19	35,62	30,31
	B	22,22	18,81	15,90	14,55	10,96	6,73	6,73	6,73	6,73	10,36	6,73	11,34	6,73	10,61	9,13
	C	8,26	6,99	5,91	5,41	4,07	2,82	2,82	2,82	2,82	3,85	2,82	4,22	2,82	3,94	3,40
White birch	A	59,77	50,58	41,90	39,12	29,47	15,23	14,32	14,32	14,32	27,86	14,32	34,12	22,19	35,62	30,31
	B	13,58	12,44	10,37	11,13	5,31	3,93	3,93	3,93	3,93	8,14	3,93	8,63	6,84	10,92	8,35
	C	4,92	4,41	3,47	3,82	2,00	1,50	1,50	1,50	1,50	2,64	1,50	3,12	2,14	3,72	3,01
Sugar maple	A	64,90	48,98	45,14	42,68	31,59	23,39	23,39	23,39	23,39	30,34	23,39	30,28	23,39	25,55	24,65
	B	27,10	22,06	18,91	17,89	8,30	8,30	8,30	8,30	8,30	8,30	8,30	13,42	8,30	8,30	8,30
	C	6,76	5,45	4,86	4,55	2,06	2,06	2,06	2,06	2,06	2,06	2,06	3,20	2,06	2,06	2,06
Other hardwoods	B	8,89	7,52	6,36	5,82	4,38	3,14	3,14	3,14	3,14	4,14	4,14	4,54	3,14	4,24	3,65
	C	3,71	2,80	2,36	2,16	1,63	1,37	1,37	1,37	1,37	1,54	1,37	1,69	1,37	2,02	1,37
Poplars	B	6,63	5,50	6,24	6,42	4,71	5,55	5,12	3,33	4,12	5,67	5,29	6,05	5,82	6,35	6,51
All hardwoods (except poplars / aspen)	D	3,71	2,69	2,15	2,02	0,89	0,89	0,89	0,89	0,89	1,05	0,89	0,89	0,89	0,89	0,89

* The letters A, B, C, D, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)															
		Zones															
		206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221
Jack pine	F	20,77	19,61	17,40	16,30	15,24	15,73	19,83	22,03	20,57	17,96	15,71	12,70	12,51	13,45	13,38	16,01
Fir, spruce, jack pine, tamarack	B	13,03	19,61	17,40	15,62	15,24	15,73	19,83	22,03	20,57	17,96	15,71	10,04	11,97	12,99	13,38	16,01
	G	15,98	11,50	13,97	11,55	9,79	9,79	11,62	14,72	10,92	9,79	9,79	9,79	9,79	9,79	9,79	9,79
	H	10,54	7,59	9,21	7,62	6,49	6,49	7,66	9,71	7,20	6,49	6,49	6,49	6,49	6,49	6,49	6,49
White pine	I	9,69	6,97	8,47	7,00	5,92	5,92	7,04	8,93	6,62	5,92	5,92	5,92	5,92	5,92	5,92	5,92
	F	16,40	16,29	15,60	15,03	14,02	14,90	15,67	16,27	16,05	14,31	14,16	14,85	14,11	14,15	14,10	14,01
	G	11,85	8,53	10,36	8,57	7,22	7,22	8,61	10,92	8,10	7,22	7,22	7,22	7,22	7,22	7,22	7,22
Red pine	H	7,82	5,63	6,83	5,65	4,79	4,79	5,68	7,20	5,34	4,79	4,79	4,79	4,79	4,79	4,79	4,79
	I	7,18	5,17	6,28	5,19	4,37	4,37	5,22	6,62	4,91	4,37	4,37	4,37	4,37	4,37	4,37	4,37
	B	2,35	2,33	2,26	2,29	1,67	1,97	2,30	2,34	2,28	1,62	1,40	1,43	1,32	1,38	1,36	1,38
White pine, red pine, hemlock, cedar	C	1,31	1,27	1,35	1,42	1,27	1,29	1,36	1,31	1,20	1,11	1,00	0,92	1,06	1,02	1,01	1,06
Oak, cherry, walnut, hickory	A	35,39	19,70	33,35	19,70	19,70	19,70	30,95	28,03	19,70	19,70	19,70	19,70	19,70	19,70	19,70	19,70
	B	12,83	9,14	10,88	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14
	C	4,77	3,95	4,05	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
Yellow birch, ash, basswood, elm	A	38,22	18,94	33,35	18,94	18,94	18,94	30,95	28,52	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94
	B	9,95	6,73	8,44	6,73	6,73	6,73	6,96	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73
	C	3,70	2,82	3,14	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82
White birch	A	38,22	18,14	33,35	16,45	14,32	16,39	30,95	28,52	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32
	B	12,41	5,59	10,28	5,07	3,93	5,05	9,54	8,27	4,30	3,93	3,93	3,93	3,93	3,93	3,93	3,93
	C	4,39	2,00	3,45	1,92	1,50	1,91	3,46	3,08	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30
Sugar maple	A	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39
	B	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30
	C	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06
Other hardwoods	B	3,98	3,14	3,37	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14
	C	2,04	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37
	D	6,69	5,87	6,05	5,51	3,49	4,28	5,40	6,33	5,32	4,24	3,89	1,78	1,78	1,78	1,78	1,78
All hardwoods (except poplars / aspen)	E	2,04	0,89	1,34	0,89	0,89	0,89	1,32	0,90	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89
Poplars	F	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)										Zones					
		222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237
Jack pine	F	21.19	15.83	16.93	18.14	12.53	11.31	7.75	6.22	5.66	5.47	7.20	13.05	8.69	15.61	10.73	10.73
Fir, spruce, jack pine, tamarack	B	21.19	15.83	16.93	18.14	12.53	9.26	7.75	6.22	4.63	4.63	7.20	13.05	8.69	15.61	6.82	8.36
White pine	G	9.79	9.79	9.79	9.79	9.79	9.79	9.79	9.79	9.79	9.79	9.79	9.79	9.79	9.79	9.79	9.79
	H	6.49	6.49	6.49	6.49	6.49	6.49	6.49	6.49	6.49	6.49	6.49	6.49	6.49	6.49	6.49	6.49
	I	5.92	5.92	5.92	5.92	5.92	5.92	5.92	5.92	5.92	5.92	5.92	5.92	5.92	5.92	5.92	5.92
Red pine	F	15.76	14.13	14.00	14.97	13.98	13.98	13.98	13.98	13.98	13.98	13.98	13.98	13.98	13.98	14.18	14.00
	G	7.22	7.22	7.22	7.22	7.22	7.22	7.22	7.22	7.22	7.22	7.22	7.22	7.22	7.22	7.22	7.22
	H	4.79	4.79	4.79	4.79	4.79	4.79	4.79	4.79	4.79	4.79	4.79	4.79	4.79	4.79	4.79	4.79
	I	4.37	4.37	4.37	4.37	4.37	4.37	4.37	4.37	4.37	4.37	4.37	4.37	4.37	4.37	4.37	4.37
Hemlock, cedar	B	2.16	1.50	1.42	1.93	1.33	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.54	1.39	1.36
White pine, red pine, hemlock, cedar	C	1.16	1.11	1.08	1.24	1.03	1.03	0.75	0.75	0.75	0.75	0.75	0.96	0.75	1.13	1.32	1.29
Oak, cherry, walnut, hickory	A	19.70	19.70	19.70	19.70	19.70	19.70	19.70	19.70	19.70	19.70	19.70	19.70	19.70	19.70	19.70	19.70
	B	9.14	9.14	9.14	9.14	9.14	9.14	9.14	9.14	9.14	9.14	9.14	9.14	9.14	9.14	9.14	9.14
	C	3.95	3.95	3.95	3.95	3.95	3.95	3.95	3.95	3.95	3.95	3.95	3.95	3.95	3.95	3.95	3.95
Yellow birch, ash, basswood, elm	A	18.94	18.94	18.94	18.94	18.94	18.94	18.94	18.94	18.94	18.94	18.94	18.94	18.94	18.94	18.94	18.94
	B	6.73	6.73	6.73	6.73	6.73	6.73	6.73	6.73	6.73	6.73	6.73	6.73	6.73	6.73	6.73	6.73
	C	2.82	2.82	2.82	2.82	2.82	2.82	2.82	2.82	2.82	2.82	2.82	2.82	2.82	2.82	2.82	2.82
White birch	A	14.32	14.32	14.69	14.32	14.32	14.32	14.32	14.32	14.32	14.32	14.32	14.32	14.32	14.32	14.32	14.32
	B	3.93	3.93	3.93	4.53	3.93	3.93	3.93	3.93	3.93	3.93	3.93	3.93	3.93	3.93	3.93	3.93
	C	1.50	1.50	1.50	1.71	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50	1.50
Sugar maple	A	23.39	23.39	23.39	23.39	23.39	23.39	23.39	23.39	23.39	23.39	23.39	23.39	23.39	23.39	23.39	23.39
	B	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30	8.30
	C	2.06	2.06	2.06	2.06	2.06	2.06	2.06	2.06	2.06	2.06	2.06	2.06	2.06	2.06	2.06	2.06
Other hardwoods	B	3.14	3.14	3.14	3.14	3.14	3.14	3.14	3.14	3.14	3.14	3.14	3.14	3.14	3.14	3.14	3.14
	C	1.37	1.37	1.37	1.37	1.37	1.37	1.37	1.37	1.37	1.37	1.37	1.37	1.37	1.37	1.37	1.37
Poplars	B	4.62	4.70	4.29	5.10	2.99	2.17	1.78	1.78	1.78	1.78	1.78	1.78	1.78	2.12	1.78	1.78
All hardwoods (except poplars / aspen)	D	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89	0.89

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)															
		Zones															
		238	239	301	302	303	304	305	306	401	402	403	404	405	406	407	408
Jack pine	F	10,38	6,89	19,74	16,77	17,52	19,25	16,23	16,12	18,78	21,71	21,48	18,95	20,34	16,83	15,55	16,43
Fir, spruce, jack pine, tamarack	B	9,15	4,63	19,74	9,05	8,91	17,80	13,09	15,94	16,82	21,71	21,48	18,95	20,34	12,36	15,55	16,31
White pine	G	9,79	9,79	23,17	17,28	18,51	28,14	15,20	13,32	22,43	26,56	29,08	26,79	26,29	11,19	12,25	11,10
	H	6,49	6,49	15,29	11,40	12,21	18,56	10,03	8,79	14,80	17,52	19,19	17,68	17,34	7,38	8,08	7,32
	I	5,92	5,92	14,05	10,48	11,22	17,06	9,22	8,08	13,60	16,10	17,63	16,24	15,94	6,78	7,43	6,73
Red pine	F	13,98	13,98	22,91	17,52	18,25	23,42	15,58	15,13	23,25	23,80	25,60	22,50	21,82	16,97	20,38	15,18
	G	7,22	7,22	7,18	12,82	13,73	20,86	11,27	9,88	16,63	19,70	21,57	19,87	19,49	8,30	9,08	8,23
	H	4,79	4,79	11,34	8,46	9,06	13,77	7,44	6,52	10,97	12,99	14,23	13,11	12,86	5,47	5,99	5,43
	I	4,37	4,37	10,42	7,77	8,32	12,65	6,83	5,99	10,09	11,94	13,08	12,05	11,82	5,03	5,51	4,99
Hemlock, cedar	B	1,38	1,30	3,54	3,02	2,88	3,59	2,66	2,52	3,53	3,61	3,90	3,46	3,35	2,45	2,98	2,43
White pine, red pine, hemlock, cedar	C	1,34	1,05	1,83	1,58	1,56	2,01	1,55	1,53	1,94	2,02	2,21	1,93	1,86	1,28	1,57	0,95
Oak, cherry, walnut, hickory	A	19,70	19,70	62,04	23,91	41,47	58,19	19,70	27,41	54,01	67,87	67,78	55,89	59,91	19,70	19,70	19,70
	B	9,14	9,14	30,24	9,29	17,79	24,96	9,14	9,14	24,74	31,20	30,16	23,97	29,02	9,14	9,14	9,14
	C	3,95	3,95	11,46	3,95	6,61	9,28	3,95	3,95	9,20	11,60	11,22	8,91	10,79	3,95	3,95	3,95
Yellow birch, ash, basswood, elm	A	18,94	18,94	60,25	23,91	41,47	58,19	18,94	27,41	54,01	67,18	70,34	55,89	59,91	18,94	18,94	18,94
	B	6,73	6,73	23,44	7,20	13,79	19,35	6,73	6,73	19,18	24,19	23,38	18,58	22,50	6,73	6,73	6,73
	C	2,82	2,82	8,88	2,82	5,13	7,19	2,82	2,82	7,13	8,99	8,69	6,91	8,37	2,82	2,82	2,82
White birch	A	14,32	14,32	60,25	23,91	41,47	58,19	18,13	27,41	54,01	67,18	70,34	55,89	59,91	14,32	14,32	14,32
	B	3,93	3,93	14,73	4,21	7,51	13,67	4,95	7,17	19,46	24,20	20,32	15,05	17,46	3,93	3,93	3,93
	C	1,50	1,50	5,44	1,59	2,54	4,96	1,87	2,03	7,57	9,65	7,85	5,69	6,64	1,50	1,50	1,50
Sugar maple	A	23,39	23,39	59,16	32,53	42,96	57,87	23,39	23,39	54,80	67,45	77,16	56,01	53,12	23,39	23,39	23,39
	B	8,30	8,30	24,72	8,30	19,05	28,44	8,30	8,30	24,10	29,83	34,15	26,97	23,44	8,30	8,30	8,30
	C	2,06	2,06	6,37	2,06	4,54	6,78	2,06	5,74	7,51	8,51	6,43	6,03	2,06	2,06	2,06	2,06
Other hardwoods	B	3,14	3,14	9,38	3,14	5,51	7,74	3,14	7,67	9,68	9,35	7,43	9,00	3,14	3,14	3,14	3,14
	C	1,37	1,37	3,55	1,37	2,05	3,37	1,37	1,37	2,85	3,76	4,57	2,76	3,35	1,37	1,37	1,37
Poplars	B	1,78	1,78	6,28	2,93	3,20	5,98	4,13	4,60	5,59	5,99	6,47	5,44	6,67	4,40	4,30	3,63
All hardwoods (except poplars / aspen)	D	0,89	0,89	3,00	0,89	0,89	3,37	1,22	2,55	3,76	4,57	2,70	3,31	0,89	0,89	0,89	0,89

* The letters A, B, C, D, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)																
		Zones																
Jack pine	F	14.34	15.60	14.34	14.66	17.69	19.72	20.43	21.30	19.89	19.31	17.38	18.61	16.80	13.44	14.03	14.71	
Fir, spruce, jack pine, tamarack	B	11.04	6.82	13.36	13.58	17.69	14.87	20.43	20.28	19.36	18.14	16.33	18.43	16.80	10.66	14.03	8.79	
	G	9.79	9.79	9.79	10.67	24.33	29.25	30.51	24.41	21.20	21.54	23.82	22.16	19.17	15.35	17.35		
	H	6.49	6.49	6.49	6.49	7.04	16.05	19.30	20.13	16.11	13.99	14.21	15.72	14.62	12.65	10.12	11.44	
Red pine	I	5.92	5.92	5.92	5.92	6.47	14.75	17.74	18.50	14.80	12.86	13.06	14.44	13.44	11.62	9.30	10.52	
	F	15.11	15.59	15.11	14.61	15.65	22.97	26.47	26.89	26.00	25.64	24.11	25.09	21.20	21.00	21.00	20.18	
	G	7.22	7.22	7.22	7.22	7.92	18.04	21.69	22.63	18.10	15.72	15.97	17.67	16.44	14.21	11.38	12.86	
	H	4.79	4.79	4.79	4.79	5.22	11.90	14.31	14.93	11.94	10.37	10.54	11.66	10.84	9.38	7.51	8.49	
Hemlock, cedar	I	4.37	4.37	4.37	4.37	4.37	4.80	10.94	13.15	13.72	10.98	9.53	9.68	10.71	9.97	8.62	6.90	7.80
	B	2.44	2.14	2.44	1.74	2.14	3.55	4.04	4.12	3.97	3.91	3.62	3.80	3.08	3.05	3.04	2.94	
White pine, red pine, hemlock, cedar	C	0.93	1.01	0.93	1.04	1.16	1.84	2.31	2.36	2.26	2.22	2.03	2.15	1.66	1.64	1.64	1.57	
Oak, cherry, walnut, hickory	A	19.70	19.70	19.70	19.70	19.70	63.49	75.79	76.78	68.37	53.38	51.00	69.74	55.82	47.69	33.38	37.63	
	B	9.14	9.14	9.14	9.14	9.14	29.51	34.55	36.60	32.69	25.21	26.34	33.57	27.92	24.63	12.97	14.45	
	C	3.95	3.95	3.95	3.95	3.95	10.97	12.85	13.61	12.16	9.37	9.80	12.48	10.38	9.16	4.82	5.37	
Yellow birch, ash, basswood, elm	A	18.94	18.94	18.94	18.94	18.94	63.49	75.79	76.78	68.37	53.38	51.00	68.14	55.82	47.69	33.38	37.63	
	B	6.73	6.73	6.73	6.73	6.73	22.87	26.79	28.37	25.34	19.54	20.42	26.02	21.64	19.10	10.05	11.20	
	C	2.82	2.82	2.82	2.82	2.82	8.51	9.96	10.55	9.42	7.27	7.59	9.68	8.05	7.10	3.74	4.16	
	I	14.32	14.32	14.32	14.32	16.86	63.49	75.79	76.78	68.37	53.38	51.00	68.14	55.82	47.69	33.38	37.63	
Sugar maple	B	3.93	3.93	3.93	3.93	3.93	20.15	25.24	26.53	23.52	19.07	16.35	23.91	19.37	14.28	6.98	10.91	
	C	1.50	1.50	1.50	1.50	1.50	7.89	9.74	10.76	9.41	7.40	6.18	9.58	7.53	5.24	2.64	4.13	
	A	23.39	23.39	23.39	23.39	23.39	76.38	79.36	80.31	67.51	51.13	58.39	73.69	60.54	52.72	32.76	37.02	
Other hardwoods	B	8.30	8.30	8.30	8.30	8.30	29.72	32.50	31.22	29.60	22.42	17.17	23.40	19.09	16.26	8.30	8.30	
	C	2.06	2.06	2.06	2.06	2.06	7.60	7.93	7.52	7.05	5.34	4.09	5.58	4.55	3.88	2.06	2.06	
	I	3.14	3.14	3.14	3.14	3.14	9.15	10.71	11.35	10.14	7.82	8.17	10.41	8.66	7.64	4.02	4.48	
Poplars	C	1.37	1.37	1.37	1.37	1.37	3.40	4.75	4.73	3.85	3.28	3.04	4.10	3.22	2.84	1.50	1.67	
	B	3.60	1.93	2.42	2.90	4.48	5.40	7.76	8.50	8.42	7.26	6.27	7.05	6.82	3.87	4.39	5.76	
All hardwoods (except poplars / aspen)	D	0.89	0.89	0.89	0.89	0.89	3.22	4.75	4.73	3.85	3.28	2.83	4.10	3.05	1.66	0.89	1.05	

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)										Zones									
		701	702	703	704	705	706	707	708	709	710	711	712	801	802	803	804				
Jack pine	F	22.98	17.98	13.80	15.61	16.03	14.40	13.75	12.86	12.26	12.91	12.11	12.85	10.60	11.24	12.68	11.06				
Fir, spruce, jack pine, tamarack	B	22.98	15.13	9.59	12.94	11.61	8.72	10.48	11.69	11.22	7.03	4.63	4.63	6.06	10.41	10.86	4.88				
White pine	G	30.74	29.97	28.39	25.45	26.50	24.25	20.89	22.03	18.72	16.59	13.76	14.30	23.17	24.03	30.09	27.20				
	H	20.28	19.77	18.73	17.48	16.00	13.78	14.53	12.35	10.94	9.08	9.44	15.29	15.86	19.85	17.95					
	I	18.64	18.17	17.22	15.43	16.07	14.70	12.66	13.36	11.35	10.06	8.34	8.67	14.05	14.57	18.24	16.49				
Red pine	F	26.95	26.95	24.45	25.56	26.06	25.00	24.46	21.50	20.56	20.23	18.27	19.67	23.55	23.59	23.04	23.58				
	G	22.80	22.23	21.06	18.87	19.65	17.98	15.49	16.33	13.88	12.30	10.20	10.61	17.18	17.82	22.31	20.17				
	H	15.04	14.66	13.89	12.45	12.96	11.86	10.22	10.78	9.16	8.11	6.73	7.00	11.34	11.76	14.72	13.31				
	I	13.82	13.48	12.77	11.44	11.91	10.90	9.39	9.90	8.41	7.46	6.19	6.43	10.42	10.81	13.53	12.23				
Hemlock, cedar	B	4.12	4.09	3.63	3.83	3.92	3.72	3.63	3.05	2.82	2.83	2.35	2.72	3.45	3.46	3.33	3.46				
White pine, red pine, hemlock, cedar	C	2.35	2.31	1.98	2.13	2.20	2.06	1.98	1.67	1.57	1.55	1.32	1.49	1.88	1.87	1.79	1.87				
Oak, cherry, walnut, hickory	A	77.09	69.62	70.71	58.53	59.45	50.52	43.76	54.32	22.20	19.70	19.70	22.88	47.87	48.83	69.48	62.51				
	B	34.17	31.55	30.06	25.30	29.03	24.88	18.33	24.30	9.14	9.14	9.14	9.14	23.02	21.13	35.68	32.02				
	C	12.71	11.73	11.18	9.41	10.87	9.25	6.82	9.04	3.95	3.95	3.95	3.95	8.56	7.86	13.30	11.91				
Yellow birch, ash, basswood, elm	A	79.46	71.83	73.35	55.03	54.10	50.52	43.76	54.32	22.20	18.94	18.94	22.88	47.87	47.98	68.43	62.51				
	B	26.49	24.46	23.30	19.61	22.50	19.28	14.21	18.84	7.04	6.73	6.73	6.73	17.84	16.38	27.66	24.82				
	C	9.85	9.10	8.66	7.29	8.42	7.17	5.28	7.00	2.82	2.82	2.82	2.82	6.64	6.09	10.31	9.23				
White birch	A	79.46	71.83	73.35	55.03	54.10	50.52	43.76	54.32	22.20	18.78	14.32	22.88	47.87	47.98	68.43	62.51				
	B	26.97	25.90	25.89	21.67	17.95	17.36	16.64	18.36	4.34	3.93	3.93	6.64	19.06	18.96	23.68	22.56				
	C	10.97	10.48	9.99	8.57	6.89	6.63	6.29	7.08	1.64	1.50	1.50	2.51	7.40	7.35	9.48	8.97				
Sugar maple	A	88.81	78.10	70.61	55.30	61.57	54.43	43.41	52.27	26.85	23.39	23.39	26.49	51.71	54.36	68.76	61.87				
Other hardwoods	B	32.33	23.71	22.13	16.75	23.62	19.98	13.68	18.03	8.30	8.30	8.30	8.30	17.27	15.12	25.02	21.77				
	C	7.79	5.65	5.28	3.99	6.08	4.76	3.26	4.30	2.06	2.06	2.06	2.06	4.12	3.60	6.45	5.19				
	D	10.59	9.78	9.32	7.85	9.00	7.71	5.68	7.54	3.14	3.14	3.14	3.14	7.14	6.35	11.06	9.93				
Poplars	B	6.60	5.70	6.08	4.61	4.78	3.86	3.74	5.51	3.89	4.28	3.10	2.51	6.00	7.74	8.26	7.13				
All hardwoods (except poplars / aspen)	D	5.16	4.55	4.37	2.92	3.37	2.87	2.11	3.12	1.37	1.37	1.37	1.37	2.65	2.92	4.33	3.69				

* The letters A, B, C, D, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)															
		Zones															
Jack pine	F	10,63	12,24	16,21	10,67	11,41	13,46	15,17	14,18	15,25	13,62	15,83	16,82	14,33	15,55	20,58	21,38
Fir, spruce, jack pine, tamarack	B	4,63	9,48	16,21	9,83	9,37	7,06	15,17	11,16	12,59	9,16	13,28	16,65	9,13	14,39	20,58	21,15
	G	23,07	25,29	26,88	23,97	20,70	15,86	23,07	22,00	21,48	13,89	15,74	15,49	22,18	22,62	24,30	14,57
	H	15,22	16,69	17,73	15,82	13,66	10,46	15,22	14,52	14,17	9,16	10,38	10,22	14,64	14,92	16,04	9,61
Red pine	I	13,99	15,33	16,29	14,54	12,55	9,61	13,99	13,34	13,02	8,42	9,54	9,39	13,45	13,71	14,74	8,84
	F	23,56	22,73	21,94	23,49	22,14	19,81	20,38	18,30	18,62	19,70	18,35	18,21	18,35	18,01	18,02	16,63
	G	17,11	18,76	19,93	17,78	15,35	11,76	17,11	16,32	15,93	10,30	11,67	11,49	16,45	16,77	18,02	10,81
H	H	11,29	12,37	13,15	11,73	10,13	7,76	11,29	10,76	10,51	6,80	7,70	7,58	10,85	11,06	11,89	7,13
	I	10,37	11,37	12,08	10,78	9,31	7,13	10,37	9,89	9,66	6,25	7,08	6,96	9,97	10,17	10,93	6,55
Hemlock, cedar	B	3,45	3,24	3,04	3,43	3,15	2,59	2,64	2,02	2,21	2,56	2,23	2,10	2,05	1,96	1,78	1,73
White pine, red pine, hemlock, cedar	C	1,88	1,76	1,65	1,87	1,73	1,48	1,48	1,19	1,32	1,46	1,32	1,29	1,20	1,17	1,14	1,12
Oak, cherry, walnut, hickory	A	45,36	50,62	53,91	46,23	37,42	19,70	34,91	25,48	19,70	19,70	19,70	21,21	24,90	35,70	26,14	
	B	22,75	20,70	22,04	18,90	15,30	9,14	14,53	9,90	9,14	9,14	9,14	9,14	9,63	10,74	9,14	
	C	8,46	7,70	8,20	7,03	5,69	3,95	5,40	3,95	3,95	3,95	3,95	3,95	3,95	3,99	3,95	
Yellow birch, ash, basswood, elm	A	45,36	50,62	53,91	46,23	37,42	18,94	37,65	25,48	19,21	18,94	18,94	21,21	24,90	35,87	26,14	
	B	17,64	16,04	17,09	14,65	11,86	6,73	11,26	7,67	6,73	6,73	6,73	6,73	7,47	8,32	6,73	
	C	6,56	5,97	6,35	5,45	4,41	2,82	4,19	2,85	2,82	2,82	2,82	2,82	2,82	3,10	2,82	
White birch	A	45,36	50,62	53,91	46,23	37,42	14,95	37,65	25,48	19,21	14,32	14,32	21,21	24,90	35,87	26,14	
	B	16,08	13,21	15,48	11,77	8,50	4,34	12,17	6,72	4,12	3,93	3,93	5,53	7,22	10,40	7,58	
	C	6,08	5,00	5,85	4,45	3,22	1,64	4,56	2,52	1,56	1,50	1,50	2,09	2,71	3,61	2,87	
Sugar maple	A	48,02	52,77	55,13	41,45	33,72	23,39	36,06	24,88	23,39	23,39	23,39	23,39	23,39	26,73	23,39	
	B	17,31	13,94	14,93	11,72	8,30	8,30	9,35	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	
	C	4,13	3,32	3,56	2,79	2,06	2,06	2,23	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	
Other hardwoods	B	7,05	6,42	6,83	5,86	4,74	3,14	4,50	3,14	3,14	3,14	3,14	3,14	3,33	3,14		
	C	2,62	2,39	2,59	2,18	1,76	1,37	1,67	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	
Poplars	B	4,54	5,98	7,21	5,53	3,90	3,15	5,63	4,49	4,95	3,70	4,80	5,62	5,27	5,12	6,78	6,03
All hardwoods (except poplars / aspen)	D	2,18	2,11	2,59	1,83	0,89	1,35	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)															
		Zones															
Jack pine	F	19,62	15,56	16,87	13,03	17,19	21,80	18,17	17,18	16,99	18,69	21,36	18,63	9,45	15,64	15,88	18,92
Fir, spruce, jack pine, tamarack	B	17,66	13,36	10,15	12,55	16,75	21,80	18,17	15,56	14,44	13,45	17,52	11,04	5,83	15,11	15,88	18,92
White pine	G	13,79	9,79	9,79	9,79	9,79	13,47	9,79	10,21	10,47	12,12	14,38	12,93	9,79	9,79	9,79	9,79
	H	9,10	6,49	6,49	6,49	6,49	8,89	6,49	6,73	6,91	7,99	9,48	8,53	6,49	6,49	6,49	6,49
	I	8,36	5,92	5,92	5,92	8,17	5,92	6,19	6,35	7,35	8,72	7,84	5,92	5,92	5,92	5,92	5,92
Red pine	F	16,39	16,87	16,04	14,71	16,16	16,43	15,80	16,16	16,08	16,06	16,58	15,98	14,05	15,53	15,37	14,57
	G	10,23	7,22	7,22	7,22	7,22	9,99	7,22	7,57	7,76	8,98	10,66	9,59	7,22	7,22	7,22	7,22
	H	6,75	4,79	4,79	4,79	4,79	6,59	4,79	4,99	5,12	5,93	7,03	6,32	4,79	4,79	4,79	4,79
	I	6,20	4,37	4,37	4,37	4,37	6,06	4,37	4,59	4,71	5,45	6,46	5,81	4,37	4,37	4,37	4,37
Hemlock, cedar	B	1,79	1,96	1,72	1,30	1,76	1,80	1,64	1,76	1,73	1,59	1,66	1,55	1,30	1,54	1,51	1,30
White pine, red pine, hemlock, cedar	C	1,11	1,18	1,10	1,02	1,11	1,11	1,09	1,11	1,10	1,12	1,14	1,16	1,16	1,07	1,06	1,01
Oak, cherry, walnut, hickory	A	19,70	19,70	19,70	19,70	19,70	19,70	19,70	19,70	19,70	27,96	28,72	19,70	19,70	19,70	19,70	19,70
	B	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14
	C	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
Yellow birch, ash, basswood, elm	A	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94	27,96	28,72	18,94	18,94	18,94	18,94
	B	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73
	C	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82
White birch	A	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	27,96	28,72	14,32	14,32	14,32	14,32
	B	3,93	3,93	3,93	3,93	3,93	3,93	3,93	3,93	3,93	4,09	8,11	8,33	3,93	3,93	3,93	3,93
	C	1,50	1,50	1,50	1,50	1,50	1,50	1,50	1,50	1,50	1,54	3,07	3,15	1,50	1,50	1,50	1,50
Sugar maple	A	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39
	B	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30
	C	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06
Other hardwoods	B	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14
	C	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37
Poplars	B	4,68	3,66	2,19	1,78	2,64	4,32	3,16	4,48	3,85	4,36	5,56	4,96	2,00	2,42	2,81	2,25
All hardwoods (except poplars / aspen)	D	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89

* The letters A, B, C, D, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)										Stumpage (\$/m ³)					
		Zones					Stumpage (\$/m ³)										
		837	838	839	840	841	842	901	902	903	904	905	906	907	908	909	910
Jack pine	F	11,85	11,07	7,82	9,51	4,63	7,29	14,27	14,52	13,68	18,52	15,72	18,03	15,59	13,51	13,60	10,03
Fir, spruce, jack pine, tamarack	B	11,85	10,14	7,68	4,63	4,63	14,27	12,92	11,58	18,52	15,72	18,03	15,21	13,51	13,60	10,03	
White pine	G	9,79	9,79	9,79	9,79	9,79	9,79	10,63	9,97	9,79	9,79	9,79	9,79	9,79	9,79	9,79	9,79
	H	6,49	6,49	6,49	6,49	6,49	6,49	7,01	6,58	6,49	6,49	6,49	6,49	6,49	6,49	6,49	6,49
	I	5,92	5,92	5,92	5,92	5,92	5,92	6,45	6,05	5,92	5,92	5,92	5,92	5,92	5,92	5,92	5,92
Red pine	F	14,38	14,21	13,98	14,20	13,98	13,98	13,98	14,01	13,98	13,98	13,98	13,98	13,98	13,98	13,98	13,98
	G	7,22	7,22	7,22	7,22	7,22	7,22	7,22	7,22	7,22	7,22	7,22	7,22	7,22	7,22	7,22	7,22
	H	4,79	4,79	4,79	4,79	4,79	4,79	5,20	4,88	4,79	4,79	4,79	4,79	4,79	4,79	4,79	4,79
	I	4,37	4,37	4,37	4,37	4,37	4,37	4,78	4,48	4,37	4,37	4,37	4,37	4,37	4,37	4,37	4,37
Hemlock, cedar	B	1,30	1,30	1,30	1,30	1,30	1,30	1,75	1,97	1,74	1,66	1,48	1,69	1,64	1,39	1,30	1,30
White pine, red pine, hemlock, cedar	C	1,00	0,97	1,17	1,06	0,75	1,00	1,38	1,44	1,38	1,34	1,23	1,37	1,34	1,17	0,78	0,75
Oak, cherry, walnut, hickory	A	19,70	19,70	19,70	19,70	19,70	19,70	19,70	19,70	19,70	19,70	19,70	19,70	19,70	19,70	19,70	19,70
	B	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14
	C	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
Yellow birch, ash, basswood, elm	A	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94
	B	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73
	C	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82
White birch	A	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32
	B	3,93	3,93	3,93	3,93	3,93	3,93	3,93	3,93	3,93	3,93	3,93	3,93	3,93	3,93	3,93	3,93
	C	1,50	1,50	1,50	1,50	1,50	1,50	1,50	1,50	1,50	1,50	1,50	1,50	1,50	1,50	1,50	1,50
Sugar maple	A	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39
	B	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30
	C	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06
Other hardwoods	B	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14
	C	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37
Poplars	B	1,78	1,78	1,78	1,78	1,78	1,78	2,74	3,20	2,80	1,78	1,78	1,78	1,78	1,78	1,78	1,78
All hardwoods (except poplars / aspen)	D	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89

* The letters A, B, C, D, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)										925			999		
		Zones					925					926	926	926	999		
		911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	
Jack pine	F	7,53	11,10	8,55	9,35	6,93	5,92	5,53	5,50	5,50	6,68	5,21	4,63	6,25	6,82	4,63	4,63
Fir, spruce, jack pine, tamarack	B	7,47	11,10	8,55	7,77	6,23	4,63	4,63	4,63	6,68	4,63	4,63	6,25	6,82	4,63	4,63	4,63
White pine	G	9,79	9,79	9,79	9,79	9,79	9,79	9,79	9,79	9,79	9,79	9,79	9,79	9,79	9,79	9,79	9,79
	H	6,49	6,49	6,49	6,49	6,49	6,49	6,49	6,49	6,49	6,49	6,49	6,49	6,49	6,49	6,49	6,49
	I	5,92	5,92	5,92	5,92	5,92	5,92	5,92	5,92	5,92	5,92	5,92	5,92	5,92	5,92	5,92	5,92
Red pine	F	13,98	13,98	13,98	13,98	13,98	13,98	13,98	13,98	13,98	13,98	13,98	13,98	13,98	13,98	13,98	13,98
	G	7,22	7,22	7,22	7,22	7,22	7,22	7,22	7,22	7,22	7,22	7,22	7,22	7,22	7,22	7,22	7,22
	H	4,79	4,79	4,79	4,79	4,79	4,79	4,79	4,79	4,79	4,79	4,79	4,79	4,79	4,79	4,79	4,79
	I	4,37	4,37	4,37	4,37	4,37	4,37	4,37	4,37	4,37	4,37	4,37	4,37	4,37	4,37	4,37	4,37
Hemlock, cedar	B	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30
White pine, red pine, hemlock, cedar	C	0,75	1,01	0,75	0,87	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75
Oak, cherry, walnut, hickory	A	19,70	19,70	19,70	19,70	19,70	19,70	19,70	19,70	19,70	19,70	19,70	19,70	19,70	19,70	19,70	19,70
	B	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14	9,14
	C	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
Yellow birch, ash, basswood, elm	A	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94	18,94
	B	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73	6,73
	C	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82	2,82
White birch	A	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32
	B	3,93	3,93	3,93	3,93	3,93	3,93	3,93	3,93	3,93	3,93	3,93	3,93	3,93	3,93	3,93	3,93
	C	1,50	1,50	1,50	1,50	1,50	1,50	1,50	1,50	1,50	1,50	1,50	1,50	1,50	1,50	1,50	1,50
Sugar maple	A	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39	23,39
	B	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30	8,30
	C	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06
Other hardwoods	B	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14	3,14
	C	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37	1,37
Poplars	B	1,78	1,78	1,78	1,78	1,78	1,78	1,78	1,78	1,78	1,78	1,78	1,78	1,78	1,78	1,78	1,78
All hardwoods (except poplars / aspen)	D	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89	0,89

* The letters A, B, C, D, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

SCHEDULE II

(s. 1)

PRICE INDEXES PER SPECIES, GROUPS OF SPECIES AND QUALITY

Species and groups of species	Quality¹	Price index²	Reference price index³
Fir, spruce, jack pine, tamarack	F	Preserved or treated wood (v1575024)	104,6
	B	Index : Lumber, softwood, Québec (v1575011; 79,6%) Newsprint paper (v1575122; 8,8%) Paper board (v1575150; 3,0%) Woodpulp, sulfate, softwood, domestic (v1575107; 5,2%) Printing and speciality paper (v1575128; 3,4%)	100,0
White pine	G, H, I	White pine (Eastern Quotes and Comments)	902
Red pine	F	Preserved or treated wood (v1575024)	104,6
	G, H, I	White pine (Eastern Quotes and Comments)	902
Hemlock, cedar	B	Lumber, softwood, Québec (v1575011)	84,6
White pine, red pine, hemlock, cedar	C	Index : Lumber, softwood, Québec (v1575011; 91,9%) Woodpulp, sulfate, softwood, domestic (v1575107; 8,1%)	100,0
Oak, cherry, walnut, hickory	A	Veneer and plywood, hardwood (v1575039)	115,2
	B, C	Lumber, hardwood, birch (v1575035)	107,5
Yellow birch, ash, basswood, elm	A	Veneer and plywood, hardwood (v1575039)	115,2
	B, C	Lumber, hardwood, birch (v1575035)	107,5
White birch	A	Veneer and plywood, hardwood (v1575039)	115,2
	B, C	Lumber, hardwood, birch (v1575035)	107,5
Sugar maple	A	Veneer and plywood, hardwood (v1575039)	115,2
	B, C	Lumber, hardwood, maple (v1575034)	122,6
Poplar	B	Index : Waferboard OSB (Random Lengths; 74,5%) Pallets (v1575072; 16,9%) Woodpulp, sulphate, hardwood, domestic (v1575105; 8,6%)	100,0
Other hardwoods	B, C	Lumber, hardwood, birch (v1575035)	107,5
All hardwoods except poplar	D	Index : Waferboard OSB (Random Lengths; 27,7%) Lumber, hardwood, birch (v1575035; 34,7%) Woodpulp, sulfate, hardwood, domestic (v1575105, 37,6%)	100,0

¹ The letters A, B, C, D, F, G, H and I correspond to quality levels determined on the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

² The source of the price indexes and the relative weight of each are indicated in parentheses. The price indexes from Statistics Canada are indicated according to the Cansim number appearing in catalogue 62-011.

³ The reference price index corresponds to the average of the price indexes calculated between 1 April 2000 and 31 March 2002.

M.O., 2003**Order number AM 2003-008 of the Minister of
Natural Resources dated 24 March 2003 respecting
the value of silvicultural treatments admitted as
payment of dues for the fiscal year 2003-2004**

Forest Act
(R.S.Q., c. F-4.1, ss. 73.1 and 73.3)

1. The silvicultural treatments described in Schedule I shall be admitted as payment of the dues prescribed by the Minister responsible for the administration of the Forest Act (R.S.Q., c. F-4.1), modified by chapter 25 and 68 of the law of 2002, as determined by the production priority groups described in Schedule I.

The silvicultural treatments are realized on the forest area where the priority production has to be performed.

2. The silvicultural treatments mentioned in Schedule II and their admissibility criterias are defined in the relative instructions to the application of the present Order.

3. The values of such silvicultural treatments for the 2003-2004 fiscal year are those established in Schedule II.

4. The values of the silvicultural treatments established in Schedule II do cover only the costs related to the execution of the treatments. Consequently, the costs not related to their execution, as described in the second paragraph of section 11 of the Regulation respecting forest royalties, edicted by Order in Council number 192-2002 of February 28th 2002, are to be assumed by the beneficiary of the timber licence and are not admitted as payment of dues.

5. This Minister's Order replaces Minister's Order number AM 2002-003 of 19 March 2002.

6. This Minister's Order comes into force on 1 April 2003.

Québec, 24 March 2003

FRANÇOIS GENDRON,
Minister of Natural Resources

SCHEDULE I

(s. 1)

SILVICULTURAL TREATMENTS ADMISSIBLE BY PRODUCTION PRIORITY GROUPS

Silvicultural treatments admissible	Production priority groups													
	Fir, spruce, jack pine, tamarack	Thuya	Poplar	White birch	Birch or Oak or intermediary (ol.hard.)	Pine	Maple or Isuga or ol. hard.	Pine-Birch (Pine) ¹	Pine-Birch (Birch) ¹	Mixed S-int.hard (S) or S-int.hard. (hard.)	Mixed S-Birch (S) ¹	Mixed S-Birch (hard.) ¹	Mixed S-Maple (hard.) or S-int.hard. (S)	Mixed S-Maple (hard.) or S-int.hard. (hard.)
Precommercial thinning	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Fertilization	X													
Commercial thinning	X	X	X	X	X	X	X	X	X	X	X	X	X	
Spreading commercial thinning						X					X			
Pine seeding		X					X		X	X				
Improvement cutting			X											
Selection cutting			X				X		X			X		
Selection cutting by patches					X			X		X		X		
Selection and regeneration cutting by parquets					X			X		X		X		
Selection cutting for maple and wood production							X						X	
Preselection cutting							X						X	
Strip cutting with regeneration and soil protection	X	X		X	X	X	X	X	X	X	X	X	X	
Mosaics cutting with regeneration and soil protection	X	X	X	X	X	X	X	X	X	X	X	X	X	
Progressive seed cutting	X	X		X	X	X	X	X	X	X	X	X	X	
Planting	X	X	X	X	X	X	X			X				
Site preparation, natural regeneration reinforcement planting and mechanical release treatment	X	X			X	X		X	X	X	X	X	X	
Drainage	X	X												
Seedlings reserve cutting					X			X		X		X	X	
Phytosanitary pruning		X				X		X	X					
Enrichment planting					X		X	X	X	X	X	X	X	

1 For these priority productions, the yellow birch prevails on the white birch as the principal objective species.

SCHEDULE II

(ss. 2, 3 and 4)

**VALUES OF SILVICULTURAL TREATMENTS
ADMITTED AS PAYMENT OF DUES
FISCAL YEAR 2003-2004**

1. SITE PREPARATION

Scarification	
Anchor chains	120 \$/ha
Shark-fin barrels and chains	340 \$/ha
Hydraulic cone trenchers (Wadell type)	270 \$/ha
Hydraulic disk trenchers	
(TTS hydraulic and Donaren types) or Rake scarifier (shark)	215 \$/ha
Batch scarifier (Bracke)	
or disk trencher (TTS type)	155 \$/ha
Batch scarifier moulder	
(Bracke moulder)	210 \$/ha
"V" blade batch scarifier (Bracke) or disk trencher	425 \$/ha
Cutter-type portable scarifier or forest mattock (1)	465 \$/1 000 microsites
Partial scarification in seed holes	
Inside the patches	715 \$/ha
Inside the parquets	620 \$/ha
Inside the regeneration cuttings	545 \$/ha
Forest harrows (Rome et Crabe types)	
Single pass	245 \$/ha
Double pass	435 \$/ha
36 inches harrow	535 \$/ha
Létourneau tree crusher	375 \$/ha
Ploughing and harrowing	
Forest plough (Lazure type) + forest harrow (Rome and Crabes types)	1 315 \$/ha
Clearing	
Rake-equipped crawler tractor	480 \$/ha
Winter shear-blading with a shear-blade-equipped crawler tractor	490 \$/ha
Grouping feller	385 \$/ha
Rake equipped skidder	405 \$/ha
Hydraulic rake	405 \$/ha
Modified "V" blade models C and H	205 \$/ha
Prescribed burning	420 \$/ha
2. MECHANICAL RELEASE TREATMENT (1)	
Boreal zone	730 \$/ha
Nordic temperated zone	820 \$/ha

3. PRECOMMERCIAL THINNING (1)

Priority production of softwoods, of mixed predominantly softwood stands, of poplars and of mixed predominantly intolerant hardwoods stands

Value per hectare = 442,87 x ln(ti/ha) - 3 423,42

ln: base e logarithm

ti: number of trees of more than 1,2 meter for softwoods
and 1,8 meter for hardwoods
ha: hectare

Priority production of tolerant hardwoods,
of white birch, of mixed predominantly
tolerant hardwood stands and of
associations constituted of pines and birches 875 \$/ha

4. COMMERCIAL THINNING (2)

Softwoods

Value per hectare with marking of trees to fell
 $= 242.66 / (\text{average DBH harvested} \times 0.0414)^2$

Value per hectare without marking of trees to fell
 $= 242.66 / (\text{average DBH harvested} \times 0.0414)^2 - 150$

Mixed with tolerant and intolerant
hardwoods (3) 600

5. DRAINAGE

Cleared areas (without prior felling)	1,65 \$/m or m
Wooded areas (without prior felling)	1,85 \$/m or m
Wooded areas (with prior felling)	2,10 \$/m or m

6 FERTILIZATION

Softwoods 385 \$/ha

7. NATURAL REGENERATION REINFORCEMENT PLANTING RED PINE AND WHITE PINE PLANTING (1)

With site preparation

Bare-root seedlings	
Conventional size	245 \$/1 000 seedlings
Large size	390 \$/1 000 seedlings
Hybrid poplars	600 \$/1 000 saplings
Container seedlings	
67-50	200 \$/1 000 seedlings
45-110 or cuttings	210 \$/1 000 seedlings
25-200	295 \$/1 000 seedlings
45-340 and 25-350-A	340 \$/1 000 seedlings

Without site preparation		15. SELECTION CUTTING BY PATCHES (2)	325 \$/ha
Bare-root seedlings			
Conventional size	260 \$/1 000 seedlings		
Large size	405 \$/1 000 seedlings		
Container seedlings		16. SELECTION AND REGENERATION CUTTING BY PARQUETS (2)	305 \$/ha
67-50	215 \$/1 000 seedlings		
45-110 or cuttings	225 \$/1 000 seedlings		
25-200	310 \$/1 000 seedlings		
45-340 or 25-350-A	355 \$/1 000 seedlings		
8. PROGRESSIVE SEED CUTTING (2) (3)		17. SEEDLINGS RESERVE CUTTING	20 \$/ha
Softwoods	550 \$/ha		
Mixed with tolerant and intolerant hardwoods	325 \$/ha		
Tolerant and intolerant hardwoods	325 \$/ha		
9. STRIP CUTTING WITH REGENERATION AND SOIL PROTECTION (2)	225 \$/ha	18. PRESELECTION CUTTING (2)	
10. PLANTING (1)			
With site preparation		Tolerant hardwood	325 \$/ha
Bare-root seedlings		Mixed with tolerant hardwood	325 \$/ha
Conventional size	225 \$/1 000 seedlings		
Large size	365 \$/1 000 seedlings		
Hybrid poplars	575 \$/1 000 saplings		
Container seedlings		19. PINE SEEDING	
67-50	180 \$/1 000 seedlings	Aerial seeding	40 \$/ha
45-110 or cuttings	190 \$/1 000 seedlings	Ground seeding	145 \$/ha
25-200	275 \$/1 000 seedlings	Funnels	320 \$/1 000 microsites seeded
45-340 or 25-350-A	315 \$/1 000 seedlings		
Without site preparation		20. SELECTION CUTTING FOR MAPLE SAP AND WOOD PRODUCTION (2)	390 \$/ha
Bare-root seedlings			
Conventional size	240 \$/1 000 seedlings	21. MOSAICS CUTTING WITH REGENERATION AND SOIL PROTECTION (4)	
Large size	380 \$/1 000 seedlings		
Container seedlings		Inaccessible zones	155 \$/ha
67-50	195 \$/1 000 seedlings	Accessible zones	55 \$/ha
45-110 or cuttings	205 \$/1 000 seedlings		
25-200	290 \$/1 000 seedlings	22. PHYTOSANITARY PRUNING	430 \$/ha
45-340 or 25-350-A	330 \$/1 000 seedlings		
11. ENRICHMENT AND REINFORCEMENT PLANTING OF HARDWOODS AND PINE (1)	540 \$/1 000 seedlings	5697	
12. SPREADING COMMERCIAL THINNING (2)	325 \$/ha		
13. IMPROVEMENT CUTTING (2)			
Cedar	310 \$/ha		
14. SELECTION CUTTING (2)			
Tolerant hardwood	325 \$/ha	(1) The value admitted as payment of dues can be increased by 7,8% when the silvicultural treatments are realized from forest camps whose admissibility criterias are defined in the relative instructions to the application of the present order.	
Mixed with tolerant hardwood	325 \$/ha	(2) The value admitted as payment of dues includes some harvesting, road construction, supervision or tree marking costs.	
Cedar	310 \$/ha	(3) The value admitted as payment of dues can be increased by 60 \$/ha when the marking of trees takes into account the trees to preserve.	
		(4) The inaccessible zones are the forest tarification zones appearing at Schedule I of the Regulation respecting forest royalties, as modified by Order in Council 192-2002 of February 28th 2002, and having the following numbers: 220, 227, 228, 229, 230, 231, 232, 233, 236, 237, 239, 837, 838, 839, 840, 841, 842, 913, 914, 915, 916, 917, 918, 919, 920, 922, 923. The accessible zones are all the other forest tarification zones appearing in that Schedule that do not have the numbers previously indicated.	
		Note : The expression "tolerant hardwoods" includes white pine and red pine.	

(1) The value admitted as payment of dues can be increased by 7,8% when the silvicultural treatments are realized from forest camps whose admissibility criterias are defined in the relative instructions to the application of the present order.

(2) The value admitted as payment of dues includes some harvesting, road construction, supervision or tree marking costs.

(3) The value admitted as payment of dues can be increased by 60 \$/ha when the marking of trees takes into account the trees to preserve.

(4) The inaccessible zones are the forest tarification zones appearing at Schedule I of the Regulation respecting forest royalties, as modified by Order in Council 192-2002 of February 28th 2002, and having the following numbers: 220, 227, 228, 229, 230, 231, 232, 233, 236, 237, 239, 837, 838, 839, 840, 841, 842, 913, 914, 915, 916, 917, 918, 919, 920, 922, 923. The accessible zones are all the other forest tarification zones appearing in that Schedule that do not have the numbers previously indicated.

Note : The expression "tolerant hardwoods" includes white pine and red pine.

Index Statutory InstrumentsAbbreviations : **A** : Abrogated, **N** : New, **M** : Modified

Regulations — Statutes	Page	Comments
Forest Act — Unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants (R.S.Q., c. F-4.1)	1317B	
Forest Act — Value of silvicultural treatments admitted as payment of dues for the fiscal year 2003-2004 (R.S.Q., c. F-4.1)	1330B	
Unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants (Forest Act, R.S.Q., c. F-4.1)	1317B	
Value of silvicultural treatments admitted as payment of dues for the fiscal year 2003-2004 (Forest Act, R.S.Q., c. F-4.1)	1330B	

