

**Gazette**  
officielle  
**du Québec**

**Part**  
**2**

**No. 13A**  
31 March 2005

**Laws and Regulations**  
Volume 137

## **Summary**

Table of Contents  
Regulations and other acts  
Index

Legal deposit – 1st Quarter 1968  
Bibliothèque nationale du Québec  
© Éditeur officiel du Québec, 2005

All rights reserved in all countries. No part of this publication may be translated, used or reproduced for commercial purposes by any means, whether electronic or mechanical, including micro-reproduction, without the written authorization of the Québec Official Publisher.



**Table of Contents****Page****Regulations and other acts**

---

Unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants .....	699A
Value of silvicultural treatments admitted as payment of dues for the fiscal year 2005-2006 .....	712A



## Regulations and other acts

**M.O., 2005**

**Order number AM 2005-010 of the Minister  
of Natural Resources and Wildlife dated  
23 March 2005**

Forest Act  
(R.S.Q., c. F-4.1; 2004, c. 6, 11 and 20)

Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants

THE MINISTER OF NATURAL RESOURCES AND WILDLIFE,

CONSIDERING the third paragraph of section 5 of the Forest Act (R.S.Q., c. F-4.1) which provides that the Minister shall determine the unit rates for the classes of forest management permits for which the unit rates have not been determined by regulation of the Government;

CONSIDERING section 72 of that Act which provides that the Minister shall determine the unit rate corresponding to the stumpage value according to the rules of calculation determined by regulation of the Government;

CONSIDERING Order in Council number 372-87 dated 18 March 1987 according to which the Government made the Regulation respecting forest royalties;

CONSIDERING that, in accordance with section 2 and 7 of that Regulation, it is expedient to establish the unit rates for the stumpage value applicable to the calculation of the dues payable by the holder of a forest management permit for the supply of a wood processing plant for the 2005-2006 fiscal year;

CONSIDERING that, in accordance with sections 10, 12 and 13 of the Regulations Act (R.S.Q., c. R-18.1), a draft of the Regulation attached to this Order was published in Part 2 of the *Gazette officielle du Québec* of 23 February 2005 with a notice that it could be made by the Minister upon the expiry of a 25-day period following that publication;

CONSIDERING that the 25-day period has expired;

CONSIDERING section 18 of that Act which provides that a regulation may come into force on the date of its publication in the *Gazette officielle du Québec*, or between that date and the date applicable under section 17 of that Act, where the authority that has made it is of the opinion that the urgency of the situation requires it;

CONSIDERING the same section which provides that the reason justifying such coming into force shall be published with the regulation;

CONSIDERING that in the opinion of the Minister the urgency due to the following circumstances justifies such coming into force:

— The first paragraph of section 2 of the Regulation respecting forest royalties specifies that in order to determine a unit rate fixed by the Minister under the first paragraph of section 72 of the Forest Act the stumpage value of standing timber shall be calculated on 1 April of each year in each forest tariffing zone, by species or group of species and quality of timber, according to the parity technique applicable in property assessment, by comparing the timber to similar timber for which the selling price is known.

For the application of that regulation, the rates must be known as soon as possible;

CONSIDERING that it is expedient to make the regulation with amendments;

### ORDERS:

The regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants, attached to this Order, is made.

Québec, 23 March 2005

PIERRE CORBEIL,  
*Minister of Natural Resources and Wildlife*

## **Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants**

Forest Act  
(R.S.Q., c. F-4.1, ss. 5 and 72)

**1.** The unit rates for stumpage in forests in the public domain by tariffing zone for the fiscal year 2005-2006 set out in Schedule I shall be indexed on 1 April, 1 July, 1 October 2005 and 1 January 2006 in accordance with the performance of the price indexes for the forest products specified in Schedule II. The index rates per species, group of species and quality shall be calculated in accordance with the following formulas:

Index rate at = 1 April 2005	Average price index for the months of December 2004, January and February 2005
	Average price index for the months of April 2002 to March 2004
Index rate at = 1 July 2005	Average price index for the months of March, April and May 2005
	Average price index for the months of April 2002 to March 2004
Index rate at = 1 October 2005	Average price index for the months of June, July and August 2005
	Average price index for the months of April 2002 to March 2004
Index rate at = 1 January 2006	Average price index for the months of September, October and November 2005
	Average price index for the months of April 2002 to March 2004

The amounts thus indexed shall apply, in each forest tariffing zone indicated in Schedule I, to the calculation of the dues payable by the holder of a forest management permit for the supply of a wood processing plant for the 3-month period following the date of indexing.

The amounts indexed in the manner prescribed in the first paragraph shall be reduced to the nearest fraction of \$0.10/m<sup>3</sup> where they contain a fraction less than \$0.025/m<sup>3</sup>. They shall be rounded off to the nearest fraction of \$0.05/m<sup>3</sup> where they contain a fraction equal to or greater than \$0.025/m<sup>3</sup> but less than \$0.075/m<sup>3</sup> and shall be increased to the nearest fraction of \$0.10/m<sup>3</sup> where they contain a fraction equal to or greater than \$0.075/m<sup>3</sup>.

The Minister of Natural Resources and Wildlife shall inform the public, through Part I of the *Gazette officielle du Québec* and, where he considers it appropriate, by any other means, of the indexing calculated under this section.

**2.** This Regulation replaces the Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants, made by Minister's Order number AM 2004-009 of the Minister of Natural Resources, Wildlife and Parks and the Minister for Forest, Wildlife and Parks dated 25 March 2004.

**3.** This Regulation comes into force on 1 April 2005.

**SCHEDULE I**  
(s. 1)

**REFERENCE UNIT RATES FOR STUMPPAGE IN FORESTS IN THE DOMAIN OF THE STATE FOR THE 2005-2006 FISCAL YEAR**

Species	Quality*	Stumpage (\$/m <sup>3</sup> )										Zones							
		101	102	103	104	111	112	113	114	115	116	117	201	202	203	204	205		
Fir, spruce, jack pine, tamarack	F	12,31	12,17	12,99	12,83	9,83	10,90	6,85	7,83	9,15	11,27	12,92	19,16	16,31	21,41	21,49	21,88		
	B	12,20	12,06	12,88	12,71	9,51	10,81	4,46	5,73	7,93	11,17	12,81	18,99	14,24	21,22	18,11	21,69		
	G	8,18	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	13,37	11,89	10,92	13,19	9,47		
	H	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	6,72	5,97	5,48	6,63	4,76		
White pine	I	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	5,19	4,61	4,24	5,12	4,20		
	F	18,90	15,07	14,95	14,96	14,18	14,17	14,15	14,15	14,17	14,18	14,17	18,55	18,05	16,50	17,27			
	G	6,06	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	9,91	8,82	8,09	9,78	7,02		
	H	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	4,98	4,43	4,07	4,92	3,53		
Red pine	I	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,85	3,42	3,14	3,80	3,12		
	B	2,93	2,52	2,49	2,50	2,35	2,35	2,34	2,34	2,35	2,35	2,34	2,70	2,70	2,79	2,20	2,39		
	C	1,47	1,30	1,30	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,43	1,43	1,44	1,17	1,26		
	A	55,42	46,48	37,02	34,30	24,89	24,89	24,89	24,89	24,89	24,89	27,13	24,89	29,84	24,89	44,08	26,76	24,89	
Oak, cherry, walnut, hickory	B	29,04	23,73	18,98	17,51	12,44	11,43	11,43	11,43	11,43	11,43	11,43	13,85	11,43	11,85	11,53	11,43		
	C	11,61	9,52	7,62	7,03	4,98	4,75	4,75	4,75	4,75	4,75	4,75	5,36	4,75	5,54	4,75	4,75		
	A	55,42	45,73	36,27	33,55	24,57	24,50	24,50	24,50	24,50	24,50	24,50	27,13	24,50	29,84	24,51	44,30	26,76	24,50
	B	22,51	18,28	14,60	13,46	9,65	8,52	8,52	8,52	8,52	8,52	8,52	10,04	8,52	10,74	8,52	9,19	8,94	8,52
Yellow birch, ash, basswood, elm	C	9,00	7,31	5,84	5,38	3,81	3,39	3,39	3,39	3,39	3,39	3,81	3,39	4,29	3,39	3,67	3,57	3,39	
	A	55,42	44,63	35,17	32,45	22,97	22,97	22,97	22,97	22,97	22,97	22,97	29,84	23,02	43,20	26,76	24,50		
	B	13,98	10,22	9,72	9,59	5,52	5,52	5,52	5,52	5,52	5,52	7,05	5,52	7,19	6,29	11,31	7,04	5,52	
	C	5,58	4,08	3,88	3,83	1,99	1,99	1,99	1,99	1,99	1,99	2,69	1,99	2,88	2,51	4,51	2,81	2,06	
White birch	A	72,63	55,92	53,12	46,07	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	
	B	26,32	20,26	18,81	16,32	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	
	C	6,28	4,83	4,47	3,87	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	
	D,E	4,08	2,58	2,21	2,33	1,27	1,27	1,27	1,27	1,27	1,27	1,62	1,43	1,27	1,61	1,31	1,27		
Other hardwoods	B	9,01	7,46	5,99	5,53	3,86	3,86	3,86	3,86	3,86	3,86	4,23	3,86	4,29	3,86	3,86	3,86	3,86	
	C	4,08	3,02	2,53	2,49	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,72	1,71	1,71	1,71	1,71		
Poplars	B	6,75	5,63	6,43	6,21	4,62	5,30	4,31	2,97	3,34	5,73	5,25	7,30	6,91	7,52	6,71	8,76		
	All hardwoods (except poplars / aspen)																		

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )										
		Zones										
Fir, spruce, jack pine, tamarack	F	23,01	21,22	20,19	15,80	16,30	16,95	21,90	24,40	22,55	19,87	18,48
	B	15,63	21,03	20,01	15,66	16,16	16,80	21,70	24,18	22,35	19,69	18,31
White pine	G	7,50	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21
	H	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63
Red pine	I	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20
	F	16,59	16,49	15,79	15,21	14,19	15,08	15,86	16,47	16,25	14,48	14,33
G	5,56	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35
	H	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43
Hemlock, cedar	I	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12
	B	2,22	2,20	2,13	2,16	1,57	1,85	2,17	2,21	2,15	1,53	1,32
White pine, red pine, hemlock, cedar	C	1,20	1,16	1,24	1,30	1,16	1,18	1,24	1,20	1,10	1,02	0,92
Oak, cherry, walnut, hickory	A	35,87	24,89	32,95	24,89	24,89	24,89	30,20	24,89	24,89	24,89	24,89
	B	12,63	11,43	12,29	11,43	11,43	11,43	11,72	11,43	11,43	11,43	11,43
Yellow birch, ash, basswood, elm	C	5,05	4,75	4,91	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75
	A	35,12	24,50	32,20	24,50	24,50	24,50	29,25	24,50	24,50	24,50	24,50
B	9,79	8,52	9,53	8,52	8,52	8,52	9,09	8,52	8,52	8,52	8,52	8,52
	C	3,91	3,39	3,81	3,39	3,39	3,39	3,63	3,39	3,39	3,39	3,39
White birch	A	34,02	22,97	31,10	22,97	22,97	22,97	28,15	22,97	22,97	22,97	22,97
	B	8,14	5,52	8,30	5,52	5,52	5,52	7,57	5,79	5,52	5,52	5,52
Sugar maple	C	3,25	1,99	3,31	1,99	1,99	1,99	3,02	2,31	1,99	1,99	1,99
	A	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99
Other hardwoods	B	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50
	C	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45
Poplars	B	7,97	7,28	7,50	6,47	4,86	4,80	7,00	7,81	6,47	5,06	4,91
	D,E	2,09	1,27	1,69	1,27	1,27	1,56	1,27	1,27	1,27	1,27	1,27
All hardwoods (except poplars / aspen)												

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )															
		Zones															
Fir, spruce, jack pine, tamarack	F	21,89	18,60	18,45	20,01	14,87	12,64	10,44	7,31	5,30	5,13	7,57	12,83	9,88	18,16	12,68	12,39
	B	21,70	18,43	18,28	19,83	14,74	10,85	10,35	7,25	4,46	4,46	7,50	12,71	9,79	17,99	9,42	10,96
White pine	G	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21
	H	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63
Red pine	I	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20
	F	15,95	14,30	14,17	15,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,35	14,17	14,24		
	G	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35
	H	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43
Hemlock, cedar	I	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12
	B	2,04	1,41	1,34	1,82	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,45	1,31	1,28	
White pine, red pine, hemlock, cedar	C	1,06	1,01	0,99	1,14	0,95	0,94	0,73	0,73	0,73	0,73	0,73	0,73	0,73	1,04	1,21	1,19
Oak, cherry, walnut, hickory	A	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89
	B	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43
Yellow birch, ash, basswood, elm	C	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75
	A	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50
	B	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52
	C	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39
White birch	A	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97
	B	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52
Sugar maple	C	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99
	A	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99
Other hardwoods	B	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50
	C	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45
Poplars	C	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86
	B	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71
All hardwoods (except poplars / aspen)	D,E	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )									
		Zones									
Fir, spruce, jack pine, tamarack	F	11,86	6,46	14,21	9,89	9,67	15,31	11,07	16,76	20,43	22,81
	B	11,75	4,46	14,08	6,00	5,54	14,41	9,59	16,61	19,42	22,60
White pine	G	7,21	7,21	19,44	16,68	18,52	32,34	10,61	7,21	20,10	26,47
	H	4,63	4,63	9,76	8,38	9,30	16,88	5,33	4,63	10,10	13,30
Red pine	I	4,20	4,20	7,54	6,47	7,19	13,11	4,20	4,20	7,80	10,27
	F	14,15	14,15	23,19	17,73	18,47	24,26	15,77	15,31	23,53	24,09
Hemlock, cedar	G	5,35	5,35	14,41	12,37	13,73	24,26	7,87	5,35	14,91	19,63
	H	3,43	3,43	7,24	6,21	6,90	12,59	3,95	3,43	7,49	9,86
White pine, red pine, hemlock, cedar	I	3,12	3,12	5,59	4,80	5,33	9,72	3,12	3,12	5,79	7,62
	B	1,30	1,26	3,34	2,85	2,71	3,38	2,51	2,37	3,32	3,41
Oak, cherry, walnut, hickory	C	1,23	0,96	1,67	1,45	1,43	1,84	1,42	1,40	1,78	1,85
	A	24,89	24,89	62,63	24,89	39,91	54,37	24,89	31,90	46,77	63,55
Yellow birch, ash, basswood, elm	B	11,43	11,43	35,19	11,43	16,74	27,04	11,43	11,43	22,15	32,26
	C	4,75	4,75	14,07	4,75	6,69	10,81	4,75	4,75	8,86	12,90
White birch	A	24,50	24,50	62,63	24,50	39,91	54,37	24,50	29,09	46,77	63,55
	B	8,52	8,52	27,28	8,52	12,98	20,96	8,52	8,52	17,17	25,01
Sugar maple	C	3,39	3,39	10,91	3,39	5,19	8,38	3,39	3,39	6,87	10,00
	A	22,97	22,97	62,63	24,50	39,91	54,37	22,97	27,99	46,77	63,55
Other hardwoods	B	5,52	5,52	17,47	5,52	5,52	10,33	5,52	7,41	14,94	21,31
	C	1,99	1,99	6,98	1,99	4,13	1,99	2,96	5,97	8,52	8,08
Poplars	A	28,99	28,99	70,86	28,99	48,28	69,57	28,99	52,77	79,15	88,86
	B	10,50	10,50	27,10	10,50	17,49	25,81	10,50	10,50	19,12	29,25
All hardwoods (except poplars / aspen)	C	2,45	2,45	6,46	2,45	4,17	6,16	2,45	4,56	6,98	8,14
	B	3,86	3,86	10,91	3,86	5,19	8,39	3,86	3,86	6,87	10,00
Poplars	C	1,71	1,71	4,36	1,71	2,08	3,99	1,71	1,71	3,24	4,48
	B	2,00	2,00	6,64	2,70	3,84	6,70	4,74	6,13	7,19	7,59
All hardwoods (except poplars / aspen)	D,E	1,27	1,27	4,10	1,27	3,99	1,27	1,40	3,24	4,48	5,30
	E	3,40	3,40	4,14	1,27	1,27	1,27	1,27	1,27	1,27	1,27

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )										
		Zones										
Fir, spruce, jack pine, tamarack	F	16.20	18.51	15.95	16.30	20.47	13.02	18.25	21.03	20.78	18.50	15.91
	B	12.98	9.19	15.03	15.06	20.29	9.97	17.55	20.84	20.59	18.33	14.54
White pine	G	7.21	7.21	7.21	7.21	20.03	32.61	31.54	23.58	19.55	22.03	27.06
	H	4.63	4.63	4.63	4.63	10.06	17.05	15.85	11.84	9.82	11.07	13.59
Red pine	I	4.20	4.20	4.20	4.20	4.20	7.77	13.65	12.24	9.15	7.59	8.55
	F	15.29	15.78	15.29	14.78	15.84	23.25	26.79	27.21	26.32	25.95	24.40
Hemlock, cedar	G	5.35	5.35	5.35	5.35	5.35	14.85	24.46	23.39	17.48	14.49	16.34
	H	3.43	3.43	3.43	3.43	3.43	7.46	12.72	11.75	8.78	7.28	8.21
Hemlock, cedar	I	3.12	3.12	3.12	3.12	3.12	5.76	10.13	9.08	6.78	5.62	6.34
	B	2.30	2.01	2.30	1.64	2.01	3.35	3.81	3.88	3.74	3.68	3.42
White pine, red pine, hemlock, cedar	C	0.85	0.93	0.85	0.95	1.07	1.68	2.11	2.16	2.07	2.03	1.86
Oak, cherry, walnut, hickory	A	24.89	24.89	24.89	24.89	24.89	55.60	73.57	72.93	63.83	46.44	42.49
	B	11.43	11.43	11.43	11.43	11.43	32.85	39.57	39.36	28.55	24.14	23.75
Yellow birch, ash, basswood, elm	C	4.75	4.75	4.75	4.75	4.75	13.13	15.82	15.74	11.42	9.65	9.50
	A	24.50	24.50	24.50	24.50	24.50	55.60	73.57	72.93	63.83	46.44	42.49
White birch	B	8.52	8.52	8.52	8.52	8.52	25.46	30.68	30.52	22.13	18.71	18.41
	C	3.39	3.39	3.39	3.39	3.39	10.18	12.27	12.20	8.85	7.48	7.36
Sugar maple	A	22.97	22.97	22.97	22.97	22.97	55.60	73.57	72.93	63.83	46.44	42.49
	B	5.52	5.52	5.52	5.52	5.52	17.73	25.99	24.35	19.72	16.79	12.24
Other hardwoods	C	1.99	1.99	1.99	1.99	1.99	7.09	10.39	9.74	7.88	6.71	4.89
	A	28.99	28.99	28.99	28.99	28.99	85.89	88.94	83.70	66.28	43.61	39.37
Poplars	B	10.50	10.50	10.50	10.50	10.50	31.12	32.22	30.33	24.02	15.80	14.26
	C	2.45	2.45	2.45	2.45	2.45	7.42	7.42	7.23	5.73	3.83	3.40
All hardwoods (except poplars / aspen)	B	3.86	3.86	3.86	3.86	3.86	10.18	12.27	12.21	8.85	7.49	7.36
All hardwoods (except poplars / aspen)	C	1.71	1.71	1.71	1.71	1.71	4.07	5.34	5.55	4.54	3.83	2.94
All hardwoods (except poplars / aspen)	D,E	1.27	1.27	1.27	1.27	1.27	3.94	5.34	5.55	4.54	3.83	2.68

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )									
		Zones									
Fir, spruce, jack pine, tamarack	F	17,16	13,29	8,58	8,71	13,02	9,54	8,26	11,72	8,02	12,25
	B	13,12	5,36	4,80	5,19	6,75	4,46	5,00	8,78	6,13	5,96
White pine	G	33,99	32,74	30,64	28,18	29,13	26,01	22,53	24,14	18,67	16,82
	H	17,92	17,13	15,82	14,16	14,88	12,93	11,08	11,76	8,72	8,20
Red pine	I	13,99	13,54	12,97	10,94	11,64	10,52	8,74	9,78	7,25	6,53
	F	27,27	27,27	24,75	25,86	26,38	25,30	24,76	21,76	20,81	20,47
G	G	25,48	24,55	23,00	20,90	21,88	19,56	16,71	18,18	13,85	12,47
	H	13,36	12,78	11,81	10,50	11,11	9,66	8,29	8,79	6,54	6,16
Hemlock, cedar	I	10,37	10,04	9,62	8,11	8,63	7,80	6,48	7,26	5,37	4,84
	B	3,88	3,86	3,42	3,61	3,70	3,51	3,42	2,88	2,66	2,67
White pine, red pine, hemlock, cedar		C	2,15	2,11	1,82	1,95	2,01	1,88	1,81	1,53	1,44
Oak, cherry, walnut, hickory	A	76,83	70,98	76,43	46,26	54,40	43,71	34,68	49,15	24,89	24,89
	B	40,50	34,26	32,77	23,21	30,77	23,37	16,60	25,70	11,43	11,43
Yellow birch, ash, basswood, elm	C	16,20	13,70	13,10	9,28	12,31	9,35	6,64	10,28	4,75	4,75
	A	76,83	70,98	76,43	46,26	54,40	43,71	34,68	49,15	24,50	24,50
B	31,40	26,56	25,41	18,00	23,85	18,12	12,87	19,92	8,52	8,52	8,52
	C	12,55	10,62	10,16	7,20	9,54	7,24	5,15	7,97	3,39	3,39
White birch	A	76,83	70,98	76,43	46,26	54,40	43,71	34,68	49,15	22,97	22,97
	B	26,09	23,66	23,80	16,85	20,30	15,47	11,75	16,15	5,52	5,52
Sugar maple	C	10,43	9,46	9,52	6,74	8,12	6,19	4,70	6,46	1,99	1,99
	A	88,46	62,16	56,64	41,27	67,35	46,09	28,99	42,28	28,99	28,99
Other hardwoods	B	32,05	22,52	20,52	14,95	24,40	16,70	10,50	15,32	10,50	10,50
	C	7,64	5,37	4,96	3,57	5,82	3,98	2,45	3,65	2,45	2,45
Poplars	B	6,52	6,45	5,02	5,19	5,37	3,73	3,87	5,15	2,98	3,86
	D,E	5,95	4,84	4,96	2,54	3,14	2,16	1,40	3,41	1,27	1,27
All hardwoods (except poplars / aspen)											

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )															
		Zones															
Fir, spruce, jack pine, tamarack	F	9,97	11,17	16,65	9,51	9,55	12,62	11,18	13,18	13,41	15,12	16,36	17,63	12,07	11,95	19,01	22,21
	B	4,46	8,39	16,51	8,00	6,22	4,46	11,08	7,87	11,97	10,06	14,84	17,47	8,64	11,75	18,84	22,02
White pine	G	23,87	25,85	27,97	23,94	18,78	14,01	23,51	21,84	22,36	12,52	15,75	13,32	17,79	21,41	22,90	11,19
	H	11,59	12,83	14,15	11,83	9,39	7,04	11,48	10,97	10,64	6,29	7,84	6,69	8,94	10,76	11,50	5,62
Red pine	I	9,33	10,61	11,63	9,29	7,29	5,43	9,12	8,48	8,75	4,86	6,11	5,17	6,90	8,31	8,89	4,34
	F	23,84	23,00	22,20	23,77	22,40	20,04	20,62	18,52	18,84	19,94	18,57	18,43	18,57	18,23	17,35	16,83
G	17,83	19,45	21,02	17,75	13,92	10,39	17,44	16,20	16,72	9,28	11,68	9,88	13,19	15,88	16,98	8,30	
	H	8,67	9,59	10,57	8,85	7,00	5,22	8,59	8,14	7,97	4,66	5,87	4,96	6,63	7,98	8,53	4,17
Hemlock, cedar	I	6,92	7,87	8,62	6,89	5,40	4,03	6,77	6,28	6,49	3,60	4,53	3,83	5,12	6,16	6,59	3,22
	B	3,25	3,06	2,87	3,24	2,97	2,44	2,49	1,91	2,08	2,41	2,10	1,98	1,93	1,85	1,67	1,63
White pine, red pine, hemlock, cedar	C	1,72	1,61	1,51	1,71	1,59	1,35	1,36	1,09	1,21	1,34	1,21	1,18	1,10	1,07	1,05	1,03
Oak, cherry, walnut, hickory	A	34,57	41,92	50,34	39,48	27,95	24,89	43,91	29,41	24,89	24,89	24,89	24,89	24,89	24,89	33,44	27,69
	B	19,15	19,60	20,18	19,62	13,57	11,43	14,23	11,81	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43
Yellow birch, ash, basswood, elm	C	7,66	7,84	8,07	7,84	39,48	27,95	24,50	43,34	29,41	24,50	24,50	24,50	24,50	24,50	24,50	27,52
	A	34,57	41,92	50,34	39,48	27,95	24,50	43,34	29,41	24,50	24,50	24,50	24,50	24,50	24,50	24,50	4,75
B	14,84	15,20	15,65	15,21	10,52	8,52	11,03	9,16	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	
	C	5,94	6,08	6,26	6,08	4,21	3,39	4,41	3,66	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39
White birch	A	34,57	41,92	50,34	39,48	27,95	22,97	42,24	28,67	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97
	B	11,26	11,10	12,76	10,77	7,05	5,52	11,13	6,00	5,52	5,52	5,52	5,52	5,52	5,56	7,99	6,75
Sugar maple	C	4,50	4,44	5,10	4,31	2,69	1,99	4,44	2,40	1,99	1,99	1,99	1,99	1,99	2,22	3,18	2,69
	A	38,32	33,08	37,32	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99
Other hardwoods	B	13,88	11,99	13,52	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50
	C	3,31	2,86	3,23	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45
Poplars	B	4,83	6,96	8,72	6,45	2,91	2,12	6,26	3,98	4,62	2,00	4,40	5,94	3,32	4,92	7,40	7,26
	D,E	2,03	2,58	2,79	1,84	1,27	1,27	1,39	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27
All hardwoods (except poplars / aspen)																	

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )							
		Zones							
Fir, spruce, jack pine, tamarack	F	20,41	16,34	19,18	14,56	19,05	23,89	20,34	17,92
	B	19,44	14,93	12,31	14,33	18,88	23,68	20,16	17,32
White pine	G	7,62	7,21	7,21	7,21	7,97	7,21	7,21	7,21
	H	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63
Red pine	I	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20
	F	16,58	17,07	16,24	14,89	16,35	16,63	15,99	16,35
Hemlock, cedar	G	5,65	5,35	5,35	5,35	5,35	5,35	5,35	5,35
	H	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43
White pine, red pine, hemlock, cedar	I	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12
	B	1,69	1,85	1,62	1,26	1,66	1,69	1,55	1,66
Oak, cherry, walnut, hickory	C	1,02	1,08	1,01	0,94	1,02	1,00	1,02	1,01
	A	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89
Yellow birch, ash, basswood, elm	B	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43
	C	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75
White birch	A	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50
	B	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52
Sugar maple	C	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39
	A	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97
Other hardwoods	B	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52
	C	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99
Poplars	A	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99
	B	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50
All hardwoods (except poplars / aspen)	C	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45
	D,E	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )															
		Zones															
Fir, spruce, jack pine, tamarack	F	13,46	11,88	7,77	9,23	5,48	6,83	13,00	13,25	14,33	15,69	13,94	17,94	15,26	16,25	12,12	7,31
	B	13,34	11,38	7,70	4,62	5,43	4,46	12,89	12,65	13,24	15,55	13,81	17,78	15,12	16,11	12,01	7,21
White pine	G	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21
	H	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63
Red pine	I	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20
	F	14,55	14,38	14,15	14,37	14,15	14,15	14,15	14,18	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15
G	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35
	H	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43
Hemlock, cedar	I	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12
	B	1,26	1,26	1,26	1,26	1,26	1,65	1,85	1,64	1,57	1,39	1,59	1,55	1,31	1,26	1,26	1,26
White pine, red pine, hemlock, cedar	C	0,91	0,88	1,07	0,97	0,73	0,92	1,26	1,31	1,26	1,23	1,12	1,25	1,23	1,07	0,73	0,73
Oak, cherry, walnut, hickory	A	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89
	B	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43
Yellow birch, ash, basswood, elm	C	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75
	A	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50
Basswood	B	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52
	C	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39
White birch	A	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97
	B	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52
Sugar maple	C	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99
	A	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99
Other hardwoods	B	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50
	C	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45
Poplars	C	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86
	B	2,00	2,68	2,00	2,00	2,44	2,00	4,34	4,78	4,40	2,00	2,00	2,00	2,00	2,00	2,00	2,00
All hardwoods (except poplars / aspen)	D,E	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )									Zones								
		911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	999	
Fir, spruce, jack pine, tamarack	F	8.29	10.42	7.69	10.31	8.15	5.56	5.16	4.50	4.88	4.50	5.60	4.50	4.50	4.50	4.50	4.50	5.14	
	B	7.74	9.64	7.63	7.34	6.32	4.46	4.46	4.46	4.46	4.46	5.25	4.46	4.46	4.46	4.46	4.46	4.46	
	G	7.21	7.21	7.21	7.21	7.21	7.21	7.21	7.21	7.21	7.21	7.21	7.21	7.21	7.21	7.21	7.21	7.21	
White pine	H	4.63	4.63	4.63	4.63	4.63	4.63	4.63	4.63	4.63	4.63	4.63	4.63	4.63	4.63	4.63	4.63	4.63	
	I	4.20	4.20	4.20	4.20	4.20	4.20	4.20	4.20	4.20	4.20	4.20	4.20	4.20	4.20	4.20	4.20	4.20	
	F	14.15	14.15	14.15	14.15	14.15	14.15	14.15	14.15	14.15	14.15	14.15	14.15	14.15	14.15	14.15	14.15	14.15	
Red pine	G	5.35	5.35	5.35	5.35	5.35	5.35	5.35	5.35	5.35	5.35	5.35	5.35	5.35	5.35	5.35	5.35	5.35	
	H	3.43	3.43	3.43	3.43	3.43	3.43	3.43	3.43	3.43	3.43	3.43	3.43	3.43	3.43	3.43	3.43	3.43	
	I	3.12	3.12	3.12	3.12	3.12	3.12	3.12	3.12	3.12	3.12	3.12	3.12	3.12	3.12	3.12	3.12	3.12	
Hemlock, cedar	B	1.26	1.26	1.26	1.26	1.26	1.26	1.26	1.26	1.26	1.26	1.26	1.26	1.26	1.26	1.26	1.26	1.26	
	C	0.73	0.93	0.73	0.79	0.73	0.73	0.73	0.73	0.73	0.73	0.73	0.73	0.73	0.73	0.73	0.73	0.73	
	A	24.89	24.89	24.89	24.89	24.89	24.89	24.89	24.89	24.89	24.89	24.89	24.89	24.89	24.89	24.89	24.89	24.89	
Oak, cherry, walnut, hickory	B	11.43	11.43	11.43	11.43	11.43	11.43	11.43	11.43	11.43	11.43	11.43	11.43	11.43	11.43	11.43	11.43	11.43	
	C	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	4.75	
	A	24.50	24.50	24.50	24.50	24.50	24.50	24.50	24.50	24.50	24.50	24.50	24.50	24.50	24.50	24.50	24.50	24.50	
Yellow birch, ash, basswood, elm	B	8.52	8.52	8.52	8.52	8.52	8.52	8.52	8.52	8.52	8.52	8.52	8.52	8.52	8.52	8.52	8.52	8.52	
	C	3.39	3.39	3.39	3.39	3.39	3.39	3.39	3.39	3.39	3.39	3.39	3.39	3.39	3.39	3.39	3.39	3.39	
	A	22.97	22.97	22.97	22.97	22.97	22.97	22.97	22.97	22.97	22.97	22.97	22.97	22.97	22.97	22.97	22.97	22.97	
White birch	B	5.52	5.52	5.52	5.52	5.52	5.52	5.52	5.52	5.52	5.52	5.52	5.52	5.52	5.52	5.52	5.52	5.52	
	C	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	1.99	
	A	28.99	28.99	28.99	28.99	28.99	28.99	28.99	28.99	28.99	28.99	28.99	28.99	28.99	28.99	28.99	28.99	28.99	
Sugar maple	B	10.50	10.50	10.50	10.50	10.50	10.50	10.50	10.50	10.50	10.50	10.50	10.50	10.50	10.50	10.50	10.50	10.50	
	C	2.45	2.45	2.45	2.45	2.45	2.45	2.45	2.45	2.45	2.45	2.45	2.45	2.45	2.45	2.45	2.45	2.45	
	A	3.86	3.86	3.86	3.86	3.86	3.86	3.86	3.86	3.86	3.86	3.86	3.86	3.86	3.86	3.86	3.86	3.86	
Other hardwoods	B	1.71	1.71	1.71	1.71	1.71	1.71	1.71	1.71	1.71	1.71	1.71	1.71	1.71	1.71	1.71	1.71	1.71	
	C	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	
	D,E	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	
Poplars	B	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	
	A	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	
All hardwoods (except poplars / aspen)	B	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	2.00	
	A	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	1.27	

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

**SCHEDULE II**

(s.1)

## PRICE INDEXES PER SPECIES, GROUPS OF SPECIES AND QUALITY

Species and groups of species	Quality <sup>1</sup>	Price index <sup>2</sup>	Reference price index <sup>3</sup>
Fir, spruce, jack pine, tamarack	F	Preserved or treated wood (v1575024)	105.8
	B	Index : Lumber, softwood, Québec (v1575011; 81.4%) Newsprint paper (v1575122; 8.9%) Paper board (v1575150; 1.0%) Woodpulp, sulfate, softwood, domestic (v1575107; 5.3%) Printing and speciality paper (v1575128; 3.4%)	100.0
White pine	G, H, I	White pine (Eastern Quotes and Comments)	861
Red pine	F G, H, I	Preserved or treated wood (v1575024) White pine (Eastern Quotes and Comments)	105.8 861
Hemlock, cedar	B	Lumber, softwood, Québec (v1575011)	79.9
White pine, red pine, hemlock, cedar	C	Lumber, softwood, Québec (v1575011)	79.9
Oak, cherry, walnut, hickory	A B, C	Veneer and plywood, hardwood (v1575039) Lumber, hardwood, birch (v1575035)	105.1 117.5
Yellow birch, ash, basswood, elm	A B, C	Veneer and plywood, hardwood (v1575039) Lumber, hardwood, birch (v1575035)	105.1 117.5
White birch	A B, C	Veneer and plywood, hardwood (v1575039) Lumber, hardwood, birch (v1575035)	105.1 117.5
Sugar maple	A B, C	Veneer and plywood, hardwood (v1575039) Lumber, hardwood, maple (v1575034)	105.1 119.5
Poplar	B	Index : Waferboard OSB (Random Lengths; 79.7%) Pallets (v1575072; 12.5%) Woodpulp, sulphate, hardwood, domestic (v1575105; 7.8%)	100.0
Other hardwoods	B, C	Lumber, hardwood, birch (v1575035)	117.5
All hardwoods except poplar	D, E	Index : Waferboard OSB (Random Lengths; 20.5%) Lumber, hardwood, birch (v1575035; 55.0%) Woodpulp, sulfate, hardwood, domestic (v1575105, 24.5%)	100.0

<sup>1</sup> The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined on the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

<sup>2</sup> The source of the price indexes and the relative weight of each are indicated in parentheses. The price indexes from Statistics Canada are indicated according to their Cansim number.

<sup>3</sup> The reference price index corresponds to the average of the price indexes calculated between 1 April 2002 and 31 March 2004.

## M.O., 2005

**Order number AM 2005-009 of the Minister  
of Natural Resources and Wildlife dated  
23 March 2005**

Forest Act  
(R.S.Q., c. F-4.1)

RESPECTING the value of silvicultural treatments admitted as payment of dues for the fiscal year 2005-2006

**1.** The silvicultural treatments described in Schedule I shall be admitted as payment of the dues prescribed by the Minister responsible for the administration of the Forest Act (R.S.Q., c. F-4.1), modified by chapter 6, 11 and 20 of the law of 2004, as determined by the production priority groups described in Schedule I.

The silvicultural treatments are realized on the forest area where the priority production has to be performed.

**2.** The silvicultural treatments mentioned in Schedule I and their admissibility criterias are defined in the relative instructions to the application of the present Order.

**3.** The values admitted as payment of dues for the 2005-2006 fiscal year correspond at 90% of the values established in Schedule II.

**4.** The values of the silvicultural treatments established in Schedule II do cover only the costs related to the execution of the treatments. Consequently, the costs not related to their execution, as described in the second subsection of section 11 of the Regulation respecting forest royalties, edicted by Order in Council 192-2002 of February 28th 2002, are to be assumed by the beneficiary of the timber licence and are not admitted as payment of dues.

**5.** This Minister's Order replaces Minister's Order AM 2004-010 of 25 March 2004.

**6.** This Minister's Order comes into force on 1 April 2005.

Québec, 23 March 2005

PIERRE CORBEIL,  
*Minister of Natural Resources and Wildlife*

**SCHEDULE I**

(a.1)

**SILVICULTURAL TREATMENTS ADMISSIBLE BY PRODUCTION PRIORITY GROUPS**

<b>Silvicultural treatments</b>	<b>Production priority groups</b>													
	Fir, spruce, jack pine, tamarack	Thuya	Poplar	White birch	Birch <sup>1</sup> or Oak or intermediary tol. hard.	Pine	Maple or Tsuga or tol. hard.	Pine-Birch (Pine) <sup>1</sup>	Pin-Bou (Bou) <sup>1</sup>	Mixed S-int.hard. (S) or S-int.hard. (hard.)	Mixed S-Birch (S) <sup>1</sup> or S-intermediary tol.hard	Mixed S-Birch (hard.) <sup>1</sup> or S-intermediary tol. hard.	Mixed S-Maple (S) or S-tol.hard. (S)	Mixed S-Maple (hard.) or S-int.hard. (hard.)
Progressive seed cutting	X <sup>4</sup>	X		X	X	X	X	X	X	X	X	X	X	X
Seedlings reserve cutting	X <sup>4</sup>	X		X	X	X	X	X	X	X	X	X	X	X
Strip cutting with regeneration and soil protection	X	X		X	X	X	X	X	X	X	X	X	X	X
Drainage	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Site preparation	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Planting	X	X	X	X	X	X	X			X				
Natural regeneration reinforcement planting	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Pine seeding	X						X		X	X				
Mechanical release	X	X					X		X	X <sup>5</sup>	X		X	
Precommercial thinning	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Phytosanitary pruning	X						X		X	X				
Commercial thinning	X	X	X	X	X	X	X	X	X	X	X	X	X	X
Fertilization	X													
Selection cutting		X					X						X	
Selection and sanitation cutting		X					X						X	
Preselection cutting							X						X	
Preselection and sanitation cutting							X						X	
Selection cutting for maple sap and wood production								X <sup>2</sup>						
Selection cutting by patches						X			X		X		X	
Selection cutting and sanitation by patches						X			X		X		X	

---

### Production priority groups

---

Silvicultural treatments	Fir, spruce, jack pine, tamarack Thuya	Poplar	White birch	Birch <sup>1</sup> or Oak or intermediary tol. hard.	Pine	Maple or isuga or tol. hard. Pine-Birch (Pine) <sup>2</sup>	Pin-Bou (Bou) <sup>3</sup>	Mixed S-int.hard. (S) or S-int.hard. (hard.) Mixed S-Birch (S) or S.intermediary tol.hard	Mixed S-Birch (hard.) <sup>4</sup> or S-intermediary tol.hard.	Mixed S-Maple (S) or S-tol.hard. (S) Mixed S-Maple (hard.) or S-int.hard. (hard.)
Selection and regeneration cutting by parquets		X			X		X		X	
Selection cutting for single tree and group of trees			X						X	
Selection cutting and sanitation for single tree and group of trees			X						X	
Individual selective thinning				X						
Commercial thinning mixed stands S-Birch (hard.) with fir								X <sup>3</sup>		
Spreading commercial thinning				X					X	
Improvement cutting	X									
Enrichment planting				X	X	X	X	X	X	X

1. For these priority productions, the yellow birch prevails over the white birch as the principal objective species.

2. For the priority production group maple, selection cutting for maple sap and wood production is possible.

3. For the yellow birch mixed stands (fir) with hardwood dominance.

4. Except for jack pine.

5. For mixt S-intolerant hardwood only.

**SCHEDULE II**

(ss. 2, 3 and 4)

**VALUES OF SILVICULTURAL TREATMENTS  
ADMITTED AS PAYMENT OF DUES  
FISCAL YEAR 2005-2006**

**SITE PREPARATION (1)****Scarification**

Anchor chains	\$125/ha
Shark-fin barrels and chains	\$355/ha
Hydraulic cone trenchers (Wadell type)	\$280/ha
Hydraulic disk trenchers (TTS hydraulic and Donaren types) or Rake scarifier (shark)	\$225/ha
Batch scarifier (Bracke) or disk trencher (TTS type)	\$160/ha
Batch scarifier moulder (Bracke moulder)	\$220/ha
"V" blade batch scarifier (Bracke) or disk trencher	\$445/ha
Cutter-type portable scarifier or forest mattock (2)	\$465/1 000 microsites

**Partial scarification in seed holes**

Inside the patches and group of trees	\$750/ha
Inside the parquets	\$650/ha
Inside the regeneration cuttings	\$570/ha

**Forest harrows (Rome et Crabe types)**

Single pass	\$255/ha
Double pass	\$455/ha
36 inches harrow	\$560/ha
Létourneau tree crusher	\$395/ha

**Ploughing and harrowing**

Forest plough (Lazure type) + forest harrow (Rome and Crabes types)	\$1 375/ha
------------------------------------------------------------------------	------------

**Clearing**

Rake-equipped crawler tractor	\$500/ha
Winter shear-blading with a shear-blade-equipped crawler tractor	\$510/ha
Grouping feller	\$400/ha
Rake equipped skidder	\$425/ha
Hydraulic rake	\$425/ha
Modified "V" blade models C and H	\$215/ha

**Prescribed burning**

\$430/ha

**MECHANICAL RELEASE TREATMENT (2)**

Boreal zone	\$760/ha
Nordic tempered zone	\$855/ha

**PRECOMMERCIAL THINNING (2)**

Priority production of softwoods, of mixed  
predominantly softwood stands, of poplars  
and of mixed predominantly intolerant hardwoods stands

Value per hectare =  $462.72 \times \ln(ti/ha) - 3 576.86$

ln : base e logarithm

ti : number of trees of more than 1.2 meter for  
softwoods and 1.8 meter for hardwoods

ha : hectare

Priority production of tolerant hardwoods,  
of white birch, of mixed predominantly  
tolerant hardwood stands and of  
associations constituted of pines  
and birches

\$915/ha

**COMMERCIAL THINNING (3)**

Softwoods and mixed with softwood dominance

Value per hectare with marking of trees to fell  
=  $260.16 / (\text{average DBH harvested} \times 0.0414)^2$

Value per hectare without marking of trees to fell  
=  $260.16 / (\text{average DBH harvested} \times 0.0414)^2 - 150$

Mixed with tolerant and intolerant  
hardwoods (4) (5)

\$615/ha

Mixed with tolerant hardwoods

- priority production yellow birch  
and softwoods with fir (5)

\$385/ha

Tolerant and intolerant hardwoods (4) (5)

\$325/ha

**DRAINAGE**

Cleared areas (without prior felling)	\$1.75/m or m <sup>3</sup>
Wooded areas (without prior felling)	\$1.95/m or m <sup>3</sup>
Wooded areas (with prior felling)	\$215/m or m <sup>3</sup>

**FERTILIZATION**

Softwoods

\$400/ha

**NATURAL REGENERATION REINFORCEMENT  
PLANTING RED PINE AND WHITE PINE PLANTING (2)**

With site preparation

Bare-root seedlings

\$255/1 000 seedlings

Conventional size

\$405/1 000 seedlings

Large size

\$625/1 000 saplings

Hybrid poplars

Container seedlings		ENRICHMENT AND REINFORCEMENT
67-50	\$210/1 000 seedlings	PLANTING OF HARDWOODS
45-110 or cuttings	\$220/1 000 seedlings	AND PINE (2)
25-200	\$310/1 000 seedlings	
45-340 and 25-350-A	\$355/1 000 seedlings	\$565/1 000 seedlings
Mini recipients 126-25	\$200/1 000 seedlings	SPREADING COMMERCIAL
		THINNING (3) (5)
Without site preparation		INDIVIDUAL SELECTIVE THINNING (3) (5)
Bare-root seedlings		
Conventional size	\$275/1 000 seedlings	Tolerant hardwood
Large size	\$420/1 000 seedlings	
Container seedlings		IMPROVEMENT CUTTING (3) (5)
67-50	\$225/1 000 seedlings	
45-110 or cuttings	\$235/1 000 seedlings	Softwoods (cedars)
25-200	\$325/1 000 seedlings	
45-340 or 25-350-A	\$370/1 000 seedlings	\$310/ha
Mini-recipients 126-50	\$215/1 000 seedlings	SELECTION CUTTING (3) (5)
PROGRESSIVE SEED CUTTING (3)		Tolerant hardwood
Softwoods	\$575/ha	
Mixed with tolerant and intolerant		Mixed with tolerant hardwood
hardwoods (4)	\$325/ha	
Tolerant and intolerant hardwoods (4)	\$325/ha	Softwoods (cedars)
		\$325/ha
STRIP CUTTING WITH REGENERATION		SELECTION CUTTING AND SANITATION (3) (5)
AND SOIL PROTECTION (3)	\$230/ha	
		Tolerant hardwood
Tolerant hardwood		
Mixed with tolerant hardwood	\$325/ha	
		SELECTION CUTTING BY PATCHES (3) (5)
PLANTING (2)		
		Tolerant hardwood
With site preparation		
Bare-root seedlings		SELECTION CUTTING AND SANITATION
Conventional size	\$235/1 000 seedlings	BY PATCHES (3) (5)
Large size	\$380/1 000 seedlings	
Hybrid poplars	\$600/1 000 saplings	Tolerant hardwood
Container seedlings		
67-50	\$190/1 000 seedlings	Mixed with tolerant hardwood
45-110 or cuttings	\$195/1 000 seedlings	
25-200	\$285/1 000 seedlings	Mixed with tolerant hardwood and pines
45-340 or 25-350-A	\$330/1 000 seedlings	
Mini-recipients 126-25	\$180/1 000 seedlings	SELECTION CUTTING FOR TREE
		AND GROUP OF TREES (3) (5)
Without site preparation		
Bare-root seedlings		Tolerant hardwood
Conventional size	\$250/1 000 seedlings	
Large size	\$395/1 000 seedlings	Mixed with tolerant hardwood
Container seedlings		
67-50	\$205/1 000 seedlings	SELECTION CUTTING AND SANITATION
45-110 or cuttings	\$215/1 000 seedlings	FOR TREE AND GROUP OF TREES (3) (5)
25-200	\$305/1 000 seedlings	
45-340 or 25-350-A	\$350/1 000 seedlings	Tolerant hardwood
Mini-recipients 126-25	\$195/1 000 seedlings	
		Mixed with tolerant hardwood
		SELECTION AND REGENERATION
		CUTTING BY PARQUETS (3) (5)
		SEEDLINGS RESERVE CUTTING

## PRESELECTION CUTTING (3) (5)

Tolerant hardwood	\$325/ha
Mixed with tolerant hardwood	\$325/ha

## PRESELECTION CUTTING AND SANITATION (3) (5)

Tolerant hardwood	\$325/ha
Mixed with tolerant hardwood	\$325/ha

## PINE SEEDING

Aerial seeding	\$40/ha
Ground seeding	\$150/ha
Funnels	\$335/1 000 microsites seeded

SELECTION CUTTING FOR MAPLE SAP  
AND WOOD PRODUCTION (3) (5)

\$390/ha

## PHYTOSANITARY PRUNING

\$440/ha

---

(1) The value admitted as payment of dues can be increased by 2.6% when the silvicultural treatments are realized from forest camps whose admissibility criterias are defined in the relative instructions to the application of the present order.

(2) The value admitted as payment of dues can be increased by 7.8% when the silvicultural treatments are realized from forest camps whose admissibility criterias are defined in the relative instructions to the application of the present order.

(3) The value admitted as payment of dues includes some harvesting, road construction, supervision or tree marking costs.

(4) The value admitted as payment of dues can be increased by \$60/ha when the marking of trees takes into account the trees to preserve.

(5) The value admitted as payment of dues is increased by \$30 when felling and unloading paths are flagged.

Note: The expression "tolerant hardwoods" includes white pine and red pine.



## Index

Abbreviations : **A** : Abrogated, **N** : New, **M** : Modified

	Page	Comments
Forest Act — Unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants ..... (R.S.Q., c. F-4.1; 2004, c. 6, 11 and 20)	699A	N
Forest Act — Value of silvicultural treatments admitted as payment of dues for the fiscal year 2005-2006 ..... (R.S.Q., c. F-4.1)	712A	N
Unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants ..... (Forest Act, R.S.Q., c. F-4.1; 2004, c. 6, 11 and 20)	699A	N
Value of silvicultural treatments admitted as payment of dues for the fiscal year 2005-2006 ..... (Forest Act, R.S.Q., c. F-4.1)	712A	N

