

**Gazette**  
officielle  
**DU Québec**

**Part**  
**2**

**No. 12A**  
28 March 2006

**Laws and Regulations**  
Volume 138

## **Summary**

Table of Contents  
Regulations and other acts  
Index

Legal deposit – 1st Quarter 1968  
Bibliothèque nationale du Québec  
© Éditeur officiel du Québec, 2006

All rights reserved in all countries. No part of this publication may be translated, used or reproduced for commercial purposes by any means, whether electronic or mechanical, including micro-reproduction, without the written authorization of the Québec Official Publisher.



**Table of Contents****Page****Regulations and other acts**

---

Unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants .....	1129A
Value of silvicultural treatments admitted as payment of dues for the fiscal year 2006-2007 .....	1142A



## Regulations and other acts

**M.O., 2006**

**Order number AM 2006-009 Of the Minister  
of Natural Resources and Wildlife dated 23 March  
2006**

Forest Act  
(R.S.Q., c. F-4.1; 2005, c. 3 and 44)

Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants

THE MINISTER OF NATURAL RESOURCES AND WILDLIFE,

CONSIDERING the third paragraph of section 5 of the Forest Act (R.S.Q., c. F-4.1) which provides that the Minister shall determine the unit rates for the classes of forest management permits for which the unit rates have not been determined by regulation of the Government;

CONSIDERING section 72 of that Act which provides that the Minister shall determine the unit rate corresponding to the stumpage value according to the rules of calculation determined by regulation of the Government;

CONSIDERING Order in Council number 372-87 dated 18 March 1987 according to which the Government made the Regulation respecting forest royalties;

CONSIDERING that, in accordance with section 2 and 7 of that Regulation, it is expedient to establish the unit rates for the stumpage value applicable to the calculation of the dues payable by the holder of a forest management permit for the supply of a wood processing plant for the 2006-2007 fiscal year;

CONSIDERING that, in accordance with sections 10, 12 and 13 of the Regulations Act (R.S.Q., c R-18.1), a draft of the Regulation attached to this Order was published in Part 2 of the *Gazette officielle du Québec* of 22 February 2006 with a notice that it could be made by the Minister upon the expiry of a 20-day period following that publication;

CONSIDERING that the 20-day period has expired;

CONSIDERING section 18 of that Act which provides that a regulation may come into force on the date of its publication in the *Gazette officielle du Québec*, or between that date and the date applicable under section 17 of that Act, where the authority that has made it is of the opinion that the urgency of the situation requires it;

CONSIDERING the same section which provides that the reason justifying such coming into force shall be published with the regulation;

CONSIDERING that in the opinion of the Minister the urgency due to the following circumstances justifies such coming into force:

— The first paragraph of section 2 of the Regulation respecting forest royalties specifies that in order to determine a unit rate fixed by the Minister under the first paragraph of section 72 of the Forest Act the stumpage value of standing timber shall be calculated on 1 April of each year in each forest tariffing zone, by species or group of species and quality of timber, according to the parity technique applicable in property assessment, by comparing the timber to similar timber for which the selling price is known.

For the application of that regulation, the rates must be known as soon as possible;

CONSIDERING that it is expedient to make the regulation with amendments;

### ORDERS:

The regulation respecting unit rates applicable to the calculation of dues forest management permits for the supply of wood processing plants, attached to this Order, is made.

Québec, 23 March 2006

PIERRE CORBEIL,  
*Minister of Natural Resources  
and Wildlife*

## **Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants**

Forest Act  
(R.S.Q., c. F-4.1, ss. 5 and 72)

**1.** The unit rates for stumpage in forests in the public domain by tariffing zone for the fiscal year 2006-2007 set out in Schedule I shall be indexed on 1 April, 1 July, 1 October 2006 and 1 January 2007 in accordance with the performance of the price indexes for the forest products specified in Schedule II. The index rates per species, group of species and quality shall be calculated in accordance with the following formulas:

Index rate at = 1 April 2006	Average price index for the months of December 2005, January and February 2006
	Average price index for the months of April 2003 to March 2005
Index rate at = 1 July 2006	Average price index for the months of March, April and May 2006
	Average price index for the months of April 2003 to March 2005
Index rate at = 1 October 2006	Average price index for the months of June, July and August 2006
	Average price index for the months of April 2003 to March 2005
Index rate at = 1 January 2007	Average price index for the months of September, October and November 2006
	Average price index for the months of April 2003 to March 2005

The amounts thus indexed shall apply, in each forest tariffing zone indicated in Schedule I, to the calculation of the dues payable by the holder of a forest management permit for the supply of a wood processing plant for the 3-month period following the date of indexing.

The amounts indexed in the manner prescribed in the first paragraph shall be reduced to the nearest fraction of \$0.10/m<sup>3</sup> where they contain a fraction less than \$0.025/m<sup>3</sup>. They shall be rounded off to the nearest fraction of \$0.05/m<sup>3</sup> where they contain a fraction equal to or greater than \$0.025/m<sup>3</sup> but less than \$0.075/m<sup>3</sup> and shall be increased to the nearest fraction of \$0.10/m<sup>3</sup> where they contain a fraction equal to or greater than \$0.075/m<sup>3</sup>.

The Minister of Natural Resources and Wildlife inform the public, through Part I of the *Gazette officielle du Québec* and, where he considers it appropriate, by any other means, of the indexing calculated under this section.

**2.** This Regulation replaces the Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants, made by Minister's Order number AM 2005-010 of the Minister of Natural Resources and Wildlife dated 23 March 2005.

**3.** This Regulation comes into force on 1 April 2006.

**SCHEDULE I**  
 (s. 1)

**REFERENCE UNIT RATES FOR STUMPPAGE IN FORESTS IN THE DOMAIN OF THE STATE FOR THE 2006-2007 FISCAL YEAR**

Species	Quality*	Stumpage (\$/m <sup>3</sup> )										Zones										
		101	102	103	104	111	112	113	114	115	116	117	201	202	203	204	205					
Fir, spruce, jack pine, tamarack	F	12,60	11,65	13,29	13,12	9,88	11,16	4,99	8,01	8,80	10,62	11,24	18,55	16,68	20,62	21,99	21,42					
	B	12,48	11,54	13,17	13,01	9,56	11,06	3,25	5,86	7,62	10,53	11,14	18,39	14,57	20,44	18,53	21,23					
White pine	G	8,37	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	10,76	10,76	10,76	10,76	9,68					
	H	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	5,56	5,56	5,56	5,56	4,87					
Red pine	I	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26					
	F	19,13	15,25	15,13	15,14	14,35	14,34	14,32	14,32	14,34	14,35	14,34	18,77	18,77	18,26	16,70	17,48					
G	G	6,20	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	7,96	7,96	7,96	7,96	7,18					
	H	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	4,08	4,08	4,08	4,08	3,61					
Hemlock, cedar	I	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,23	3,23	3,23	3,23	3,19					
	B	3,00	2,57	2,55	2,55	2,40	2,40	2,39	2,39	2,40	2,40	2,40	2,76	2,76	2,85	2,25	2,45					
White pine, red pine, h mlock, cedar	C	1,50	1,33	1,33	1,33	1,32	1,32	1,32	1,32	1,32	1,32	1,32	1,32	1,32	1,46	1,46	1,20	1,29				
Oak, cherry, walnut, hickory	A	56,69	47,54	37,88	35,09	25,46	25,35	25,35	25,35	25,35	25,35	25,35	27,75	25,35	30,53	25,46	45,10	27,38	25,46			
	B	29,71	24,28	19,41	17,91	12,73	11,70	11,70	11,70	11,70	11,70	11,70	13,95	11,70	14,17	11,70	12,13	11,80	11,70			
Yellow birch, ash, basswood, elm	C	11,88	9,74	7,79	7,19	5,09	4,86	4,86	4,86	4,86	4,86	4,86	5,48	4,86	5,67	4,86	4,86	4,86	4,86			
	A	56,69	46,78	37,11	34,32	25,14	22,51	22,51	22,51	22,51	22,51	22,51	27,75	22,51	30,53	25,07	45,32	27,38	25,06			
White birch	B	23,03	18,70	14,93	13,77	9,87	8,72	8,72	8,72	8,72	8,72	10,27	8,72	10,98	8,72	9,40	9,14	8,72				
	C	9,21	7,48	5,97	5,51	3,89	3,47	3,47	3,47	3,47	3,47	3,89	3,47	4,39	3,47	3,76	3,66	3,47				
Sugar maple	A	56,69	45,65	35,98	33,19	23,50	22,51	22,51	22,51	22,51	22,51	23,50	22,51	30,53	23,54	44,19	27,38	25,06				
	B	14,30	10,46	9,94	9,81	5,47	5,47	5,47	5,47	5,47	5,47	7,21	5,47	7,36	6,43	11,57	7,20	5,65				
Other hardwoods	C	5,71	4,17	3,96	3,91	1,98	1,98	1,98	1,98	1,98	1,98	2,76	1,98	2,94	2,57	4,62	2,88	2,11				
	A	57,61	47,76	39,60	47,13	16,14	14,21	14,21	14,21	14,21	14,21	29,65	14,21	14,91	14,21	14,21	14,21	14,21				
Poplars	B	23,09	19,15	15,87	16,70	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45				
	C	5,22	4,33	3,59	3,96	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41				
All hardwoods (except poplars / aspen)	B	9,21	7,63	6,13	5,66	3,95	3,95	3,95	3,95	3,95	3,95	4,33	3,95	4,39	3,95	3,95	3,95	3,95				
	D,E	1,32	1,32	1,32	1,32	1,30	1,30	1,30	1,30	1,30	1,30	1,32	1,32	1,30	1,32	1,32	1,32	1,30				

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )															
		Zones															
		206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221
Fir, spruce, jack pine, tamarack	F	23.54	21.39	20.65	14.78	15.71	15.45	21.55	24.64	22.04	18.75	17.26	13.50	14.38	15.79	13.55	17.00
	B	15.99	21.20	20.47	14.64	15.57	15.31	21.36	24.42	21.84	18.59	17.11	11.84	14.25	15.65	13.43	16.85
White pine	G	7.67	7.38	7.38	7.38	7.38	7.38	7.38	7.38	7.38	7.38	7.38	7.38	7.38	7.38	7.38	7.38
	H	4.74	4.74	4.74	4.74	4.74	4.74	4.74	4.74	4.74	4.74	4.74	4.74	4.74	4.74	4.74	4.74
Red pine	I	4.26	4.26	4.26	4.26	4.26	4.26	4.26	4.26	4.26	4.26	4.26	4.26	4.26	4.26	4.26	4.26
	F	16.79	16.69	15.97	15.39	14.36	15.26	16.05	16.66	16.44	14.66	14.51	15.21	14.45	14.49	14.44	14.35
G	5.69	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47
	H	3.51	3.51	3.51	3.51	3.51	3.51	3.51	3.51	3.51	3.51	3.51	3.51	3.51	3.51	3.51	3.51
I	3.19	3.19	3.19	3.19	3.19	3.19	3.19	3.19	3.19	3.19	3.19	3.19	3.19	3.19	3.19	3.19	3.19
	B	2.27	2.25	2.18	2.21	1.61	1.90	2.22	2.22	2.26	2.20	1.56	1.35	1.37	1.29	1.33	1.32
White pine, red pine, hemlock, cedar	C	1.23	1.19	1.26	1.33	1.19	1.21	1.27	1.23	1.13	1.04	0.94	0.86	0.99	0.96	0.95	0.99
Oak, cherry, walnut, hickory	A	36.70	25.35	25.35	25.35	25.35	25.35	25.35	25.35	25.35	25.35	25.35	25.35	25.35	25.35	25.35	25.35
	B	12.92	11.70	12.08	11.70	11.70	11.70	11.99	11.70	11.70	11.70	11.70	11.70	11.70	11.70	11.70	11.70
Yellow birch, ash, basswood, elm	C	5.16	4.86	4.96	4.86	4.86	4.86	4.86	4.86	4.86	4.86	4.86	4.86	4.86	4.86	4.86	4.86
	A	35.93	22.51	23.98	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51
B	10.01	8.72	9.08	8.72	8.72	8.72	9.08	8.72	8.72	8.72	8.72	8.72	8.72	8.72	8.72	8.72	
	C	4.00	3.47	3.55	3.47	3.47	3.47	3.55	3.47	3.47	3.47	3.47	3.47	3.47	3.47	3.47	3.47
C	A	34.80	22.51	23.98	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51
	B	8.33	5.65	8.49	5.65	5.47	5.65	7.74	5.92	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47
D	C	3.32	2.04	3.38	2.04	1.98	2.04	3.09	2.37	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98
	A	14.21	14.21	14.21	14.21	14.21	14.21	14.21	14.21	14.21	14.21	14.21	14.21	14.21	14.21	14.21	14.21
E	B	10.45	10.45	10.45	10.45	10.45	10.45	10.45	10.45	10.45	10.45	10.45	10.45	10.45	10.45	10.45	10.45
	C	2.41	2.41	2.41	2.41	2.41	2.41	2.41	2.41	2.41	2.41	2.41	2.41	2.41	2.41	2.41	2.41
F	B	4.01	3.95	3.95	3.95	3.95	3.95	3.95	3.95	3.95	3.95	3.95	3.95	3.95	3.95	3.95	3.95
	C	2.14	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75	1.75
G	B	8.15	7.00	7.41	6.35	4.64	4.66	6.76	7.45	6.22	4.82	4.57	2.04	2.27	2.38	3.06	4.95
	D,E	2.14	1.30	1.73	1.30	1.30	1.60	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30
All hardwoods (except poplars / aspen)																	

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )										Zones									
		222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237				
Fir, spruce, jack pine, tamarack	F	22.04	17.61	18.20	19.53	14.55	11.74	9.14	7.10	3.87	3.74	6.40	11.72	7.50	16.51	11.92	12.67				
	B	21.85	17.45	18.04	19.36	14.42	10.08	9.06	7.04	3.25	3.25	6.34	11.61	7.43	16.37	8.86	11.21				
White pine	G	7.38	7.38	7.38	7.38	7.38	7.38	7.38	7.38	7.38	7.38	7.38	7.38	7.38	7.38	7.38	7.38				
	H	4.74	4.74	4.74	4.74	4.74	4.74	4.74	4.74	4.74	4.74	4.74	4.74	4.74	4.74	4.74	4.74				
Red pine	I	4.26	4.26	4.26	4.26	4.26	4.26	4.26	4.26	4.26	4.26	4.26	4.26	4.26	4.26	4.26	4.26				
	F	16.14	14.48	14.34	15.33	14.32	14.32	14.32	14.32	14.32	14.32	14.32	14.32	14.32	14.53	14.34	14.41				
G	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47				
	H	3.51	3.51	3.51	3.51	3.51	3.51	3.51	3.51	3.51	3.51	3.51	3.51	3.51	3.51	3.51	3.51				
I	3.19	3.19	3.19	3.19	3.19	3.19	3.19	3.19	3.19	3.19	3.19	3.19	3.19	3.19	3.19	3.19	3.19				
	B	2.08	1.45	1.37	1.86	1.29	1.29	1.28	1.28	1.28	1.28	1.28	1.28	1.28	1.48	1.34	1.31				
White pine, red pine, hemlock, cedar	C	1.09	1.04	1.01	1.16	0.97	0.96	0.74	0.74	0.74	0.74	0.74	0.90	0.74	1.06	1.24	1.21				
Oak, cherry, walnut, hickory	A	25.35	25.35	25.35	25.35	25.35	25.35	25.35	25.35	25.35	25.35	25.35	25.35	25.35	25.35	25.35	25.35				
	B	11.70	11.70	11.70	11.70	11.70	11.70	11.70	11.70	11.70	11.70	11.70	11.70	11.70	11.70	11.70	11.70				
Yellow birch, ash, basswood, elm	C	4.86	4.86	4.86	4.86	4.86	4.86	4.86	4.86	4.86	4.86	4.86	4.86	4.86	4.86	4.86	4.86				
	A	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51				
B	8.72	8.72	8.72	8.72	8.72	8.72	8.72	8.72	8.72	8.72	8.72	8.72	8.72	8.72	8.72	8.72					
	C	3.47	3.47	3.47	3.47	3.47	3.47	3.47	3.47	3.47	3.47	3.47	3.47	3.47	3.47	3.47	3.47				
White birch	A	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51	22.51				
	B	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47	5.47				
Sugar maple	C	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98	1.98				
	A	14.21	14.21	14.21	14.21	14.21	14.21	14.21	14.21	14.21	14.21	14.21	14.21	14.21	14.21	14.21	14.21				
Other hardwoods	B	10.45	10.45	10.45	10.45	10.45	10.45	10.45	10.45	10.45	10.45	10.45	10.45	10.45	10.45	10.45	10.45				
	C	2.41	2.41	2.41	2.41	2.41	2.41	2.41	2.41	2.41	2.41	2.41	2.41	2.41	2.41	2.41	2.41				
Poplars	B	5.50	5.69	5.29	6.18	4.48	2.49	2.04	2.04	2.04	2.04	2.04	2.04	2.04	2.04	2.10	2.04				
	D,E (except poplars / aspen)	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30	1.30				

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )																
		Zones																
		238	239	301	302	303	304	305	306	401	402	403	404	405	406	407	408	
Fir, spruce, jack pine, tamarack	F	11,33	4,71	14,54	10,12	9,89	15,50	10,44	16,78	19,95	22,58	21,16	16,69	21,23	19,15	13,05	19,52	
	B	11,23	3,25	14,41	6,14	5,67	14,60	9,04	16,63	18,97	22,37	20,97	16,54	21,04	15,31	12,93	19,35	
White pine	G	7,38	7,38	10,76	10,76	10,76	10,76	33,08	10,76	7,38	10,76	19,36	29,55	24,97	20,58	7,38	10,76	10,76
	H	4,74	4,74	5,56	5,56	5,56	5,56	17,27	5,45	4,74	5,56	9,72	14,85	12,55	10,34	4,74	5,56	5,56
Red pine	I	4,26	4,26	4,26	4,26	4,26	13,41	4,26	4,26	4,26	7,51	11,47	9,69	7,99	4,26	4,26	4,26	
	F	14,32	14,32	23,46	17,94	18,69	24,82	15,96	15,50	23,81	24,38	26,22	23,05	22,34	17,38	20,87	15,55	
G	5,47	5,47	7,96	7,96	7,96	24,82	7,96	5,47	7,96	14,35	21,92	18,52	15,26	5,47	7,96	7,96	7,96	
	H	3,51	3,51	4,08	4,08	4,08	12,87	4,05	3,51	4,08	7,21	11,01	9,30	7,67	3,51	4,08	4,08	
I	3,19	3,19	3,23	3,23	3,23	9,95	3,19	3,19	3,23	5,57	8,50	7,19	5,92	3,19	3,23	3,23	3,23	
	B	1,33	1,28	3,41	2,91	2,78	3,46	2,56	2,43	3,40	3,48	3,76	3,33	3,23	2,36	2,88	2,35	
White pine, red pine, hemlock, cedar	C	1,26	0,99	1,71	1,48	1,46	1,88	1,45	1,44	1,82	1,90	2,07	1,81	1,74	1,20	1,47	0,89	
Oak, cherry, walnut, hickory	A	25,35	25,35	64,07	25,46	40,83	55,62	25,35	25,35	47,84	65,01	67,17	51,60	57,46	25,35	25,46	25,35	
	B	11,70	11,70	36,00	11,70	11,73	27,67	11,70	11,70	22,66	33,00	35,14	25,42	31,07	11,70	11,70	11,70	
Yellow birch, ash, basswood, elm	C	4,86	4,86	14,40	4,86	6,85	11,06	4,86	4,86	9,06	13,20	14,05	10,17	12,42	4,86	4,86	4,86	
	A	22,51	22,51	64,07	25,06	40,83	55,62	24,93	22,51	47,84	65,01	67,17	51,60	57,46	22,51	25,06	22,51	
White birch	B	8,72	8,72	27,91	8,72	13,28	21,45	8,72	8,72	17,57	25,58	27,24	19,71	24,08	8,72	8,72	8,72	
	C	3,47	3,47	11,16	3,47	5,31	8,58	3,47	3,47	7,02	10,23	10,89	7,88	9,63	3,47	3,47	3,47	
Sugar maple	A	22,51	22,51	64,07	25,06	40,83	55,62	23,50	22,51	47,84	65,01	67,17	51,60	57,46	22,51	23,91	22,51	
	B	5,47	5,47	17,87	5,65	5,65	10,57	5,65	7,59	15,28	21,80	20,68	13,30	19,26	5,47	5,47	5,47	
Other hardwoods	C	1,98	1,98	7,14	2,04	2,04	4,23	2,04	3,02	6,11	8,72	8,27	5,32	7,70	1,98	2,03	1,98	
	A	14,21	14,21	56,62	20,11	29,93	49,19	14,21	14,21	38,53	50,51	66,49	43,02	36,70	14,21	29,65	14,21	
Poplars	B	10,45	10,45	22,69	10,45	12,83	21,09	10,45	10,45	16,52	21,66	28,51	18,45	15,74	10,45	10,45	10,45	
	C	2,41	2,41	5,13	2,41	2,90	4,77	2,41	2,41	3,73	4,90	6,44	4,17	3,56	2,41	2,41	2,41	
All hardwoods (except poplars / aspen)	B	3,95	3,95	11,16	5,31	8,58	3,95	3,95	3,95	7,03	10,23	10,90	7,88	9,63	3,95	3,95	3,95	
	C	1,75	1,75	4,46	1,75	2,12	3,85	1,75	1,75	2,97	4,09	5,34	3,30	4,04	1,75	1,75	1,75	

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )															
		Zones															
		409	410	411	412	413	501	601	602	603	604	605	606	607	608	609	610
Fir, spruce, jack pine, tamarack	F	16.56	18.88	16.13	15.53	19.44	13.32	18.67	21.42	20.89	18.43	16.28	15.51	10.90	9.91	11.44	11.64
	B	13.27	9.38	15.20	14.35	19.27	10.20	17.95	21.23	20.70	18.27	14.87	14.58	10.68	7.26	11.34	7.85
White pine	G	7.38	7.38	7.38	7.38	7.38	10.76	33.36	32.27	18.85	10.76	16.02	27.68	24.01	16.96	11.32	10.76
	H	4.74	4.74	4.74	4.74	4.74	5.56	17.44	16.21	9.47	5.56	8.05	13.90	12.06	8.52	5.69	5.56
Red pine	I	4.26	4.26	4.26	4.26	4.26	4.26	13.97	12.52	7.31	4.26	6.21	10.99	9.32	6.58	4.39	4.26
	F	15.48	15.97	15.48	14.96	16.03	23.53	27.11	27.54	26.63	26.26	24.69	25.69	21.71	21.51	21.50	20.67
G	5.47	5.47	5.47	5.47	5.47	5.47	7.96	25.02	23.93	13.97	7.96	11.88	20.81	17.81	12.57	8.40	7.96
	H	3.51	3.51	3.51	3.51	3.51	4.08	13.01	12.02	7.02	4.08	5.97	10.38	8.95	6.32	4.22	4.08
I	3.19	3.19	3.19	3.19	3.19	3.23	10.36	9.29	5.42	3.23	4.61	8.15	6.91	4.88	3.26	3.23	
	B	2.36	2.06	2.36	1.68	2.06	3.42	3.90	3.97	3.83	3.77	3.49	3.67	2.97	2.94	2.83	
White pine, red pine, hemlock, cedar	C	0.87	0.95	0.87	0.97	1.09	1.72	2.16	2.21	2.12	2.08	1.90	2.01	1.56	1.54	1.54	1.48
Oak, cherry, walnut, hickory	A	25.35	25.35	25.35	25.35	25.35	56.88	75.26	74.61	65.30	47.51	43.47	69.70	51.57	42.51	36.53	30.47
	B	11.70	11.70	11.70	11.70	11.70	33.60	40.48	40.27	29.21	24.69	24.30	36.59	27.28	23.84	15.81	13.40
Yellow birch, ash, basswood, elm	C	4.86	4.86	4.86	4.86	4.86	13.44	16.19	16.10	11.68	9.87	9.72	14.63	10.91	9.53	6.32	5.36
	A	22.51	22.51	22.51	22.51	22.51	56.88	75.26	74.61	65.30	47.51	43.47	69.70	51.57	42.51	36.53	30.47
B	8.72	8.72	8.72	8.72	8.72	26.05	31.38	31.22	22.64	19.14	18.83	28.37	21.15	18.48	12.26	10.39	
	C	3.47	3.47	3.47	3.47	3.47	10.42	12.55	12.48	9.05	7.65	7.53	11.34	8.46	7.39	4.90	4.16
White birch	A	22.51	22.51	22.51	22.51	22.51	56.88	75.26	74.61	65.30	47.51	43.47	69.70	51.57	42.51	36.53	30.47
	B	5.47	5.47	5.47	5.47	5.47	13.89	26.58	24.91	20.17	17.18	12.52	25.00	17.59	12.12	6.54	8.25
Sugar maple	C	1.98	1.98	1.98	1.98	1.98	5.45	10.63	9.96	8.07	6.87	5.01	10.00	7.03	4.84	2.61	3.30
	A	14.21	14.21	14.21	14.21	14.21	67.62	75.42	71.92	52.16	32.90	40.27	63.09	48.08	40.48	29.65	23.74
Other hardwoods	B	10.45	10.45	10.45	10.45	10.45	25.84	28.82	27.48	22.30	14.07	12.93	20.41	15.77	13.30	10.45	10.45
	C	2.41	2.41	2.41	2.41	2.41	5.84	6.51	6.21	5.04	3.18	2.92	4.61	3.56	3.01	2.41	2.41
Poplars	B	4.78	2.04	3.02	3.73	5.59	5.82	8.61	10.08	10.25	9.03	6.33	7.50	6.38	3.35	4.59	6.10
	D,E	1.30	1.30	1.30	1.30	1.30	2.85	5.47	5.68	4.59	2.68	2.57	4.60	3.23	1.59	1.30	1.41
All hardwoods (except poplars / aspen)																	

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )										Zones									
		701	702	703	704	705	706	707	708	709	710	711	712	801	802	803	804				
Fir, spruce, jack pine, tamarack	F	17.55	13.59	7.57	8.91	12.32	6.95	8.45	6.00	4.53	7.69	8.28	8.78	7.07	11.14	9.63	7.19				
	B	13.42	5.48	4.24	5.31	6.39	3.25	5.11	4.50	3.46	3.74	3.25	3.25	3.25	7.66	8.89	3.25				
White pine	G	34.77	33.49	31.35	28.83	29.80	26.35	18.12	19.91	11.54	10.76	10.76	25.10	23.09	32.22	28.79					
	H	18.33	17.53	16.19	14.48	15.22	13.22	9.10	10.00	5.80	5.56	5.56	12.37	11.60	16.73	14.59					
Red pine	I	14.31	13.85	13.27	11.19	11.91	10.22	7.03	7.73	4.48	4.26	4.26	9.74	8.96	14.25	12.09					
	F	27.60	27.60	25.05	26.17	26.69	25.60	25.06	22.02	21.06	20.72	18.72	20.14	24.12	24.16	24.18	24.14				
	G	26.07	25.12	23.53	21.38	22.38	19.54	13.43	14.76	8.56	7.96	7.96	18.61	17.12	24.18	21.64					
	H	13.67	13.07	12.08	10.74	11.36	9.82	6.75	7.42	4.30	4.08	4.08	9.25	8.60	12.48	10.90					
Hemlock, cedar	I	10.61	10.27	9.84	8.30	8.83	7.58	5.21	5.73	3.32	3.23	3.23	7.22	6.64	10.57	8.97					
	B	3.97	3.95	3.50	3.70	3.78	3.59	3.50	2.94	2.72	2.73	2.27	2.62	3.33	3.34	3.21	3.34				
White pine, red pine, hemlock, cedar	C	2.20	2.16	1.86	1.99	2.06	1.93	1.86	1.57	1.47	1.45	1.24	1.39	1.76	1.75	1.68	1.75				
Oak, cherry, walnut, hickory	A	78.60	72.61	73.45	47.33	55.65	44.72	35.48	50.28	25.35	25.35	25.35	25.35	40.88	43.38	69.11	60.69				
	B	41.43	35.04	33.53	23.75	31.48	23.91	16.99	26.29	11.70	11.70	11.70	11.70	22.13	20.58	34.81	33.60				
Yellow birch, ash, basswood, elm	C	16.57	14.01	13.33	9.50	12.59	9.56	6.79	10.51	4.86	4.86	4.86	4.86	8.85	8.23	13.92	13.44				
	A	78.60	72.61	73.45	47.33	55.65	44.72	35.48	50.28	22.51	22.51	22.51	22.51	40.88	43.38	69.11	60.69				
White birch	B	32.12	27.17	25.99	18.41	24.40	18.53	13.17	20.38	8.72	8.72	8.72	8.72	17.16	15.95	26.99	26.05				
	C	12.84	10.86	10.33	7.36	9.76	7.41	5.26	8.15	3.47	3.47	3.47	3.47	6.86	6.38	10.79	10.42				
	A	78.60	72.61	73.45	47.33	55.65	44.72	35.48	50.28	22.51	22.51	22.51	22.51	40.88	43.38	69.11	60.69				
	B	26.69	24.20	24.35	17.24	20.76	15.83	12.02	16.52	5.47	5.47	5.47	5.47	15.19	16.85	22.32	22.67				
Sugar maple	C	10.67	9.68	9.74	6.89	8.30	6.33	4.81	6.61	1.98	1.98	1.98	1.98	6.08	6.74	8.93	9.07				
	A	80.23	63.59	57.95	40.51	59.04	44.79	29.65	43.25	15.39	16.46	14.21	14.21	40.18	36.53	67.01	53.20				
Other hardwoods	B	28.21	20.00	18.36	12.65	21.42	15.18	10.45	14.43	10.45	10.45	10.45	10.45	13.01	11.71	22.48	17.20				
	C	6.38	4.95	4.65	2.86	4.84	3.43	2.41	3.26	2.41	2.41	2.41	2.41	2.94	2.65	5.08	3.89				
Poplars	B	6.43	6.52	5.13	5.31	5.30	3.78	3.77	4.64	3.05	3.50	2.38	2.04	6.88	8.34	9.46	7.48				
	D,E	6.09	4.95	4.65	2.21	1.66	1.32	1.32	2.49	1.30	1.30	1.30	1.30	1.32	1.32	3.72	2.09				
All hardwoods (except poplars / aspen)																					

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )									
		Zones									
Fir, spruce, jack pine, tamarack	F	7.27	10.37	16.33	9.73	7.63	12.74	11.16	13.48	13.71	15.47
	B	3.25	7.79	16.19	8.18	4.96	4.50	11.06	8.05	12.25	10.29
White pine	G	23.18	25.16	28.61	18.54	10.76	10.76	19.10	15.38	16.74	10.76
	H	11.64	12.64	14.48	9.31	5.56	5.56	9.60	7.73	8.41	5.56
Red pine	I	8.99	9.76	11.90	7.19	4.26	4.26	7.41	5.97	6.50	4.26
	F	24.13	23.27	22.47	24.05	22.67	20.29	20.87	18.74	19.07	20.18
G	G	17.19	18.66	21.50	13.75	7.96	7.96	14.17	11.41	12.41	7.96
	H	8.63	9.37	10.81	6.91	4.08	4.08	7.12	5.73	6.24	4.08
Hemlock, cedar	I	6.67	7.24	8.82	5.33	3.23	3.23	5.50	4.43	4.82	3.23
	B	3.33	3.13	2.94	3.31	3.04	2.50	2.54	1.95	2.13	2.47
White pine, red pine, hemlock, cedar	C	1.76	1.65	1.55	1.75	1.62	1.38	1.39	1.11	1.24	1.37
Oak, cherry, walnut, hickory	A	35.36	42.89	51.49	40.39	28.59	25.35	40.72	30.09	25.35	25.35
	B	19.59	20.06	20.65	20.07	13.88	11.70	14.56	12.08	11.70	11.70
Yellow birch, ash, basswood, elm	C	7.83	8.02	8.26	8.02	5.55	4.86	5.82	4.86	4.86	4.86
	A	35.36	42.89	51.49	40.39	28.59	22.51	40.72	30.09	25.00	22.51
White birch	B	15.18	15.55	16.01	15.56	10.76	8.72	11.29	9.37	8.72	8.72
	C	6.07	6.22	6.40	6.22	4.30	3.47	4.51	3.75	3.47	3.47
Sugar maple	A	35.36	42.89	51.49	40.39	28.59	22.51	40.72	29.33	23.50	22.51
	B	11.52	11.36	13.06	11.02	7.21	5.65	11.39	6.14	5.65	5.47
Other hardwoods	C	4.61	4.54	5.22	4.41	2.76	2.04	4.54	2.46	2.04	1.98
	A	39.20	33.84	38.18	29.65	16.20	14.21	29.65	25.83	17.49	14.21
Poplars	B	13.80	11.19	13.13	10.45	10.45	10.45	10.45	10.45	10.45	10.45
	C	3.12	2.53	2.97	2.41	2.41	2.41	2.41	2.41	2.41	2.41
All hardwoods (except poplars / aspen)	D,E	1.32	1.32	1.32	1.30	1.30	1.32	1.30	1.30	1.30	1.30

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )								Zones							
		821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836
Fir, spruce, jack pine, tamarack	F	20,55	16,33	18,06	14,18	18,54	24,44	20,40	18,33	19,11	18,82	20,62	19,76	11,88	18,28	18,21	20,67
	B	19,58	14,92	11,59	13,95	18,37	24,22	20,22	17,72	17,44	14,60	17,70	11,60	7,82	18,12	18,05	20,48
White pine	G	7,79	7,38	7,38	7,38	8,16	7,38	7,38	7,38	7,38	7,99	10,76	8,59	7,38	7,38	7,38	7,38
	H	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74
Red pine	I	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26
	F	16,78	17,28	16,43	15,07	16,55	16,83	16,18	16,55	16,47	16,45	16,98	16,36	14,39	15,90	15,74	14,92
G	5,78	5,47	5,47	5,47	5,47	6,05	5,47	5,47	5,47	5,47	5,93	7,96	6,37	5,47	5,47	5,47	5,47
	H	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	4,03	3,51	3,51	3,51	3,51	3,51	3,51
I	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19
	B	1,73	1,89	1,66	1,28	1,70	1,73	1,58	1,70	1,67	1,53	1,60	1,49	1,28	1,46	1,46	1,28
White pine, red pine, hemlock, cedar	C	1,04	1,11	1,03	0,96	1,04	1,04	1,02	1,04	1,04	1,05	1,07	1,08	1,08	1,01	1,00	0,95
Oak, cherry, walnut, hickory	A	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35
	B	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70
Yellow birch, ash, basswood, elm	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
	B	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72
White birch	C	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47
	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
Sugar maple	B	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,65	7,14	7,21	5,47	5,47	5,47	5,47
	C	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	2,04	2,76	2,76	1,98	1,98	1,98	1,98
Other hardwoods	A	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21
	B	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45
Poplars	C	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41
	B	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
All hardwoods (except poplars / aspen)	C	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75
	D,E	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )									Zones								
		837	838	839	840	841	842	901	902	903	904	905	906	907	908	909	910		
Fir, spruce, jack pine, tamarack	F	13,02	12,15	7,95	9,45	5,61	4,98	12,93	13,14	14,20	15,34	14,26	18,35	15,61	16,20	11,28	6,49		
	B	12,90	11,64	7,88	4,73	5,56	3,25	12,81	12,54	13,12	15,20	14,13	18,18	15,47	16,06	11,18	6,40		
White pine	G	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38		
	H	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74		
Red pine	I	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26		
	F	14,72	14,55	14,32	14,54	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32		
G	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47		
	H	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51		
I	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19		
	B	1,28	1,28	1,28	1,28	1,28	1,28	1,68	1,90	1,68	1,60	1,43	1,63	1,59	1,34	1,28	1,28		
White pine, red pine, hemlock, cedar	C	0,94	0,90	1,09	0,99	0,74	0,94	1,29	1,34	1,29	1,26	1,15	1,28	1,25	1,09	0,75	0,74		
Oak, cherry, walnut, hickory	A	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35		
	B	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70		
Yellow birch, ash, basswood, elm	C	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86		
	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51		
B	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72			
	C	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47		
White birch	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51		
	B	5,47	5,47	5,47	5,47	5,47	5,47	5,65	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47		
Sugar maple	C	1,98	1,98	1,98	1,98	1,98	1,98	2,04	2,02	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98		
	A	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21		
Other hardwoods	B	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45		
	C	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41		
Poplars	B	2,04	2,74	2,04	2,50	2,04	4,44	4,88	4,27	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04		
	D,E	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30		
All hardwoods (except poplars / aspen)																			

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )																			
		Zones																			
Fir, spruce, jack pine, tamarack	F	7,13	10,66	7,04	8,77	8,10	4,19	3,78	3,76	3,28	3,56	4,62	3,28	3,28	3,28	3,28	3,28	3,28	3,28	3,28	3,75
	B	6,65	9,86	6,25	6,28	3,37	3,25	3,25	3,25	3,25	3,25	4,33	3,25	3,25	3,25	3,25	3,25	3,25	3,25	3,25	3,25
White pine	G	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38
Red pine	H	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74
	I	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26
	F	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32
	G	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	H	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51
	I	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19
Hemlock, cedar	B	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28
White pine, red pine, hemlock, cedar	C	0,74	0,95	0,74	0,81	0,74	0,74	0,74	0,74	0,74	0,74	0,74	0,74	0,74	0,74	0,74	0,74	0,74	0,74	0,74	0,74
Oak, cherry, walnut, hickory	A	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35
	B	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70
	C	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86
Yellow birch, ash, basswood, elm	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
	B	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72
	C	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47
White birch	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
	B	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	C	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98
Sugar maple	A	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21
	B	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45
	C	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41
Other hardwoods	B	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
	C	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75
Poplars	B	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04
All hardwoods (except poplars / aspen)	D,E	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

**SCHEDULE II**

(s.1)

## PRICE INDEXES PER SPECIES, GROUPS OF SPECIES AND QUALITY

Species and groups of species	Quality <sup>1</sup>	Price index <sup>2</sup>	Reference price index <sup>3</sup>
Fir, spruce, jack pine, tamarack	F	Preserved or treated wood (v1575024)	107.1
	B	Index : Lumber, softwood, Québec (v1575011; 81.4%) Newsprint paper (v1575122; 8.9%) Paper board (v1575150; 1.0%) Woodpulp, sulfate, softwood, domestic (v1575107; 5.3%) Printing and speciality paper (v1575128; 3.4%)	100.0
White pine	G, H, I	White pine (Eastern Quotes and Comments)	879
Red pine	F G, H, I	Preserved or treated wood (v1575024) White pine (Eastern Quotes and Comments)	107.1 879
Hemlock, cedar	B	Lumber, softwood, Québec (v1575011)	83.6
White pine, red pine, hemlock, cedar	C	Lumber, softwood, Québec (v1575011)	83.6
Oak, cherry, walnut, hickory	A B, C	Veneer and plywood, hardwood (v1575039) Lumber, hardwood, birch (v1575035)	100.0 119.0
Yellow birch, ash, basswood, elm	A B, C	Veneer and plywood, hardwood (v1575039) Lumber, hardwood, birch (v1575035)	100.0 119.0
White birch	A B, C	Veneer and plywood, hardwood (v1575039) Lumber, hardwood, birch (v1575035)	100.0 119.0
Sugar maple	A B, C	Veneer and plywood, hardwood (v1575039) Lumber, hardwood, maple (v1575034)	100.0 112.9
Poplar	B	Index : Waferboard OSB (Random Lengths; 79.7%) Pallets (v1575072; 12.5%) Woodpulp, sulphate, hardwood, domestic (v1575105; 7.8%)	100.0
Other hardwoods	B, C	Lumber, hardwood, birch (v1575035)	119.0
All hardwoods except poplar	D, E	Index : Waferboard OSB (Random Lengths; 20.5%) Lumber, hardwood, birch (v1575035; 55.0%) Woodpulp, sulfate, hardwood, domestic (v1575105, 24.5%)	100.0

<sup>1</sup> The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined on the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

<sup>2</sup> The source of the price indexes and the relative weight of each are indicated in parentheses. The price indexes from Statistics Canada are indicated according to their Cansim number.

<sup>3</sup> The reference price index corresponds to the average of the price indexes calculated between 1 April 2003 and 31 March 2005.

## M.O., 2006

### Order number 2006-010 of the Minister of Natural Resources and Wildlife dated 23 March 2006

Forest Act  
(R.S.Q., c. F-4.1)

RESPECTING the value of silvicultural treatments admitted as payment of dues for the fiscal year 2006-2007

**1.** The silvicultural treatments described in Schedule I shall be admitted as payment of the dues prescribed by the Minister responsible for the administration of the Forest Act (R.S.Q., c. F-4.1), modified by chapter 3 and 44 of the law of 2005, as determined by the production priority groups described in Schedule I.

The silvicultural treatments are realized on the forest area where the priority production has to be performed.

**2.** The silvicultural treatments mentioned in Schedule I and their admissibility criterias are defined in the relative instructions to the application of the present Order.

**3.** The values admitted as payment of dues for the period beginning on 1 April 2006 and ending on 30 September 2006 correspond at 90% of the values established in Schedule II.

**4.** The values of the silvicultural treatments established in Schedule II do cover only the costs related to the execution of the treatments. Consequently, the costs not related to their execution, as described in the second subsection of section 11 of the Regulation respecting forest royalties, edicted by Order in Council 192-2002 of February 28th 2002, are to be assumed by the beneficiary of the timber licence and are not admitted as payment of dues.

**5.** This Minister's Order replaces Minister's Order AM 2005-009 of the Minister of Natural Resources and Wildlife, dated 23 March 2005.

**6.** This Minister's Order comes into force on 1 April 2006.

Québec, 23 March 2006

PIERRE CORBEIL,  
*Minister of Natural Resources  
and Wildlife*

**SCHEDULE I**

(a.1)

**SILVICULTURAL TREATMENTS ADMISSIBLE BY PRODUCTION PRIORITY GROUPS**

<b>Silvicultural treatments</b>	<b>Production priority groups</b>												
	Fir, spruce, jack pine, tamarack	Thuya	Poplar	White birch	Birch <sup>1</sup> or Oak or intermediary tol. hard.	Pine	Maple or Tsuga or tol. hard.	Pine-Birch (Pine) <sup>1</sup>	Pin-Bou (Bou) <sup>1</sup>	Mixed S-int.hard. (S) or S-int.hard. (hard.)	Mixed S-Birch (S) <sup>1</sup> or S-intermediary tol.hard	Mixed S-Birch (hard.) <sup>1</sup> or S-intermediary tol. hard.	Mixed S-Maple (S) or S-tol.hard. (S)
Progressive seed cutting	X <sup>4</sup>	X		X	X	X	X	X	X	X	X	X	X
Seedlings reserve cutting	X <sup>4</sup>	X		X	X	X	X	X	X	X	X	X	X
Strip cutting with regeneration and soil protection	X	X		X	X	X	X	X	X	X	X	X	X
Drainage	X	X	X	X	X	X	X	X	X	X	X	X	X
Site preparation	X	X	X	X	X	X	X						X
Planting	X	X	X	X	X	X	X						X
Natural regeneration reinforcement planting	X	X	X	X	X	X	X	X	X	X	X	X	X
Pine seeding	X					X		X	X				
Mechanical release	X	X				X		X		X <sup>5</sup>	X		X
Precommercial thinning	X	X	X	X	X	X	X	X	X	X	X	X	X
Phytosanitary pruning	X					X		X	X				
Commercial thinning	X	X	X	X	X	X	X	X	X	X	X	X	X
Fertilization	X												
Selection cutting		X					X						X
Selection and sanitation cutting		X					X						X
Preselection cutting							X						X
Preselection and sanitation cutting							X						X
Selection cutting for maple sap and wood production								X <sup>2</sup>					
Selection cutting by patches						X			X		X		
Selection cutting and sanitation by patches						X			X		X		

---

### Production priority groups

---

Silvicultural treatments	Fir, spruce, jack pine, tamarack Thuya	Poplar	White birch	Birch <sup>1</sup> or Oak or intermediary tol. hard.	Pine	Maple or isuga or tol. hard. Pine-Birch (Pine) <sup>2</sup>	Pin-Bou (Bou) <sup>3</sup>	Mixed S-int.hard. (S) or S-int.hard. (hard.) Mixed S-Birch (S) or S. intermediary tol.hard	Mixed S-Birch (hard.) <sup>4</sup> or S-intermediary tol.hard.	Mixed S-Maple (S) or S-tol.hard. (S) Mixed S-Maple (hard.) or S-int.hard. (hard.)
Selection and regeneration cutting by parquets		X			X		X		X	
Selection cutting for single tree and group of trees			X						X	
Selection cutting and sanitation for single tree and group of trees			X						X	
Individual selective thinning			X							
Commercial thinning mixed stands S-Birch (hard.) with fir								X <sup>3</sup>		
Spreading commercial thinning				X					X	
Improvement cutting	X									
Enrichment planting				X	X X X		X X X X			

1. For these priority productions, the yellow birch prevails over the white birch as the principal objective species.

2. For the priority production group maple, selection cutting for maple sap and wood production is possible.

3. For the yellow birch mixed stands (fir) with hardwood dominance.

4. Except for jack pine.

5. For mixt S-intolerant hardwood only.

**SCHEDULE II**

(ss. 2,3 and 4)

**VALUES OF SILVICULTURAL TREATMENTS  
ADMITTED AS PAYMENT OF DUES  
FISCAL YEAR 2006-2007**

**SITE PREPARATION (1)**

## Scarification

Anchor chains	\$130/ha
Shark-fin barrels and chains	\$370/ha
Hydraulic cone trenchers (Wadell type)	\$295/ha
Hydraulic disk trenchers (TTS hydraulic and Donaren types) or Rake scarifier (shark)	\$235/ha
Batch scarifier (Bracke) or disk trencher (TTS type)	\$170/ha
Batch scarifier moulder (Bracke moulder)	\$235/ha
"V" blade batch scarifier (Bracke) or disk trencher	\$465/ha
Cutter-type portable scarifier or forest mattock (2)	\$490/1 000 microsites
Partial scarification in seed holes	
Inside the patches	\$785/ha
Inside the parquets	\$680/ha
Inside the regeneration cuttings	\$600/ha
Forest harrows (Rome et Crabe types)	
Single pass	\$265/ha
Double pass	\$480/ha
36 inches harrow	\$585/ha
Létourneau tree crusher	\$415/ha

## Ploughing and harrowing

Forest plough (Lazure type) + forest harrow (Rome and Crabes types)	\$1 445/ha
---	------------

## Clearing

Rake-equipped crawler tractor	\$525/ha
Winter shear-blading with a shear-blade-equipped crawler tractor	\$535/ha
Grouping feller	\$420/ha
Rake equipped skidder	\$445/ha
Hydraulic rake	\$445/ha
Modified "V" blade models C and H	\$225/ha

## Prescribed burning

MECHANICAL RELEASE TREATMENT (2)	
Boreal zone	\$780/ha
Nordic tempered zone	\$875/ha

**PRECOMMERCIAL THINNING (2)**

Priority production of softwoods, of mixed predominantly softwood stands, of poplars and of mixed predominantly intolerant hardwoods stands

$$\text{Value per hectare} = 472.68 \times \ln(t_i/\text{ha}) - 3\ 653.85$$

ln : base e logarithm

ti : number of trees of more than 1.2 meter for softwoods and 1.8 meter for hardwoods

ha : hectare

Priority production of tolerant hardwoods, of white birch, of mixed predominantly tolerant hardwood stands and of associations constituted of pines and birches

\$935/ha

**COMMERCIAL THINNING (3)**

Softwoods and mixed with softwood dominance

$$\text{Value per hectare with marking of trees to fell} = 265.77 / (\text{average DBH harvested} \times 0.0414)^2$$

$$\text{Value per hectare without marking of trees to fell} = 265.77 / (\text{average DBH harvested} \times 0.0414)^2 - 153.43$$

Mixed with tolerant and intolerant hardwoods (4) (5)

\$630/ha

Mixed with tolerant hardwoods

- priority production yellow birch and softwoods with fir (5) (7)

\$720/ha

Tolerant and intolerant hardwoods (4) (5)

\$660/ha

White pine and red pine

\$660/ha

**DRAINAGE**

Cleared areas (without prior felling)	\$1.80/m or m <sup>3</sup>
Wooded areas (without prior felling)	\$2.00/m or m <sup>3</sup>
Wooded areas (with prior felling)	\$2.30/m or m <sup>3</sup>

**FERTILIZATION**

Softwoods

\$410/ha

**NATURAL REGENERATION FILL****PLANTING AND RED PINE AND WHITE PINE PLANTING (2) (6)**

With site preparation

Bare-root seedlings

Conventional size

\$285/1 000 seedlings

Large size

\$435/1 000 seedlings

Seedlings 1 1/2 to 2 meters height

(hybrid poplars)

\$660/1 000 seedlings

Container seedlings		ENRICHMENT AND REINFORCEMENT
67-50	\$235/1 000 seedlings	PLANTING OF HARDWOODS
45-110 or cuttings	\$265/1 000 seedlings	AND PINE (2)
25-200	\$340/1 000 seedlings	
45-340 and 25-350-A	\$385/1 000 seedlings	SPREADING COMMERCIAL
Mini-recipients 126-25	\$205/1 000 seedlings	THINNING (3) (5)
Without site preparation		
Bare-root seedlings		INDIVIDUAL SELECTIVE THINNING (3) (5)
Conventional size	\$300/1 000 seedlings	Tolerant hardwood
Large size	\$455/1 000 seedlings	\$720/ha
Container seedlings		IMPROVEMENT CUTTING (3) (5)
67-50	\$250/1 000 seedlings	Softwoods (cedars)
45-110 or cuttings	\$280/1 000 seedlings	\$660/ha
25-200	\$355/1 000 seedlings	SELECTION CUTTING (3) (5)
45-340 or 25-350-A	\$400/1 000 seedlings	Tolerant hardwood
Mini-recipients 126-50	\$220/1 000 seedlings	\$660/ha
Mixed with tolerant hardwoods (4)		Mixed with tolerant hardwood
Tolerant and intolerant hardwoods (4)		\$660/ha
STRIP CUTTING WITH REGENERATION AND SOIL PROTECTION (3)	\$240/ha	Softwoods (cedars)
PLANTING (2)		SELECTION CUTTING AND SANITATION (3) (5)
With site preparation		Tolerant hardwood
Bare-root seedlings		\$660/ha
Conventional size	\$240/1 000 seedlings	Mixed with tolerant hardwood
Large size	\$390/1 000 seedlings	\$660/ha
Seedlings 1 ½ to 2 meters height (hybrid poplars)	\$615/1 000 seedlings	Selection cutting by patches (3) (5)
Container seedlings		Tolerant hardwood
67-50	\$195/1 000 seedlings	\$660/ha
45-110 or cuttings	\$220/1 000 seedlings	Mixed with tolerant hardwood
25-200	\$295/1 000 seedlings	\$660/ha
45-340 or 25-350-A	\$340/1 000 seedlings	Mixed with tolerant hardwood and pines
Mini-recipients 126-25	\$185/1 000 seedlings	\$660/ha
Without site preparation		SELECTION CUTTING AND SANITATION BY PATCHES (3) (5)
Bare-root seedlings		Tolerant hardwood
Conventional size	\$260/1 000 seedlings	\$660/ha
Large size	\$405/1 000 seedlings	Mixed with tolerant hardwood
Container seedlings		\$660/ha
67-50	\$210/1 000 seedlings	SELECTION CUTTING FOR TREE AND GROUP OF TREES (3) (5) (7)
45-110 or cuttings	\$240/1 000 seedlings	Tolerant hardwood
25-200	\$310/1 000 seedlings	\$660/ha
45-340 or 25-350-A	\$355/1 000 seedlings	Mixed with tolerant hardwood
Mini-recipients 126-25	\$200/1 000 seedlings	\$660/ha
SELECTION CUTTING AND SANITATION FOR TREE AND GROUP OF TREES (3) (5) (7)		
Tolerant hardwood		Tolerant hardwood
Mixed with tolerant hardwood		\$660 \$/ha
SELECTION AND REGENERATION CUTTING BY PARQUETS (3) (5)		Mixed with tolerant hardwood
SEEDLINGS RESERVE CUTTING		\$660 \$/ha
		\$620/ha
		\$20/ha

## PRESELECTION CUTTING (3) (5)

Tolerant hardwood	\$660/ha
Mixed with tolerant hardwood	\$660/ha

## PRESELECTION CUTTING AND SANITATION (3) (5)

Tolerant hardwood	\$660/ha
Mixed with tolerant hardwood	\$660/ha

## PINE SEEDING

Aerial seeding	\$40/ha
Ground seeding	\$155/ha
Funnels	\$345/1 000 microsites seeded

SELECTION CUTTING FOR MAPLE SAP  
AND WOOD PRODUCTION (3) (5)

\$660/ha

## PHYTOSANITARY PRUNING

\$450/ha

(1) The value admitted as payment of dues can be increased by 2.6% when the silvicultural treatments are realized from forest camps whose admissibility criterias are defined in the relative instructions to the application of the present order.

(2) The value admitted as payment of dues can be increased by 7.8% when the silvicultural treatments are realized from forest camps whose admissibility criterias are defined in the relative instructions to the application of the present order.

(3) The value admitted as payment of dues includes some harvesting, road construction, supervision or tree marking costs.

(4) The value admitted as payment of dues can be increased by \$60/ha when the marking of trees takes into account the trees to preserve.

(5) The value admitted as payment of dues is increased by \$30 when felling and skidding paths are flagged.

(6) Excluding fill planting with white and red pines and tolerant hardwoods.

(7) The admitted value can be increase by \$200/ha if valid patches according to official instructions was created during harvest operation.

Note: The expression "tolerant hardwoods" includes white pine and red pine.



## Index

Abbreviations : **A** : Abrogated, **N** : New, **M** : Modified

---

	Page	Comments
Forest Act — Unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants ..... (R.S.Q., c. F-4.1 ; 2005, c. 3 and 44)	1129A	N
Forest Act — Value of silvicultural treatments admitted as payment of dues for the fiscal year 2006-2007 ..... (R.S.Q., c. F-4.1)	1142A	N
Unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants ..... (Forest Act, R.S.Q., c. F-4.1 ; 2005, c. 3 and 44)	1129A	N
Value of silvicultural treatments admitted as payment of dues for the fiscal year 2006-2007 ..... (Forest Act, R.S.Q., c. F-4.1)	1142A	N

