

**Gazette**  
officielle  
**DU Québec**

Part

**2**

**No. 19B**

15 May 2006

**Laws and Regulations**

Volume 138

**Summary**

Table of Contents  
Regulations and other acts  
Index

Legal deposit – 1st Quarter 1968  
Bibliothèque nationale du Québec  
© Éditeur officiel du Québec, 2006

All rights reserved in all countries. No part of this publication may be translated, used or reproduced for commercial purposes by any means, whether electronic or mechanical, including micro-reproduction, without the written authorization of the Québec Official Publisher.



---

**Table of Contents****Page**

---

**Regulations and other acts**

---

385-2006 Forest royalties (Amend.) . . . . .	1415B
Unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants . . . . .	1417B
Value of silvicultural treatments admitted as payment of dues for the fiscal year 2006-2007 . . . . .	1431B



---

## Regulations and other acts

---

Gouvernement du Québec

### **O.C. 385-2006**, 10 May 2006

Forest Act  
(R.S.Q., c. F-4.1)

#### **Forest royalties — Amendments**

Regulation to amend the Regulation respecting forest royalties

WHEREAS, under subparagraphs 1, 3 and 3.1 of the first paragraph of section 172 of the Forest Act (R.S.Q., c. F-4.1), the Government may, by regulation,

— determine, for each species, group of species and quality of timber or, where applicable, for each area of land, the unit rate or the rules of calculation of the unit rate at which the Minister is to determine, for any class of forest management permit, the dues payable by the permit holder;

— establish rules for calculating the value of silvicultural treatments and other activities as well as contributions to the financing of the treatments or activities admitted as payment of prescribed dues and establish the conditions governing the granting of credits applicable to the payment of dues referred to in section 73.1 of the Act, including the information, reports or other documents to be prepared or submitted;

— prescribe the form and content of the progress report on silvicultural treatments or other activities submitted to the Minister under section 73.2;

WHEREAS the Government made the Regulation respecting forest royalties by Order in Council 372-87 dated 18 March 1987;

WHEREAS it is expedient to amend that Regulation;

WHEREAS, in accordance with sections 10 and 13 of the Regulations Act (R.S.Q., c. R-18.1), a draft of the Regulation attached to this Order in Council was published in Part 2 of the *Gazette officielle du Québec* dated 5 April 2006, with a notice that it could be made by the Government on the expiry of 10 days following that publication;

WHEREAS, under the first paragraph of section 18 of that Act, a regulation may come into force on the date of its publication in the *Gazette officielle du Québec* if the authority making it is of the opinion that the urgency of the situation requires it;

WHEREAS, under the second paragraph of that section, the reason justifying such coming into force must be published with the regulation;

WHEREAS the Government is of the opinion that the urgency due to the following circumstances justifies such coming into force:

— the first silvicultural treatments in Québec are carried out in May and, without them, forest workers could see their working season significantly shortened if the measures proposed in the Regulation do not take effect in the very near term;

— given the difficult economic situation of the forest industry, it is expedient to implement the measures announced in the 2006-2007 Budget Speech;

WHEREAS it is expedient to make the Regulation with amendments;

IT IS ORDERED, therefore, on the recommendation of the Minister of Natural Resources and Wildlife:

THAT the Regulation to amend the Regulation respecting forest royalties, attached to this Order in Council, be made.

ANDRÉ DICAIRE,  
*Clerk of the Conseil exécutif*

---

## Regulation to amend the Regulation respecting forest royalties\*

Forest Act  
(R.S.Q., c. F-4.1, s. 172, 1st par., subpars. 1, 3 and 3.1)

**1.** The Regulation respecting forest royalties is amended in section 2 by adding the following paragraph after the second paragraph:

“However, for the year 2006-2007, that value shall be adjusted not later than 1 July 2006, in accordance with the first paragraph.”.

**2.** Section 11 is replaced by the following:

“**11.** The value of the silvicultural treatments carried out by an agreement holder to attain the annual yield indicated in the agreement that are accepted by the Minister and admissible as payment of dues, corresponds to the amount determined according to the formula

$A + B.$

For the purposes of the formula,

(1) A is the sum of the amounts of the treatments each of which is 90% of the lesser of

(a) the unit cost indicated in the Minister’s Order made under section 73.3 of the Forest Act for carrying out the treatment, multiplied, as the case may be, by the number of hectares, thousand plants, thousand microsites or linear or cubic metres on which the treatment was carried out; and

(b) the unit cost for carrying out the treatment;

(2) B is 90% of the lesser of

(a) the sum of the amounts of the treatments each of which is the unit cost for the planning and monitoring indicated in the Minister’s Order made under section 73.3 of the Act for the treatment, multiplied, as the case may be, by the number of hectares, thousand plants, thousand microsites or linear or cubic metres on which the treatment was carried out; and

(b) the unit cost for the planning and monitoring of the treatments referred to in the first paragraph.

**11.1.** The value of the activities, other than those referred to in section 11, carried out by an agreement holder to promote the protection or development of forest resources that are accepted by the Minister and admissible as payment of dues, corresponds to the amount determined according to the formula

$A + B.$

For the purposes of the formula,

(1) A is the sum of the amounts of the activities each of which is the lesser of

(a) the unit cost indicated in the Minister’s Order made under section 73.3 of the Act for carrying out the activity, multiplied, as the case may be, by the number of hectares, thousand plants, thousand microsites or linear or cubic metres on which the activity was carried out; and

(b) the unit cost for carrying out the activity;

(2) B is the lesser of

(a) the sum of the amounts of the activities each of which is the unit cost for the planning and monitoring indicated in the Minister’s Order made under section 73.3 of the Act for the activity, multiplied, as the case may be, by the number of hectares, thousand plants, thousand microsites or linear or cubic metres on which the activity was carried out; and

(b) the total unit cost for the planning and monitoring of the activities referred to in the first paragraph.

**11.2.** The cost of carrying out silvicultural treatments and other activities to protect or develop forest resources includes the costs for

(1) the carrying out of the treatment by silvicultural workers; and

(2) the operational supervision and monitoring of the silvicultural workers.

The costs for the planning and monitoring of the silvicultural treatments and other activities to protect or develop forest resources include the costs for

(1) negotiating and preparing contracts for carrying out the silvicultural treatments;

(2) the research, delimitation and making of inventories before treatment in the forest management sectors;

\* The Regulation respecting forest royalties, made by Order in Council 372-87 dated 18 March 1987 (1987, *G.O.* 2, 1099), was last amended by the regulation made by Order in Council 149-2006 dated 15 March 2006 (2006, *G.O.* 2, 1107A). For previous amendments, refer to the *Tableau des modifications et Index sommaire*, Québec Official Publisher, 2005, updated to 1 September 2005.

(3) general supervision and quality monitoring of silvicultural treatments;

(4) the taking of inventories after treatment, scaling and digitization of the areas treated; and

(5) cartography and preparation of the reports for carrying out the treatments and other activities.

**11.3.** On submitting the report referred to in section 70 of the Act, an agreement holder must provide vouchers for the costs of the silvicultural treatments and other activities to protect or develop forest resources, broken down into the costs relating to the carrying out, planning and monitoring, or a financial report relating to those costs audited by an accountant not employed by the agreement holder.

**11.4.** For the purposes of section 73.3 of the Act, the value of silvicultural treatments and other forest management activities is fixed annually. However, for the year 2006-2007, that value may be fixed a second time, not later than 1 July 2006.

The value of the treatments and activities consists of the costs relating to carrying them out and the costs relating to the planning and monitoring of the treatments or activities. The value of each of those components is indicated in the Minister's Order.

The value of the treatments and activities corresponds to the average unit costs of the silvicultural treatments or other forest management activities carried out pursuant to sections 65 and 96 of the Act.

In the absence of such treatments or activities, the value of the treatments or activities corresponds to the costs determined according to the cost approach applicable in matters of property assessment, by comparing the treatments or activities to similar treatments or activities whose unit costs are known."

### **3.** Section 13 is amended

(1) by inserting "admissible" before "value of the activities" in the part preceding subparagraph 1 of the first paragraph;

(2) by replacing "subparagraph 1 of the first paragraph of section 11" in subparagraph 1 of the first paragraph by "section 11.4";

(3) by striking out "where the unit cost of an activity has not been fixed by the Minister in accordance with subparagraph 1 of the first paragraph of section 11, or" in the second paragraph;

(4) by striking out the third paragraph;

(5) by striking out "fixed in accordance with the third paragraph" in the fourth paragraph.

### **4.** Section 15 is amended

(1) by replacing "their area and" and "as well as the cost for carrying them out and name of the person who carried them out" in subparagraph 1 of the first paragraph by "their area," and "the costs for their carrying out, planning and monitoring as defined in section 11.2 and the names of the persons who carried them out", respectively;

(2) by replacing "he has concluded or not a written contract with a third person for the carrying out" in subparagraph 3 of the first paragraph by "the agreement holder has concluded a written contract with a third person governing the carrying out, planning or monitoring";

(3) by replacing "related to the activities referred to in the second paragraph of section 11 that were paid over and above the cost of carrying out those silvicultural treatments" in subparagraph 3 of the first paragraph by "for the planning and monitoring that were paid to third persons".

**5.** This Regulation comes into force on the date of its publication in the *Gazette officielle du Québec*.

7595

## **M.O., 2006**

### **Order number AM 2006-016 respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants dated 10 May 2006**

Forest Act  
(R.S.Q., c. F-4.1)

THE MINISTER OF NATURAL RESOURCES AND WILDLIFE,

CONSIDERING the third paragraph of section 5 of the Forest Act (R.S.Q., c. F-4.1) which provides that the Minister shall determine the unit rates for the classes of forest management permits for which the unit rates have not been determined by regulation of the Government;

CONSIDERING section 72 of that Act which provides that the Minister shall determine the unit rate corresponding to the stumpage value according to the rules of calculation determined by regulation of the Government;

CONSIDERING Order in Council number 372-87 dated 18 March 1987 according to which the Government made the Regulation respecting forest royalties;

CONSIDERING that, in accordance with section 2 and 7 of that Regulation, it is expedient to establish the unit rates for the stumpage value applicable to the calculation of the dues payable by the holder of a forest management permit for the supply of a wood processing plant for the 2006-2007 fiscal year;

CONSIDERING that, in accordance with sections 10, 12 and 13 of the Regulations Act (R.S.Q., c R-18.1), a draft of the Regulation attached to this Order was published in Part 2 of the *Gazette officielle du Québec* of 5 April 2006 with a notice that it could be made by the Minister upon the expiry of a 10-day period following that publication;

CONSIDERING that the 10-day period has expired;

CONSIDERING section 18 of that Act which provides that a regulation may come into force on the date of its publication in the *Gazette officielle du Québec*, or between that date and the date applicable under section 17 of that Act, where the authority that has made it is of the opinion that the urgency of the situation requires it;

CONSIDERING the same section which provides that the reason justifying such coming into force shall be published with the regulation;

CONSIDERING that in the opinion of the Minister the urgency due to the following circumstances justifies such coming into force:

— Given the difficult economic situation of the forest industry, it is expedient to implement the measure announced in the Discours sur le budget 2006-2007 concerning the admission in payment of forest royalties of the silvicultural treatments planning and following up costs, measure which influence the unit rates published in this regulation.

— The first silvicultural treatments in Québec are carried out in May and, without them, forest workers could see their working season significantly shortened if the measures proposed in the Regulation do not take effect in the very near term.

CONSIDERING that it is expedient to make the regulation with amendments;

ORDER:

The Regulation respecting unit rates applicable to the calculation of dues forest management permits for the supply of wood processing plants, attached to this Order, is made.

Québec, 10 May 2006

PIERRE CORBEIL,  
*Minister of Natural Resources and Wildlife*

### **Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants**

Forest Act  
(R.S.Q., c. F-4.1, ss. 5 and 72)

1. The unit rates for stumpage in forests in the public domain by tariffing zone for the fiscal year 2006-2007 set out in Schedule I shall be indexed on 1 April, 1 July, 1 October 2006 and 1 January 2007 in accordance with the performance of the price indexes for the forest products specified in Schedule II. The index rates per species, group of species and quality shall be calculated in accordance with the following formulas:

Index rate at = 1 April 2006	Average price index for the months of December 2005, January and February 2006
---------------------------------	--

---

Average price index for  
the months of April 2003  
to March 2005

Index rate at = 1 July 2006	Average price index for the months of March, April and May 2006
--------------------------------	---

---

Average price index for  
the months of April 2003  
to March 2005

Index rate at = 1 October 2006	Average price index for the months of June, July and August 2006
-----------------------------------	--

---

Average price index for  
the months of April 2003  
to March 2005



Index rate at = Average price index for  
1 January 2007 the months of September,  
October and November 2006

---

Average price index for  
the months of April 2003  
to March 2005

The amounts thus indexed shall apply, in each forest tariffing zone indicated in Schedule I, to the calculation of the dues payable by the holder of a forest management permit for the supply of a wood processing plant for the 3-month period following the date of indexing.

The amounts indexed in the manner prescribed in the first paragraph shall be reduced to the nearest fraction of \$0.10/m<sup>3</sup> where they contain a fraction less than \$0.025/m<sup>3</sup>. They shall be rounded off to the nearest fraction of \$0.05/m<sup>3</sup> where they contain a fraction equal to or greater than \$0.025/m<sup>3</sup> but less than \$0.075/m<sup>3</sup> and shall be increased to the nearest fraction of \$0.10/m<sup>3</sup> where they contain a fraction equal to or greater than \$0.075/m<sup>3</sup>.

The Minister of Natural Resources and Wildlife inform the public, through Part I of the *Gazette officielle du Québec* and, where he considers it appropriate, by any other means, of the indexing calculated under this section.

**2.** This Regulation replaces the Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants, made by Minister's Order number AM 2006-009 of the Minister of Natural Resources and Wildlife dated 23 March 2006.

**3.** This Regulation comes into force at the date of its publication.

**SCHEDULE I**

(s. 1)

**REFERENCE UNIT RATES FOR STUMPAGE IN FORESTS IN THE DOMAIN OF THE STATE FOR THE FISCAL YEAR 2006-2007**

Species	Quality*	Zones																		
		101	102	103	104	111	112	113	114	115	116	117	201	202	203	204	205			
Fir, spruce, jack pine, tamarack	F	12,60	12,45	13,29	13,12	10,06	11,16	7,01	8,01	9,28	11,37	12,23	18,85	16,68	21,24	21,99	22,28			
	B	12,48	12,34	13,17	13,01	9,73	11,06	4,56	5,86	8,04	11,27	12,12	18,68	14,57	21,05	18,53	22,08			
White pine	G	8,37	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	10,76	10,76	10,76	10,76	9,68			
	H	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	5,56	5,56	5,56	5,56	4,87			
Red pine	I	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26			
	F	19,13	15,25	15,13	15,14	14,35	14,34	14,32	14,32	14,34	14,34	14,35	14,34	18,77	18,77	18,26	17,48			
Hemlock, cedar	G	6,20	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	7,96	7,96	7,96	7,96	7,18			
	H	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	4,08	4,08	4,08	4,08	3,61			
White pine, red pine, hemlock, cedar	I	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,23	3,23	3,21	3,23	3,19			
	B	3,00	2,57	2,55	2,55	2,40	2,40	2,39	2,39	2,40	2,40	2,40	2,76	2,76	2,85	2,25	2,45			
Oak, cherry, walnut, hickory	C	1,50	1,33	1,33	1,33	1,32	1,32	1,32	1,32	1,32	1,32	1,32	1,46	1,46	1,47	1,20	1,29			
	A	56,69	47,54	37,88	35,09	25,46	25,35	25,35	25,35	25,35	25,35	27,75	30,53	25,46	45,10	27,38	25,46			
Yellow birch, ash, basswood, elm	B	29,71	24,28	19,41	17,91	12,73	11,70	11,70	11,70	11,70	11,70	13,95	11,70	14,17	12,13	11,80	11,70			
	C	11,88	9,74	7,79	7,19	5,09	4,86	4,86	4,86	4,86	4,86	5,48	4,86	5,67	4,86	4,86	4,86			
White birch	A	56,69	46,78	37,11	34,32	25,14	22,51	22,51	22,51	22,51	27,75	22,51	30,53	25,07	45,32	27,38	25,06			
	B	23,03	18,70	14,93	13,77	9,87	8,72	8,72	8,72	8,72	8,72	10,27	8,72	10,98	8,72	9,40	8,72			
Sugar maple	C	9,21	7,48	5,97	5,51	3,89	3,47	3,47	3,47	3,47	3,47	3,89	3,47	4,39	3,76	3,66	3,47			
	A	56,69	45,65	35,98	33,19	23,50	22,51	22,51	22,51	22,51	23,50	22,51	30,53	23,54	44,19	27,38	25,06			
Other hardwoods (except poplars / aspen)	B	14,30	10,46	9,94	9,81	5,47	5,47	5,47	5,47	5,47	7,21	5,47	7,36	6,43	11,57	7,20	5,65			
	C	5,71	4,17	3,96	3,91	1,98	1,98	1,98	1,98	1,98	2,76	1,98	2,94	2,57	4,62	2,88	2,11			
Poplars	A	58,18	48,23	39,99	45,71	16,30	14,21	14,21	14,21	14,21	29,65	14,21	14,21	14,21	14,21	14,21	14,21			
	B	23,32	19,33	16,03	16,70	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45			
All hardwoods (except poplars / aspen)	C	5,27	4,37	3,62	3,96	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41			
	B	9,21	7,63	6,13	5,66	3,95	3,95	3,95	3,95	3,95	4,33	3,95	4,39	3,95	3,95	3,95	3,95			
D, E	C	3,93	3,09	2,59	2,55	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,76	1,75	1,75	1,75	1,75			
	B	6,72	5,59	6,57	6,36	4,38	5,18	4,07	3,04	3,20	5,57	4,78	6,92	6,61	7,19	6,53	8,54			
D, E		1,32	1,32	1,32	1,32	1,30	1,30	1,30	1,30	1,30	1,32	1,30	1,32	1,30	1,65	1,32	1,30			

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Zones															
		206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221
Fir, spruce, jack pine, tamarack	F	23,54	21,64	20,65	15,19	16,03	15,79	21,81	24,81	22,19	18,94	17,49	13,99	14,38	15,79	13,75	17,10
	B	15,99	21,45	20,47	15,06	15,88	15,65	21,62	24,59	21,99	18,77	17,34	12,28	14,25	15,65	13,62	16,95
White pine	G	7,67	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38
	H	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74
Red pine	I	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26
	F	16,79	16,69	15,97	15,39	14,36	15,26	16,05	16,66	16,44	14,66	14,51	15,21	14,45	14,49	14,44	14,35
Oak, cherry, walnut, hickory	G	5,69	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	H	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51
Hemlock, cedar	I	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19
	B	2,27	2,25	2,18	2,21	1,61	1,90	2,22	2,26	2,20	1,56	1,35	1,37	1,29	1,33	1,32	1,33
White pine, red pine, hemlock, cedar	C	1,23	1,19	1,26	1,33	1,19	1,21	1,27	1,23	1,13	1,04	0,94	0,86	0,99	0,96	0,95	0,99
	A	36,70	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35
Yellow birch, ash, basswood, elm	B	12,92	11,70	12,08	11,70	11,70	11,70	11,99	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70
	C	5,16	4,86	4,96	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86
White birch	A	35,93	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
	B	10,01	8,72	9,08	8,72	8,72	8,72	9,08	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72
Sugar maple	C	4,00	3,47	3,55	3,47	3,47	3,47	3,55	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47
	A	34,80	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
Other hardwoods	B	8,33	5,47	8,49	5,65	5,47	5,65	7,74	5,92	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	C	3,32	2,04	3,38	2,04	1,98	2,04	3,09	2,37	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98
Poplars	A	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21
	B	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45
All hardwoods (except poplars / aspen)	C	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41
	B	4,01	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.	C	2,14	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75
	B	8,15	6,93	7,34	6,29	4,59	4,61	6,70	7,38	6,16	4,78	4,53	2,04	2,27	2,38	3,03	4,91
	D, E	2,14	1,30	1,73	1,30	1,30	1,30	1,60	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )															
		222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237
Fir, spruce, jack pine, tamarack	F	22,24	17,80	18,40	19,70	14,57	11,70	9,31	7,19	3,87	3,74	6,51	11,81	7,70	16,75	12,48	12,67
	B	22,04	17,64	18,23	19,53	14,44	10,04	9,23	7,12	3,25	3,25	6,46	11,70	7,63	16,60	9,28	11,21
White pine	G	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38
	H	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74
Red pine	I	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26
	F	16,14	14,48	14,34	15,33	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32
Oak, cherry, walnut, hickory	G	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	H	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51
Hemlock, cedar	I	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19
	B	2,08	1,45	1,37	1,86	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,48	1,34
White pine, red pine, hemlock, cedar	C	1,09	1,04	1,01	1,16	0,97	0,96	0,75	0,75	0,75	0,75	0,75	0,90	0,75	1,06	1,24	1,21
	A	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35
Yellow birch, ash, basswood, elm	B	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70
	C	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86
White birch	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
	B	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72
Sugar maple	C	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47
	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
Other hardwoods	B	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	C	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98
Poplars	A	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21
	B	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45
All hardwoods (except poplars / aspen)	C	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41
	B	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
D, E	C	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75
	B	5,45	5,63	5,23	6,12	4,44	2,47	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,41	2,10	2,04

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )															
		238	239	301	302	303	304	305	306	401	402	403	404	405	406	407	408
Fir, spruce, jack pine, tamarack	F	11,77	4,71	14,54	10,12	9,89	15,66	10,85	17,10	20,26	22,96	21,62	17,06	21,55	19,15	13,05	19,52
	B	11,66	3,25	14,41	6,14	5,67	14,75	9,39	16,95	19,27	22,75	21,43	16,90	21,36	15,31	12,93	19,35
White pine	G	7,38	7,38	10,76	10,76	10,76	33,08	10,76	7,38	10,76	19,63	29,97	25,33	20,88	7,38	10,76	10,76
	H	4,74	4,74	5,56	5,56	5,56	17,27	5,45	4,74	5,56	9,86	15,06	12,72	10,49	4,74	5,56	5,56
Red pine	I	4,26	4,26	4,26	4,26	4,26	13,41	4,26	4,26	4,26	7,62	11,63	9,83	8,10	4,26	4,26	4,26
	F	14,32	14,32	23,46	17,94	18,69	24,82	15,96	15,50	23,81	24,38	26,22	23,05	22,34	17,38	20,87	15,55
Hemlock, cedar	G	5,47	5,47	7,96	7,96	7,96	24,82	7,96	5,47	7,96	14,56	22,23	18,78	15,48	5,47	7,96	7,96
	H	3,51	3,51	4,08	4,08	4,08	12,87	4,05	3,51	4,08	7,31	11,17	9,44	7,78	3,51	4,08	4,08
White pine, red pine, hemlock, cedar	I	3,19	3,19	3,23	3,23	3,23	9,95	3,19	3,19	3,23	5,65	8,63	7,29	6,01	3,19	3,23	3,23
	B	1,33	1,29	3,41	2,91	2,78	3,46	2,56	2,43	3,40	3,48	3,76	3,33	3,23	2,36	2,88	2,35
Oak, cherry, walnut, hickory	C	1,26	0,99	1,71	1,48	1,46	1,88	1,45	1,44	1,82	1,90	2,07	1,81	1,74	1,20	1,47	0,89
	A	25,35	25,35	64,07	25,46	40,83	55,62	25,35	25,35	47,84	65,01	67,17	51,60	57,46	25,35	25,46	25,35
Yellow birch, ash, basswood, elm	B	11,70	11,70	36,00	11,70	17,13	27,67	11,70	11,70	22,66	33,00	35,14	25,42	31,07	11,70	11,70	11,70
	C	4,86	4,86	14,40	4,86	6,85	11,06	4,86	4,86	9,06	13,20	14,05	10,17	12,42	4,86	4,86	4,86
White birch	A	22,51	22,51	64,07	25,06	40,83	55,62	23,10	22,51	47,84	65,01	67,17	51,60	57,46	22,51	25,06	22,51
	B	8,72	8,72	27,91	8,72	13,28	21,45	8,72	8,72	17,57	25,58	27,24	19,71	24,08	8,72	8,72	8,72
Sugar maple	C	3,47	3,47	11,16	3,47	5,31	8,58	3,47	3,47	7,02	10,23	10,89	7,88	9,63	3,47	3,47	3,47
	A	22,51	22,51	64,07	25,06	40,83	55,62	23,10	22,51	47,84	65,01	67,17	51,60	57,46	22,51	23,91	22,51
Other hardwoods	B	5,47	5,47	17,87	5,61	5,65	10,57	5,65	7,59	15,28	21,80	20,68	13,30	19,26	5,47	5,47	5,47
	C	1,98	1,98	7,14	2,04	2,04	4,23	2,04	3,02	6,11	8,72	8,27	5,32	7,70	1,98	2,04	1,98
Poplars	A	14,21	14,21	57,17	18,41	28,32	49,67	14,21	14,21	38,91	51,01	67,14	43,44	37,06	14,21	29,65	14,21
	B	10,45	10,45	22,92	10,45	12,15	21,30	10,45	10,45	16,69	21,87	28,79	18,63	15,89	10,45	10,45	10,45
All hardwoods (except poplars / aspen)	C	2,41	2,41	5,18	2,41	2,75	4,81	2,41	2,41	3,77	4,94	6,51	4,21	3,59	2,41	2,41	2,41
	B	3,95	3,95	11,16	3,95	5,31	8,58	3,95	3,95	7,03	10,23	10,90	7,88	9,63	3,95	3,95	3,95
D, E	C	1,75	1,75	4,46	1,75	2,12	3,97	1,75	1,75	3,00	4,13	5,42	3,33	4,08	1,75	1,75	1,75
	B	2,04	2,04	6,80	2,76	3,88	6,41	4,45	6,21	7,11	7,45	7,96	5,81	7,72	5,93	3,61	4,97
* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.	D, E	1,30	1,30	3,63	1,30	1,30	3,97	1,30	1,32	2,42	3,69	5,42	2,73	2,50	1,30	1,30	1,30

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Zones															
		409	410	411	412	413	501	601	602	603	604	605	606	607	608	609	610
Fir, spruce, jack pine, tamarack	F	16,51	18,94	16,09	15,80	19,81	13,32	18,67	21,51	21,25	18,92	16,28	15,51	11,26	11,17	11,44	11,64
	B	13,23	9,41	15,17	14,60	19,63	10,20	17,95	21,32	21,06	18,75	14,87	14,58	11,04	8,18	11,34	7,85
White pine	G	7,38	7,38	7,38	7,38	7,38	10,76	33,36	32,27	19,11	10,76	16,24	27,68	24,35	17,20	11,48	10,76
	H	4,74	4,74	4,74	4,74	4,74	5,56	17,44	16,21	9,60	5,56	8,16	13,90	12,23	8,64	5,77	5,56
Red pine	I	4,26	4,26	4,26	4,26	4,26	4,26	13,97	12,52	7,42	4,26	6,30	10,99	9,45	6,67	4,46	4,26
	F	15,48	15,97	15,48	14,96	16,03	23,53	27,11	27,54	26,63	26,26	24,69	25,69	21,71	21,51	21,50	20,67
Oak, cherry, walnut, hickory	G	5,47	5,47	5,47	5,47	5,47	7,96	25,02	23,93	14,17	7,96	12,04	20,81	18,06	12,75	8,52	7,96
	H	3,51	3,51	3,51	3,51	3,51	4,08	13,01	12,02	7,12	4,08	6,05	10,38	9,07	6,41	4,28	4,08
Hemlock, cedar	I	3,19	3,19	3,19	3,19	3,19	3,23	10,36	9,29	5,50	3,23	4,67	8,15	7,01	4,95	3,30	3,23
	B	2,36	2,06	2,36	1,68	2,06	3,42	3,90	3,97	3,83	3,77	3,49	3,67	2,97	2,94	2,94	2,83
White pine, red pine, hemlock, cedar	C	0,87	0,95	0,87	0,97	1,09	1,72	2,16	2,21	2,12	2,08	1,90	2,01	1,56	1,54	1,54	1,48
	A	25,35	25,35	25,35	25,35	25,35	56,88	75,26	74,61	65,30	47,51	43,47	69,70	51,57	42,51	36,53	30,47
Yellow birch, ash, basswood, elm	B	11,70	11,70	11,70	11,70	11,70	33,60	40,48	40,27	29,21	24,69	24,30	36,59	27,28	23,84	15,81	13,40
	C	4,86	4,86	4,86	4,86	4,86	13,44	16,19	16,10	11,68	9,87	9,72	14,63	10,91	9,53	6,32	5,36
White birch	A	22,51	22,51	22,51	22,51	22,51	56,88	75,26	74,61	65,30	47,51	43,47	69,70	51,57	42,51	36,53	30,47
	B	8,72	8,72	8,72	8,72	8,72	26,05	31,38	31,22	22,64	19,14	18,83	28,37	21,15	18,48	12,26	10,39
Sugar maple	C	3,47	3,47	3,47	3,47	3,47	10,42	12,55	12,48	9,05	7,65	7,53	11,34	8,46	7,39	4,90	4,16
	A	22,51	22,51	22,51	22,51	22,51	56,88	75,26	74,61	65,30	47,51	43,47	69,70	51,57	42,51	36,53	30,47
Other hardwoods	B	5,47	5,47	5,47	5,47	5,47	14,03	26,58	24,91	20,17	17,18	12,52	25,00	17,59	12,12	6,54	8,25
	C	1,98	1,98	1,98	1,98	1,98	5,50	10,63	9,96	8,07	6,87	5,01	10,00	7,03	4,84	2,61	3,30
Poplars	A	14,21	14,21	14,21	14,21	14,21	68,28	76,16	72,62	52,67	33,22	40,27	63,09	48,08	40,48	29,65	23,97
	B	10,45	10,45	10,45	10,45	10,45	26,09	29,10	27,75	22,52	14,20	13,06	20,61	15,93	13,43	10,45	10,45
All hardwoods (except poplars / aspen)	C	2,41	2,41	2,41	2,41	2,41	5,90	6,58	6,27	5,09	3,21	2,95	4,66	3,60	3,04	2,41	2,41
	B	3,95	3,95	3,95	3,95	3,95	10,42	12,55	12,49	9,06	7,66	7,53	11,35	8,46	7,39	4,90	4,16
All hardwoods (except poplars / aspen)	C	1,75	1,75	1,75	1,75	1,75	4,17	5,47	5,68	4,65	3,33	3,01	4,60	3,38	2,96	1,96	1,75
	B	4,73	2,04	2,99	3,69	5,54	5,82	8,61	10,08	10,25	9,03	6,33	7,45	6,34	3,33	4,59	6,10
* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.	D, E	1,30	1,30	1,30	1,30	1,30	2,97	5,47	5,68	4,65	2,80	2,69	4,60	3,23	1,59	1,30	1,53

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )															
		701	702	703	704	705	706	707	708	709	710	711	712	801	802	803	804
Fir, spruce, jack pine, tamarack	F	17,55	13,59	8,78	8,91	13,32	9,76	8,45	8,73	7,18	9,76	8,28	8,78	10,10	13,65	11,37	7,19
	B	13,42	5,48	4,91	5,31	6,91	4,56	5,11	6,54	5,49	4,74	3,25	3,25	4,65	9,39	10,49	3,25
White pine	G	34,77	33,49	31,35	28,83	29,80	26,61	18,37	20,19	11,71	10,76	10,76	10,76	25,10	23,41	32,22	28,79
	H	18,33	17,53	16,19	14,48	15,22	13,22	9,23	10,14	5,88	5,56	5,56	5,56	12,37	11,76	16,73	14,59
Red pine	I	14,31	13,85	13,27	11,19	11,91	10,37	7,13	7,84	4,54	4,26	4,26	4,26	9,74	9,09	14,25	12,23
	F	27,60	27,60	25,05	26,17	26,69	25,60	25,06	22,02	21,06	20,72	18,72	20,14	24,12	24,16	24,18	24,14
Hemlock, cedar	G	26,07	25,12	23,53	21,38	22,38	19,82	13,62	14,97	8,68	7,96	7,96	7,96	18,61	17,36	24,18	21,64
	H	13,67	13,07	12,08	10,74	11,36	9,88	6,84	7,52	4,36	4,08	4,08	4,08	9,25	8,72	12,48	10,90
White pine, red pine, hemlock, cedar	I	10,61	10,27	9,84	8,30	8,83	7,69	5,29	5,81	3,37	3,23	3,23	3,23	7,22	6,74	10,57	9,07
	B	3,97	3,95	3,50	3,70	3,78	3,59	3,50	2,94	2,72	2,73	2,27	2,62	3,33	3,34	3,21	3,34
Oak, cherry, walnut, hickory	C	2,20	2,16	1,86	1,99	2,06	1,93	1,86	1,57	1,47	1,45	1,24	1,39	1,76	1,75	1,68	1,75
	A	78,60	72,61	74,17	47,33	55,65	44,72	35,48	50,28	25,35	25,35	25,35	25,35	40,88	43,80	69,11	60,69
Yellow birch, ash, basswood, elm	B	41,43	35,04	33,53	23,75	31,48	23,91	16,99	26,29	11,70	11,70	11,70	11,70	22,13	20,58	34,81	33,60
	C	16,57	14,01	13,41	9,50	12,59	9,56	6,79	10,51	4,86	4,86	4,86	4,86	8,85	8,23	13,92	13,44
White birch	A	78,60	72,61	74,17	47,33	55,65	44,72	35,48	50,28	22,51	22,51	22,51	22,51	40,88	43,80	69,11	60,69
	B	32,12	27,17	25,99	18,41	24,40	18,53	13,17	20,38	8,72	8,72	8,72	8,72	17,16	15,95	26,99	26,05
Sugar maple	C	12,84	10,86	10,39	7,36	9,76	7,41	5,26	8,15	3,47	3,47	3,47	3,47	6,86	6,38	10,79	10,42
	A	78,60	72,61	74,17	47,33	55,65	44,72	35,48	50,28	22,51	22,51	22,51	22,51	40,88	43,80	69,11	60,69
Other hardwoods	B	26,69	24,20	24,35	17,24	20,76	15,83	12,02	16,52	5,47	5,47	5,47	5,47	15,19	16,85	22,32	22,67
	C	10,67	9,68	9,74	6,89	8,30	6,33	4,81	6,61	1,98	1,98	1,98	1,98	6,08	6,74	8,93	9,07
Poplars	A	81,01	63,59	57,95	40,90	59,62	45,23	29,65	43,25	15,54	16,62	14,21	14,21	40,18	36,53	67,66	53,72
	B	28,49	20,20	18,53	12,78	21,63	15,33	10,45	14,57	10,45	10,45	10,45	10,45	13,14	11,83	22,70	17,37
All hardwoods (except poplars / aspen)	C	6,44	4,95	4,77	2,89	4,89	3,46	2,41	3,29	2,41	2,41	2,41	2,41	2,97	2,67	5,13	3,93
	B	12,85	10,87	10,40	7,36	9,76	7,41	5,27	8,15	3,95	3,95	3,95	3,95	6,86	6,38	10,80	10,42
* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.	C	6,09	4,95	4,77	2,94	3,90	2,96	2,11	3,32	1,75	1,75	1,75	1,75	2,74	2,71	4,59	4,17
	B	6,38	6,46	5,13	5,31	5,25	3,74	3,73	4,61	3,03	3,47	2,38	2,04	6,88	8,34	9,46	7,48
	D, E	6,09	4,95	4,77	2,33	1,78	1,32	1,32	2,61	1,30	1,30	1,30	1,30	1,32	1,32	3,84	2,21

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )															
		805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820
Fir, spruce, jack pine, tamarack	F	7,27	11,43	17,04	9,73	9,73	12,91	11,44	13,48	13,71	15,47	16,14	18,03	12,35	12,23	19,44	22,73
	B	3,25	8,58	16,89	8,18	6,33	4,56	11,34	8,05	12,25	10,29	14,64	17,87	8,84	12,02	19,27	22,52
White pine	G	23,50	25,52	28,61	18,80	10,76	10,76	19,37	14,12	15,50	10,76	10,76	10,76	10,76	13,39	17,83	10,76
	H	11,81	12,82	14,48	9,44	5,56	5,56	9,73	7,10	7,79	5,56	5,56	5,56	5,56	6,73	8,96	5,56
Red pine	I	9,12	9,90	11,90	7,30	4,26	4,26	7,52	5,48	6,02	4,26	4,26	4,26	4,26	5,20	6,92	4,26
	F	24,13	23,27	22,47	24,05	22,67	20,29	20,87	18,74	19,07	20,18	18,79	18,65	18,79	18,45	17,56	17,03
Hemlock, cedar	G	17,43	18,92	21,50	13,94	7,96	7,96	14,37	10,47	11,50	7,96	7,96	7,96	7,96	9,93	13,22	7,96
	H	8,76	9,51	10,81	7,00	4,08	4,08	7,22	5,26	5,78	4,08	4,08	4,08	4,08	4,99	6,64	4,08
White pine, red pine, hemlock, cedar	I	6,76	7,34	8,82	5,41	3,23	3,23	5,58	4,06	4,46	3,23	3,23	3,23	3,23	3,85	5,13	3,23
	B	3,33	3,13	2,94	3,31	3,04	2,50	2,54	1,95	2,13	2,47	2,15	2,03	1,98	1,89	1,71	1,67
Oak, cherry, walnut, hickory	C	1,76	1,65	1,55	1,75	1,62	1,38	1,39	1,11	1,24	1,37	1,23	1,21	1,13	1,10	1,07	1,05
	A	35,36	42,89	51,49	40,39	28,59	25,35	41,11	30,09	25,35	25,35	25,35	25,35	25,35	25,46	31,07	25,35
Yellow birch, ash, basswood, elm	B	19,59	20,06	20,65	20,07	13,88	11,70	14,56	12,08	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70
	C	7,83	8,02	8,26	8,02	5,55	4,86	5,82	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86
White birch	A	35,36	42,89	51,49	40,39	28,59	22,51	41,11	30,09	23,16	22,51	22,51	22,51	22,51	25,06	31,07	22,51
	B	15,18	15,55	16,01	15,56	10,76	8,72	11,29	9,22	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72
Sugar maple	C	6,07	6,22	6,40	6,22	4,30	3,47	4,51	3,62	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47
	A	35,36	42,89	51,49	40,39	28,59	22,51	41,11	29,33	23,16	22,51	22,51	22,51	22,51	24,37	31,07	22,51
Other hardwoods (except poplars / aspen)	B	11,52	11,36	13,06	11,02	7,21	5,65	11,39	6,14	5,65	5,47	5,47	5,47	5,47	5,69	8,17	6,90
	C	4,61	4,54	5,22	4,41	2,76	2,04	4,54	2,46	2,04	1,98	1,98	1,98	1,98	2,28	3,26	2,76
Poplars	A	39,20	33,84	38,18	29,65	16,36	14,21	29,65	24,19	15,76	14,21	14,21	14,21	14,21	22,03	26,02	14,21
	B	13,94	11,30	13,25	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45
All hardwoods (except poplars / aspen)	C	3,15	2,55	3,00	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41
	B	6,07	6,22	6,40	6,22	4,30	3,95	4,51	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
D, E	C	2,43	2,64	2,85	2,49	1,75	1,75	1,81	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75
	B	4,90	6,67	8,46	6,12	2,98	2,17	6,00	3,94	4,72	2,04	4,50	6,08	3,16	4,68	6,88	7,42

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.



Species	Stumpage (\$/m <sup>3</sup> )															
	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836
Fir, spruce, jack pine, tamarack	20,52	16,29	18,28	14,45	18,79	24,44	20,58	18,33	19,11	18,82	20,62	19,76	11,88	18,28	18,21	20,67
White pine	7,79	7,38	7,38	7,38	7,38	8,16	7,38	7,38	7,38	7,99	10,76	8,59	7,38	7,38	7,38	7,38
Red pine	16,78	17,28	16,43	15,07	16,55	16,83	16,18	16,55	16,47	16,45	16,98	16,36	14,39	15,90	15,74	14,92
Hemlock, cedar	1,73	1,89	1,66	1,29	1,70	1,73	1,58	1,70	1,67	1,53	1,60	1,49	1,29	1,49	1,46	1,29
White pine, red pine, hemlock, cedar	1,04	1,11	1,03	0,96	1,04	1,04	1,02	1,04	1,04	1,05	1,07	1,08	1,08	1,01	1,00	0,95
Oak, cherry, walnut, hickory	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35
Yellow birch, ash, basswood, elm	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72
White birch	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
Sugar maple	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21
Other hardwoods	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
Poplars	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75
All hardwoods (except poplars / aspen)	5,71	4,64	3,17	2,68	3,58	5,48	4,32	6,21	5,58	5,64	6,46	5,46	2,31	3,64	3,75	2,50
	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )															
		837	838	839	840	841	842	901	902	903	904	905	906	907	908	909	910
Fir, spruce, jack pine, tamarack	F	13,06	12,15	7,95	9,45	5,61	4,98	13,22	13,45	14,23	15,09	14,26	18,35	15,61	16,20	11,26	6,43
	B	12,94	11,64	7,88	4,73	5,56	3,25	13,11	12,84	13,14	14,95	14,13	18,18	15,47	16,06	11,16	6,34
White pine	G	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38
	H	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74
Red pine	I	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26
	F	14,72	14,55	14,32	14,54	14,32	14,32	14,32	14,35	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32
Oak, cherry, walnut, hickory	G	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	H	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51
Hemlock, cedar	I	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19
	B	1,29	1,29	1,29	1,29	1,29	1,29	1,68	1,90	1,68	1,60	1,43	1,63	1,59	1,34	1,29	1,29
White pine, red pine, hemlock, cedar	C	0,94	0,90	1,09	0,99	0,75	0,94	1,29	1,34	1,29	1,26	1,15	1,28	1,25	1,09	0,75	0,75
	A	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35
Yellow birch, ash, basswood, elm	B	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70
	C	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86
White birch	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
	B	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72
Sugar maple	C	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47
	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
Other hardwoods	B	5,47	5,47	5,47	5,47	5,47	5,47	5,65	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	C	1,98	1,98	1,98	1,98	1,98	1,98	2,04	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98
Poplars	A	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21
	B	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45
All hardwoods (except poplars / aspen)	C	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41
	B	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
D, E	C	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75
	B	2,04	2,74	2,04	2,04	2,50	2,04	4,44	4,83	4,23	2,04	2,04	2,04	2,04	2,04	2,04	2,04

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )																
		911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	999
Fir, spruce, jack pine, tamarack	F	7,09	10,66	7,09	8,95	8,13	4,10	3,78	3,76	3,76	3,28	3,28	3,56	3,28	4,58	3,28	3,28	3,75
	B	6,62	9,86	7,02	6,38	6,31	3,29	3,25	3,25	3,25	3,25	3,25	3,25	3,25	4,29	3,25	3,25	3,25
White pine	G	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38
	H	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74
Red pine	I	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26
	F	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32
Hemlock, cedar	G	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	H	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51
White pine, red pine, hemlock, cedar	I	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19
	B	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29
Oak, cherry, walnut, hickory	C	0,75	0,95	0,75	0,81	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75
	A	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35
Yellow birch, ash, basswood, elm	B	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70
	C	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86
White birch	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
	B	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72
Sugar maple	C	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47
	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
Other hardwoods	B	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	C	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98
Poplars All hardwoods (except poplars / aspen)	A	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21
	B	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45
* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.	C	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41
	B	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
D, E	C	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75
	B	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04
observed on crosscuts and trunks.	D, E	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30

\* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

**SCHEDULE II**

(s.1)

## PRICE INDEXES PER SPECIES, GROUPS OF SPECIES AND QUALITY

Species and groups of species	Quality <sup>1</sup>	Price index <sup>2</sup>	Reference price index <sup>3</sup>
Fir, spruce, jack pine, tamarack	F	Preserved or treated wood (v1575024)	107.1
	B	Index : Lumber, softwood, Québec (v1575011; 81.4%) Newsprint paper (v1575122; 8.9%) Paper board (v1575150; 1.0%) Woodpulp, sulfate, softwood, domestic (v1575107; 5.3%) Printing and speciality paper (v1575128; 3.4%)	100.0
White pine	G, H, I	White pine (Eastern Quotes and Comments)	879
Red pine	F	Preserved or treated wood (v1575024)	107.1
	G, H, I	White pine (Eastern Quotes and Comments)	879
Hemlock, cedar	B	Lumber, softwood, Québec (v1575011)	83.6
White pine, red pine, hemlock, cedar	C	Lumber, softwood, Québec (v1575011)	83.6
Oak, cherry, walnut, hickory	A	Veneer and plywood, hardwood (v1575039)	100.0
	B, C	Lumber, hardwood, birch (v1575035)	119.0
Yellow birch, ash, basswood, elm	A	Veneer and plywood, hardwood (v1575039)	100.0
	B, C	Lumber, hardwood, birch (v1575035)	119.0
White birch	A	Veneer and plywood, hardwood (v1575039)	100.0
	B, C	Lumber, hardwood, birch (v1575035)	119.0
Sugar maple	A	Veneer and plywood, hardwood (v1575039)	100.0
	B, C	Lumber, hardwood, maple (v1575034)	112.9
Poplar	B	Index :	100.0
		Waferboard OSB (Random Lengths; 79.7%)	
		Pallets (v1575072; 12.5%)	
		Woodpulp, sulphate, hardwood, domestic (v1575105; 7.8%)	
Other hardwoods	B, C	Lumber, hardwood, birch (v1575035)	119.0
All hardwoods except poplar	D, E	Index :	100.0
		Waferboard OSB (Random Lengths; 20.5%)	
		Lumber, hardwood, birch (v1575035; 55.0%)	
		Woodpulp, sulfate, hardwood, domestic (v1575105, 24.5%)	

<sup>1</sup> The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined on the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

<sup>2</sup> The source of the price indexes and the relative weight of each are indicated in parentheses. The price indexes from Statistics Canada are indicated according to their Cansim number.

<sup>3</sup> The reference price index corresponds to the average of the price indexes calculated between 1 April 2003 and 31 March 2005.

**M.O., 2006****Order number AM 2006-015 respecting the value of silvicultural treatments admitted as payment of dues for the fiscal year 2006-2007 dated 10 May 2006**

Forest Act

(R.S.Q., c. F-4.1, ss. 73.1 and 73.3)

**1.** The silvicultural treatments described in Schedule I shall be admitted as payment of the dues prescribed by the Minister responsible for the administration of the Forest Act (R.S.Q., c. F-4.1) as determined according to the production priority groups established in Schedule I.

Production priority refers to the production in the forest area in which the silvicultural treatments must be carried out.

**2.** The silvicultural treatments mentioned in Schedule I and their admissibility criteria are defined in the instructions relating to the application of this Order.

**3.** The value of an admissible silvicultural treatment for the 2006-2007 fiscal year is the value indicated in Schedule II.

**4.** This Order replaces Minister's Order AM 2006-010 made by the Minister of Natural Resources and Wildlife on 23 March 2006.

**5.** This Order comes into force at the date of its publication.

Québec, 10 May 2006

PIERRE CORBEIL,  
*Minister of Natural Resources and Wildlife*

---

**SCHEDULE I**

(a.1)

**SILVICULTURAL TREATMENTS ADMISSIBLE BY PRODUCTION PRIORITY GROUPS**

Silvicultural treatments	Production priority groups												
	Fir, spruce, jack pine, tamarack	Thuja	Poplar	White birch	Birch <sup>1</sup> or Oak or intermediary tol. hard.	Pine	Maple or tsuga or tol. hard.	Pine-Birch (Pine) <sup>1</sup>	Pin-Bou (Bou) <sup>1</sup>	Mixed S-int.hard. (S) or S-int.hard. (hard.)	Mixed S-Birch (S) <sup>1</sup> or S. intermediary tol.hard	Mixed S-Birch (hard.) or S-intermediary tol. hard.	Mixed S-Maple (S) or S-tol.hard. (S)
Progressive seed cutting	X <sup>4</sup>	X		X	X	X	X	X	X	X	X	X	X
Seedlings reserve cutting	X <sup>4</sup>	X		X	X	X	X	X	X	X	X	X	X
Strip cutting with regeneration and soil protection	X	X		X	X	X	X	X	X	X	X	X	X
Drainage	X	X	X	X	X	X	X	X	X	X	X	X	X
Site preparation	X	X	X	X	X	X	X				X		
Planting	X	X	X	X	X	X	X				X		
Natural regeneration reinforcement planting	X	X	X	X	X	X	X	X	X	X	X	X	X
Pine seeding	X					X		X	X				
Mechanical release	X	X				X		X		X <sup>5</sup>	X		X
Precommercial thinning	X	X	X	X	X	X	X	X	X	X	X	X	X
Phytosanitary pruning	X					X		X	X				
Commercial thinning	X	X	X	X	X	X	X	X	X	X	X	X	X
Fertilization	X												
Selection cutting		X					X						X
Selection and sanitation cutting		X					X						X
Preselection cutting							X						X
Preselection and sanitation cutting							X						X
Selection cutting for maple sap and wood production							X <sup>2</sup>						
Selection cutting by patches					X				X		X		

Silvicultural treatments	Production priority groups												
	Fir, spruce, jack pine, tamarack	Thuja	Poplar	White birch	Birch <sup>1</sup> or Oak or intermediary tol. hard.	Pine	Maple or tsuga or tol. hard.	Pine-Birch (Pine) <sup>1</sup>	Pin-Bou (Bou) <sup>1</sup>	Mixed S-int.hard. (S) or S-int.hard. (hard.)	Mixed S-Birch (S) <sup>1</sup> or S. intermediary tol.hard	Mixed S-Birch (hard.) <sup>1</sup> or S-intermediary tol. hard.	Mixed S-Maple (S) or S-tol.hard. (S)
Selection cutting and sanitation by patches					X			X			X		
Selection and regeneration cutting by parquets					X			X			X		
Selection cutting for single tree and group of trees					X						X		
Selection cutting and sanitation for single tree and group of trees					X						X		
Individual selective thinning					X								
Commercial thinning mixed stands S-Birch (hard.) with fir												X <sup>3</sup>	
Spreading commercial thinning					X						X		
Improvement cutting		X											
Enrichment planting					X	X	X	X		X	X	X	X

1. For these priority productions, the yellow birch prevails over the white birch as the principal objective species.

2. For the priority production group maple, selection cutting for maple sap and wood production is possible.

3. For the yellow birch mixed stands (fir) with hardwood dominance.

4. Except for jack pine.

5. For mixt S-intolerant hardwood only.

**SCHEDULE II**

(ss. 2,3 and 4)

**VALUES OF SILVICULTURAL TREATMENTS  
ADMITTED AS PAYMENT OF DUES FOR  
THE 2006-2007 FISCAL YEAR\*****SITE PREPARATION (1) EXECUTION PLANNING  
AND  
FOLLOWING UP**

## Scarification

Anchor chains	\$130/ha	\$25/ha
Shark-fin barrels and chains	\$370/ha	\$25/ha
Hydraulic cone trenchers (Wadell type)	\$295/ha	\$25/ha
Hydraulic disk trenchers (TTS hydraulic and Donaren types) or Rake scarifier (shark)	\$235/ha	\$25/ha
Batch scarifier (Bracke) or disk trencher (TTS type)	\$170/ha	\$25/ha
Batch scarifier moulder (Bracke moulder)	\$235/ha	\$25/ha
“V” blade batch scarifier (Bracke) or disk trencher	\$465/ha	\$25/ha
Cutter-type portable scarifier or forest mattock (2)	\$490/1 000 microsites	\$11/1 000 microsites

## Partial scarification in seed holes

Inside the patches	\$785/ha	\$25/ha
Inside the parquets	\$680/ha	\$25/ha
Inside the regeneration cuttings	\$600/ha	\$25/ha

## Forest harrows (Rome et Crabe types)

Single pass	\$265/ha	\$25/ha
Double pass	\$480/ha	\$25/ha
36 inches harrow	\$585/ha	\$25/ha
Létourneau tree crusher	\$415/ha	\$25/ha

## Ploughing and harrowing

Forest plough (Lazure type) + forest harrow (Rome and Crabes types)	\$1 445/ha	\$25/ha
---	------------	---------

## Clearing

Rake-equipped crawler tractor	\$525/ha	\$25/ha
Winter shear-blading with a shear-blade-equipped crawler tractor	\$535/ha	\$25/ha
Grouping feller	\$420/ha	\$25/ha
Rake equipped skidder	\$445/ha	\$25/ha
Hydraulic rake	\$445/ha	\$25/ha
Modified “V” blade models C and H	\$225/ha	\$25/ha

Prescribed burning \$445/ha \$25/ha

## MECHANICAL RELEASE TREATMENT (2)

Boreal zone	\$780/ha	\$75/ha
Nordic temperated zone	\$875/ha	\$75/ha

## PRECOMMERCIAL THINNING (2)

Priority production of softwoods, of mixed  
predominantly softwood stands, of poplars  
and of mixed predominantly intolerant hardwoods stands

## EXECUTION

Value per hectare =  
 $472.68 \times \ln(ti/ha) - 3\ 653.85$  \$65/haln: base *e* logarithm  
ti: number of trees of more than 1.2 meter for  
softwoods and 1.8 meter for hardwoods  
ha: hectarePriority production of tolerant  
hardwoods, of white birch,  
of mixed predominantly  
tolerant hardwood stands and  
of associations constituted  
of pines and birches \$935/ha \$65/ha

## COMMERCIAL THINNING (3)

Softwoods and mixed with  
softwood dominance \$70/ha

## EXECUTION

Value per hectare with marking of trees to fell  
=  $265.77 / (\text{average DBH harvested} \times 0.0414)^2$ Value per hectare without marking of trees to fell  
=  $265.77 / (\text{average DBH harvested} \times 0.0414)^2 - 153.43$ Mixed with tolerant and  
intolerant hardwoods (4) (5) \$660/ha \$70/haMixed with tolerant hardwoods  
– priority production yellow  
birch and softwoods  
with fir (5) (7) \$660/ha \$70/haTolerant and intolerant  
hardwoods (4) (5) \$660/ha \$70/ha

White pine and red pine \$660/ha \$70/ha



## DRAINAGE

Cleared areas (without prior felling)	\$1.80/m or m <sup>3</sup>	\$0.08/m ou m <sup>3</sup>
Wooded areas (without prior felling)	\$2.00/m or m <sup>3</sup>	\$0.08/m ou m <sup>3</sup>
Wooded areas (with prior felling)	\$2.30/m or m <sup>3</sup>	\$0.08/m ou m <sup>3</sup>

## FERTILIZATION

Softwoods	\$410/ha	\$25/ha
-----------	----------	---------

## NATURAL REGENERATION FILL

## PLANTING AND RED PINE AND WHITE PINE PLANTING (2) (6)

With site preparation		
Bare-root seedlings		
Conventional size	\$285/1 000 seedlings	\$30/1 000 seedlings
Large size	\$435/1 000 seedlings	\$30/1 000 seedlings
Seedlings 1½ to 2 meters height (hybrid poplars)	\$660/1 000 seedlings	\$30/1 000 seedlings
Container seedlings		
67-50	\$235/1 000 seedlings	\$30/1 000 seedlings
45-110 or cuttings	\$265/1 000 seedlings	\$30/1 000 seedlings
25-200	\$340/1 000 seedlings	\$30/1 000 seedlings
45-340 and 25-350-A	\$385/1 000 seedlings	\$30/1 000 seedlings
Mini recipients 126-25	\$205/1 000 seedlings	\$30/1 000 seedlings
Without site preparation		
Bare-root seedlings		
Conventional size	\$300/1 000 seedlings	\$30/1 000 seedlings
Large size	\$455/1 000 seedlings	\$30/1 000 seedlings
Container seedlings		
67-50	\$250/1 000 seedlings	\$30/1 000 seedlings
45-110 or cuttings	\$280/1 000 seedlings	\$30/1 000 seedlings
25-200	\$355/1 000 seedlings	\$30/1 000 seedlings
45-340 or 25-350-A	\$400/1 000 seedlings	\$30/1 000 seedlings
Mini-recipients 126-50	\$220/1 000 seedlings	\$30/1 000 seedlings

## PROGRESSIVE SEED CUTTING (3)

Softwoods	\$590/ha	\$70/ha
Mixed with tolerant and intolerant hardwoods (4)	\$345/ha	\$70/ha
Tolerant and intolerant hardwoods (4)	\$345/ha	\$70/ha

## STRIP CUTTING WITH REGENERATION

AND SOIL PROTECTION (3)	\$240/ha	\$70/ha
-------------------------	----------	---------

## PLANTING (2)

With site preparation		
Bare-root seedlings		
Conventional size	\$240/1 000 seedlings	\$20/1 000 seedlings
Large size	\$390/1 000 seedlings	\$20/1 000 seedlings
Seedlings 1½ to 2 meters height (hybrid poplars)	\$615/1 000 seedlings	\$20/1 000 seedlings
Container seedlings		
67-50	\$195/1 000 seedlings	\$20/1 000 seedlings
45-110 or cuttings	\$220/1 000 seedlings	\$20/1 000 seedlings
25-200	\$295/1 000 seedlings	\$20/1 000 seedlings
45-340 or 25-350-A	\$340/1 000 seedlings	\$20/1 000 seedlings
Mini-recipients 126-25	\$185/1 000 seedlings	\$20/1 000 seedlings
Without site preparation		
Bare-root seedlings		
Conventional size	\$260/1 000 seedlings	\$20/1 000 seedlings
Large size	\$405/1 000 seedlings	\$20/1 000 seedlings
Container seedlings		
67-50	\$210/1 000 seedlings	\$20/1 000 seedlings
45-110 or cuttings	\$240/1 000 seedlings	\$20/1 000 seedlings
25-200	\$310/1 000 seedlings	\$20/1 000 seedlings
45-340 or 25-350-A	\$355/1 000 seedlings	\$20/1 000 seedlings
Mini-recipients 126-25	\$200/1 000 seedlings	\$20/1 000 seedlings

## ENRICHMENT AND REINFORCEMENT

## PLANTING OF HARDWOODS

AND PINE (2)	\$580/1 000 seedlings	\$30/1 000 seedlings
--------------	-----------------------	----------------------

SPREADING COMMERCIAL THINNING (3) (5)	\$660/ha	\$70/ha
INDIVIDUAL SELECTIVE THINNING (3) (5)		
Tolerant hardwood	\$660/ha	\$70/ha
IMPROVEMENT CUTTING (3) (5)		
Softwoods (cedars)	\$660/ha	\$70/ha
SELECTION CUTTING (3) (5)		
Tolerant hardwood	\$660/ha	\$70/ha
Mixed with tolerant hardwood	\$660/ha	\$70/ha
Softwoods (cedars)	\$660/ha	\$70/ha
SELECTION CUTTING AND SANITATION (3) (5)		
Tolerant hardwood	\$660/ha	\$70/ha
Mixed with tolerant hardwood	\$660/ha	\$70/ha
SELECTION CUTTING BY PATCHES (3) (5)	\$660/ha	\$70/ha
SELECTION CUTTING AND SANITATION BY PATCHES (3) (5)		
Tolerant hardwood	\$660/ha	\$70/ha
Mixed with tolerant hardwood	\$660/ha	\$70/ha
Mixed with tolerant hardwood and pines	\$660/ha	\$70/ha
SELECTION CUTTING FOR TREE AND GROUP OF TREES (3) (5) (7)		
Tolerant hardwood	\$660/ha	\$70/ha
Mixed with tolerant hardwood	\$660/ha	\$70/ha
SELECTION CUTTING AND SANITATION FOR TREE AND GROUP OF TREES (3) (5) (7)		
Tolerant hardwood	\$660/ha	\$70/ha
Mixed with tolerant hardwood	\$660/ha	\$70/ha
SELECTION AND REGENERATION CUTTING BY PARQUETS (3) (5)	\$620/ha	\$70/ha
SEEDLINGS RESERVE CUTTING	\$20/ha	\$70/ha
PRESELECTION CUTTING (3) (5)		
Tolerant hardwood	\$660/ha	\$70/ha
Mixed with tolerant hardwood	\$660/ha	\$70/ha

## PRESELECTION CUTTING AND SANITATION (3) (5)

Tolerant hardwood	\$660/ha	\$70/ha
Mixed with tolerant hardwood	\$660/ha	\$70/ha

## PINE SEEDING

Aerial seeding	\$40/ha	\$20/ha
Ground seeding	\$155/ha	\$20/ha
Funnels	\$345/1 000 microsites seeded	\$20/1 000 microsites seeded

## SELECTION CUTTING FOR MAPLE SAP AND WOOD PRODUCTION (3) (5)

	\$660/ha	\$70/ha
--	----------	---------

## PHYTOSANITARY PRUNING \$450/ha \$75/ha

\* To know the percentage of a silvicultural treatment value which is admitted as payment of royalties, refer to section 11 and following of the Regulation Respecting Forest Royalties. The values of the treatments apply either to in-house or contracted work.

(1) The execution value of the treatment can be increased by 2.6% when the silvicultural treatment is realized from forest camps whose admissibility criterias are defined in the relative instructions to the application of the present order.

(2) The execution value of the treatment can be increased by 7.8% when the silvicultural treatments are realized from forest camps whose admissibility criterias are defined in the relative instructions to the application of the present order.

(3) The execution value of the treatment includes some harvesting, road construction, supervision or tree marking costs.

(4) The execution value of the treatment can be increased by \$60/ha when the marking of trees takes into account the trees to preserve.

(5) The execution value of the treatment is increased by \$30/ha when felling and skidding paths are flagged.

(6) Excluding fill planting with white and red pines and tolerant hardwoods.

(7) The execution value of the treatment can be increase by \$200/ha if valid patches according to official instructions was created during harvest operation.

Note: The expression "tolerant hardwoods" includes white pine and red pine.

## Index

Abbreviations : **A**: Abrogated, **N**: New, **M**: Modified

	<b>Page</b>	<b>Comments</b>
Forest Act — Forest royalties ..... (R.S.Q., c. F-4.1)	1415B	M
Forest Act — Unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants ..... (R.S.Q., c. F-4.1)	1417B	N
Forest Act — Value of silvicultural treatments admitted as payment of dues for the fiscal year 2006-2007 ..... (R.S.Q., c. F-4.1)	1431B	N
Forest royalties ..... (Forest Act, R.S.Q., c. F-4.1)	1415B	M
Unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants ..... (Forest Act, R.S.Q., c. F-4.1)	1417B	N
Value of silvicultural treatments admitted as payment of dues for the fiscal year 2006-2007 ..... (Forest Act, R.S.Q., c. F-4.1)	1431B	N

