

Draft Regulation

Forest Act
(R.S.Q., c. F-4.1)

Unit rates applicable to the calculation of dues forest management permits for the supply of wood processing plants

Notice is hereby given, in accordance with sections 10 and 11 of the Regulations Act (R.S.Q., c. R-18.1), that the Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants, the text of which appears below, may be made by the Minister at the expiry of 45 days following this publication.

Any person having comments to make on this matter is asked to send them in writing, before the expiry of the 45-day period, to Mr. Marc Ledoux, Associate Deputy Minister for Forests, ministère des Ressources naturelles, 880, chemin Sainte-Foy, 10^e étage, Québec (Québec) G1S 4X4.

JACQUES BRASSARD,
Minister of Natural Resources

Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants

Forest Act
(R.S.Q., c. F-4.1, ss. 5 and 72)

1. The unit rates for stumpage in forests in the public domain set out in Schedule I shall be indexed on 1 April, 1 July, 1 October 2000 and 1 January 2001 in accordance with the performance of the price indexes for the forest products specified in Schedule II. The index rates per species, group of species and quality shall be calculated in accordance with the following formulas:

Index rate at 1 April 2000	=	Average price index for the months of December 1999, January and February 2000
		Average price index for the months of April 1998 to March 1999

Index rate at 1 July 2000	=	Average price index for the months of March, April and May 2000
------------------------------	---	---

Average price index for the
months of April 1998
to March 1999

Index rate at 1 October 2000	=	Average price index for the months of June, July and August 2000
---------------------------------	---	--

Average price index for the
months of April 1998
to March 1999

Index rate at 1 January 2001	=	Average price index for the months of September, October and November 2000
---------------------------------	---	--

Average price index for the
months of April 1998
to March 1999

The amounts thus indexed shall apply, in each forest tariffing zone indicated in Schedule I, to the calculation of the dues payable by the holder of a forest management permit for the supply of a wood processing plant for the 3-month period following the date of indexing.

The amounts indexed in the manner prescribed in the first paragraph shall be reduced to the nearest fraction of \$0.10/m³ where they contain a fraction less than \$0.025/m³. They shall be rounded off to the nearest fraction of \$0.05/m³ where they contain a fraction equal to or greater than \$0.025/m³ but less than \$0.075/m³ and shall be increased to the nearest fraction of \$0.10/m³ where they contain a fraction equal to or greater than \$0.075/m³.

The Minister of Natural Resources shall inform the public, through Part I of the *Gazette officielle du Québec* and, where he considers it appropriate, by any other means, of the indexing calculated under this section.

2. This Regulation replaces the Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants, made by Minister's Order 406 of the Minister of Natural Resources, dated 26 March 1999 and published in Part 2 of the *Gazette officielle du Québec* of 31 March 1999.

3. This Regulation comes into force on 1 April 2000.

SCHEDULE I

(s. 1)

**REFERENCE UNIT RATES FOR STUMPAGE IN FORESTS IN THE DOMAIN OF THE STATE
FOR THE 2000-2001 FISCAL YEAR**

Species	Quality*	Stumpage (\$/m ³)																
		Zones																
		101	102	103	104	111	112	113	114	115	116	117	201	202	203	204	205	
Fir, spruce, jack pine, tamarack	A	18,31	15,71	15,45	15,82	13,69	14,20	13,62	13,63	13,85	14,39	13,85	17,92	17,17	18,23	19,17	21,05	
	B	18,31	14,65	13,93	15,82	10,63	14,20	10,67	10,09	9,41	12,20	13,85	17,92	13,84	18,23	17,18	21,05	
White pine	B	11,47	9,38	9,35	9,35	9,14	9,13	9,13	9,13	9,13	9,14	9,13	10,70	10,70	10,18	9,69	10,06	
	A	18,22	14,53	14,41	14,42	13,67	13,66	13,64	13,64	13,66	13,67	13,65	17,88	17,88	17,39	15,91	16,64	
Hemlock, cedar	B	8,15	6,81	6,81	6,81	6,81	6,81	6,81	6,81	6,81	6,81	6,81	8,84	8,84	8,65	7,89	8,24	
	B	3,95	3,40	3,37	3,37	3,17	3,17	3,16	3,16	3,17	3,17	3,16	3,64	3,64	3,77	2,97	3,23	
White pine, red pine, hemlock, cedar	C	1,32	1,16	1,16	1,16	1,15	1,15	1,15	1,15	1,15	1,15	1,15	1,28	1,28	1,29	1,05	1,13	
	A	48,61	40,23	41,00	7,29	24,46	27,09	18,62	21,47	13,97	7,82	3,37	2,06	6,13	16,77	10,75	19,10	
Oak, cheery, walnut, hickory	B	33,10	27,40	27,92	4,97	16,65	18,45	12,68	14,62	9,51	5,33	2,29	1,40	4,18	11,42	7,32	13,01	
	C	12,86	10,64	10,85	1,93	6,47	7,17	4,93	5,68	3,69	2,07	0,89	0,70	1,62	4,44	2,84	5,05	
Yellow birch, ash, basswood, elm	A	34,72	28,74	29,28	5,21	17,47	19,35	13,30	15,34	9,98	5,59	2,40	1,47	4,38	11,98	7,68	13,65	
	B	23,65	19,57	19,94	3,55	11,90	13,18	9,06	10,44	6,79	3,81	1,64	1,00	2,98	8,16	5,23	9,29	
White birch	C	9,19	7,60	7,75	1,38	4,62	5,12	3,52	4,06	2,64	1,48	0,64	0,50	1,16	3,17	2,03	3,61	
	A	21,52	11,56	11,79	5,48	11,47	14,47	7,08	1,59	6,56	3,17	1,59	4,20	3,14	9,17	5,76	10,50	
Sugar maple	B	13,56	7,29	7,43	3,45	7,23	9,12	4,46	1,00	4,13	2,00	1,00	2,65	1,98	5,78	3,63	6,61	
	C	5,69	3,06	3,12	1,45	3,04	3,83	1,87	1,17	1,73	0,84	0,50	1,11	0,83	2,43	1,52	2,78	
Other hardwoods	A	35,16	27,56	30,85	3,05	8,74	9,27	10,12	2,98	7,23	6,35	3,87	5,41	4,59	9,26	6,61	10,28	
	B	23,19	18,17	20,34	2,01	5,76	6,11	6,67	1,97	4,77	4,18	2,55	3,57	3,02	6,10	4,36	6,78	
Poplar	C	5,39	4,22	4,72	0,50	1,34	1,48	1,55	1,17	1,11	0,97	0,59	0,83	0,70	1,42	1,01	1,57	
	B	9,46	7,83	7,98	1,42	4,76	5,27	3,62	4,18	2,72	1,52	1,00	1,00	1,19	3,26	2,09	3,72	
All hardwoods (except poplar / aspen)	C	3,67	3,04	3,10	0,55	1,85	2,05	1,41	1,62	1,06	0,59	0,50	0,50	0,50	1,27	0,81	1,44	
	B	7,73	5,17	7,05	7,60	6,38	6,55	6,27	3,99	4,00	5,97	6,57	6,33	5,21	7,08	6,59	7,71	
D	C	5,78	3,87	5,28	5,68	4,78	4,90	4,69	2,99	2,99	4,47	4,92	4,74	3,90	5,30	4,93	5,77	
	D	2,65	2,19	2,23	0,40	1,33	1,48	1,01	1,17	0,76	0,43	0,25	0,25	0,33	0,91	0,59	1,04	

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Stumpage (\$/m ³)																
	Quality*	206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221
Fir, spruce, jack pine, tamarack	A	20,26	19,58	16,11	15,90	16,97	15,01	18,47	20,10	18,84	16,03	13,78	12,39	12,20	13,12	12,37	16,77
	B	10,17	19,58	15,05	14,99	16,97	14,07	18,47	20,10	18,84	16,03	13,78	7,28	8,96	11,48	11,85	16,77
White pine	B	9,79	9,68	9,89	10,16	9,59	9,61	9,93	9,80	9,42	7,89	7,59	8,81	7,40	7,54	7,45	8,17
Red pine	A	15,99	15,89	15,21	14,66	13,67	14,54	15,29	15,87	15,66	13,96	13,82	14,48	13,77	13,80	13,75	13,67
	B	7,97	7,88	7,65	7,44	6,86	7,30	7,69	7,92	7,69	6,90	6,85	7,55	6,87	6,87	6,83	6,82
Hemlock, cedar	B	2,99	2,97	2,87	2,91	2,13	2,50	2,93	2,98	2,90	2,06	1,78	1,81	1,69	1,75	1,74	1,76
White pine, red pine, hemlock, cedar	C	1,07	1,04	1,11	1,16	1,04	1,06	1,11	1,08	0,99	0,91	0,82	0,75	0,87	0,84	0,83	0,87
Oak, cheery, walnut, hickory	A	27,50	24,19	18,26	10,76	19,63	10,26	4,54	3,81	2,06	7,57	2,06	2,06	2,06	3,38	4,10	3,47
	B	18,72	16,47	12,43	7,32	13,37	6,99	3,09	2,60	1,40	5,16	1,40	1,40	1,40	2,30	2,79	2,36
	C	7,27	6,40	4,83	2,85	5,19	2,71	1,20	1,01	0,70	2,00	0,70	0,70	0,70	0,90	1,08	0,92
Yellow birch, ash, basswood, elm	A	19,64	17,28	13,04	7,68	14,02	7,33	3,24	2,72	1,47	5,41	1,47	1,47	1,47	2,42	2,93	2,48
	B	13,37	11,76	8,88	5,23	9,55	4,99	2,21	1,86	1,00	3,68	1,00	1,00	1,00	1,65	1,99	1,69
	C	5,20	4,57	3,45	2,03	3,71	1,94	0,86	0,72	0,50	1,43	0,50	0,50	0,50	0,64	0,77	0,66
White birch	A	15,25	13,38	10,01	5,76	10,80	5,48	2,24	1,83	1,59	3,96	1,59	1,59	1,59	1,59	1,99	1,63
	B	9,61	8,43	6,31	3,63	6,80	3,45	1,41	1,15	1,00	2,49	1,00	1,00	1,00	1,00	1,25	1,03
	C	4,03	3,54	2,65	1,52	2,86	1,45	0,59	0,50	0,50	1,05	0,50	0,50	0,50	0,50	0,53	0,50
Sugar maple	A	13,96	12,51	9,91	6,62	10,51	6,40	3,89	3,57	1,52	5,22	2,29	1,52	1,52	3,38	3,69	3,42
	B	9,21	8,25	6,53	4,36	6,93	4,22	2,56	2,35	1,00	3,44	1,51	1,00	1,00	2,23	2,44	2,25
	C	2,14	1,92	1,52	1,01	1,61	0,98	0,60	0,55	0,50	0,80	0,50	0,50	0,50	0,52	0,57	0,52
Other hardwoods	B	5,35	4,71	3,55	2,09	3,82	2,00	1,00	1,00	1,00	1,47	1,00	1,00	1,00	1,00	1,00	1,00
	C	2,08	1,83	1,38	0,81	1,48	0,78	0,50	0,50	0,50	0,57	0,50	0,50	0,50	0,50	0,50	0,50
Poplar	B	7,30	6,41	6,08	5,74	4,60	4,14	5,57	6,97	5,21	3,89	3,68	1,11	1,11	1,11	2,78	3,85
	C	5,47	4,80	4,55	4,30	3,45	3,10	4,17	5,21	3,90	2,91	2,75	1,08	1,08	2,08	2,88	
All hardwoods (except poplar / aspen)	D	1,50	1,32	0,99	0,59	1,07	0,56	0,25	0,25	0,25	0,41	0,25	0,25	0,25	0,25	0,25	0,25

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Stumpage (\$/m ³)																
	Quality*	222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237
Fir, spruce, jack pine, tamarack	A	20,59	14,68	17,76	17,23	14,18	11,03	7,24	6,02	5,52	5,33	6,98	11,96	9,66	14,08	10,47	10,46
	B	20,59	13,58	17,76	17,23	14,18	9,73	5,87	4,75	3,53	5,25	6,98	11,96	9,66	14,08	3,53	4,90
White pine	B	9,22	8,64	8,46	9,34	7,94	7,61	4,73	3,77	3,07	2,80	4,11	7,19	3,73	7,74	7,03	7,15
Red pine	A	15,37	13,79	13,66	14,60	13,64	13,64	13,64	13,64	13,64	13,64	13,64	13,64	13,64	13,83	13,66	13,73
	B	7,54	6,88	6,81	7,32	6,81	6,81	6,81	6,81	6,81	6,81	6,81	6,81	6,81	6,85	6,81	6,89
Hemlock, cedar	B	2,75	1,91	1,81	2,46	1,70	1,62	1,08	0,89	0,75	0,69	0,96	1,56	0,88	1,96	1,77	1,73
White pine, red pine, hemlock, cedar	C	0,95	0,91	0,89	1,02	0,85	0,84	0,59	0,52	0,44	0,42	0,54	0,79	0,51	0,93	1,09	1,06
Oak, cheery, walnut, hickory	A	13,86	7,59	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	15,95	4,49	2,06	2,06
	B	9,44	5,17	1,40	1,40	1,40	1,40	1,40	1,40	1,40	1,40	1,40	1,40	10,86	3,06	1,40	1,40
	C	3,67	2,01	0,70	0,70	0,70	0,70	0,70	0,70	0,70	0,70	0,70	0,70	4,22	1,19	0,70	0,70
Yellow birch, ash, basswood, elm	A	9,90	5,42	1,47	1,47	1,47	1,47	1,47	1,47	1,47	1,47	1,47	1,47	11,40	3,21	1,47	1,47
	B	6,74	3,69	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	7,76	2,19	1,00	1,00
	C	2,62	1,43	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	3,01	0,85	0,50	0,50
White birch	A	7,52	3,97	1,59	1,59	1,59	1,59	1,59	1,59	1,59	1,59	1,59	1,59	8,71	2,21	1,59	1,59
	B	4,74	2,50	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	5,49	1,39	1,00	1,00
	C	1,99	1,05	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	2,30	0,59	0,50	0,50
Sugar maple	A	7,98	5,22	1,52	1,52	1,64	1,52	1,52	1,52	1,52	1,52	1,52	1,52	8,90	3,87	1,52	1,52
	B	5,26	3,44	1,00	1,00	1,08	1,00	1,00	1,00	1,00	1,00	1,00	1,00	5,87	2,55	1,00	1,00
	C	1,22	0,80	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	1,36	0,59	0,50	0,50
Other hardwoods	B	2,70	1,48	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	3,10	1,00	1,00	1,00
	C	1,05	0,57	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	1,21	0,50	0,50	0,50
Poplar	B	4,73	5,06	4,62	5,50	3,06	2,61	1,11	1,11	1,11	1,11	1,49	2,24	1,11	2,09	1,11	1,11
	C	3,54	3,79	3,46	4,11	2,29	1,95	1,08	1,08	1,08	1,08	1,11	1,68	1,08	1,56	1,08	1,08
All hardwoods (except poplar / aspen)	D	0,76	0,41	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,87	0,25	0,25	0,25

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)															
		238	239	301	302	303	304	305	306	401	402	403	404	405	406	407	408
Fir, spruce, jack pine, tamarack	A	10,12	6,72	19,21	16,36	17,09	18,77	15,83	17,32	18,32	18,94	19,57	18,48	20,29	16,41	14,30	16,02
	B	5,14	3,53	19,17	12,56	9,57	17,67	15,36	17,32	15,86	18,94	19,57	16,91	20,29	10,35	14,30	15,77
White pine	B	6,96	5,62	13,99	9,85	10,62	13,98	10,05	10,27	13,94	14,24	15,38	13,39	12,95	9,98	12,89	8,53
Red pine	A	13,64	13,64	22,35	17,09	17,80	22,84	15,20	14,76	22,67	23,22	24,97	21,95	21,28	16,55	19,88	14,81
	B	6,81	6,81	9,89	8,53	8,80	10,95	7,73	7,53	10,82	11,08	11,86	10,57	10,28	8,06	9,94	7,10
Hemlock, cedar	B	1,75	1,37	4,51	3,84	3,66	4,57	3,38	3,21	4,49	4,60	4,96	4,40	4,26	3,12	3,80	3,09
White pine, red pine, hemlock, cedar	C	1,10	0,86	1,50	1,30	1,28	1,65	1,27	1,26	1,60	1,66	1,81	1,58	1,53	1,05	1,28	0,78
Oak, cheery, walnut, hickory	A	2,06	2,06	39,90	16,85	12,17	27,48	19,88	27,48	28,68	45,97	35,05	18,33	16,43	5,19	2,06	2,06
	B	1,40	1,40	27,17	11,47	8,28	18,71	13,54	18,71	19,53	31,30	23,87	12,48	11,19	3,53	1,40	1,40
	C	0,70	0,70	10,56	4,46	3,22	7,27	5,26	7,27	7,59	12,16	9,27	4,85	4,35	1,37	0,70	0,70
Yellow birch, ash, basswood, elm	A	1,47	1,47	28,50	12,04	8,69	19,63	14,20	19,63	20,49	32,83	25,04	13,09	11,74	3,71	1,47	1,47
	B	1,00	1,00	19,41	8,20	5,92	13,37	9,67	13,37	13,95	22,36	17,05	8,91	7,99	2,52	1,00	1,00
	C	0,50	0,50	7,54	3,18	2,30	5,19	3,76	5,19	5,42	8,69	6,62	3,46	3,11	0,98	0,50	0,50
White birch	A	1,59	1,59	22,07	11,47	8,24	18,78	13,55	18,78	10,40	17,44	23,98	10,81	16,34	2,87	1,59	1,59
	B	1,00	1,00	13,91	7,23	5,19	11,84	8,54	11,83	6,55	10,99	15,11	6,81	10,29	1,81	1,00	1,00
	C	0,50	0,50	5,84	3,03	2,18	4,97	3,58	4,97	2,75	4,61	6,34	2,86	4,32	0,76	0,50	0,50
Sugar maple	A	1,52	1,52	29,93	14,30	10,80	25,96	16,56	22,24	29,89	36,59	19,84	14,16	12,61	2,63	1,52	2,79
	B	1,00	1,00	19,74	9,43	7,12	17,12	10,92	14,66	19,71	24,12	13,08	9,33	8,31	1,73	1,00	1,84
	C	0,50	0,50	4,58	2,19	1,65	3,98	2,54	3,41	4,58	5,60	3,04	2,17	1,93	0,50	0,50	0,50
Other hardwoods	B	1,00	1,00	7,76	3,28	2,37	5,35	3,87	5,35	5,58	8,94	6,82	3,57	3,20	1,01	1,00	1,00
	C	0,50	0,50	3,02	1,27	0,92	2,08	1,50	2,08	2,17	3,47	2,65	1,39	1,24	0,50	0,50	0,50
Poplar	B	1,11	1,11	6,25	4,85	4,25	7,41	5,30	6,69	6,30	6,25	6,67	6,41	7,19	4,34	3,09	3,20
	C	1,08	1,08	4,68	3,63	3,18	5,55	3,97	5,01	4,72	4,68	4,99	4,80	5,38	3,25	2,31	2,40
All hardwoods (except poplar / aspen)	D	0,25	0,25	2,17	0,92	0,66	1,50	1,08	1,50	1,56	2,50	1,91	1,00	0,90	0,28	0,25	0,25

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m3)															
		409	410	411	412	413	501	601	602	603	604	605	606	607	608	609	610
Fir, spruce, jack pine, tamarack	A	13,98	15,22	13,99	14,30	16,67	19,23	20,38	20,78	19,40	18,84	16,95	18,16	16,95	13,36	13,11	14,35
	B	8,29	7,91	11,77	10,88	16,67	15,10	20,38	19,96	18,52	16,54	15,77	18,04	16,95	13,36	10,92	8,28
White pine	B	8,45	9,83	8,45	8,29	9,06	14,03	16,55	16,83	15,82	15,41	14,75	15,17	13,50	13,42	13,41	12,59
Red pine	A	14,74	15,21	14,74	14,25	15,27	22,41	25,82	26,23	25,36	25,01	23,52	24,47	20,68	20,49	20,48	19,68
	B	7,06	7,89	7,06	7,11	7,48	9,93	12,36	12,52	12,06	11,88	11,35	11,69	10,35	10,28	10,28	9,77
Hemlock, cedar	B	3,11	2,72	3,11	2,22	2,72	4,52	5,14	5,24	5,05	4,97	4,61	4,84	3,92	3,88	3,88	3,74
White pine, red pine, hemlock, cedar	C	0,76	0,83	0,76	0,85	0,96	1,51	1,89	1,94	1,85	1,82	1,66	1,76	1,37	1,35	1,35	1,29
Oak, cheery, walnut, hickory	A	2,06	2,06	2,06	2,06	2,06	49,67	56,15	61,27	49,56	40,69	30,86	43,60	32,86	21,24	12,53	14,16
	B	1,40	1,40	1,40	1,40	1,40	33,83	38,23	41,72	33,75	27,71	21,01	29,69	22,37	14,47	8,53	9,64
	C	0,70	0,70	0,70	0,70	0,70	13,14	14,85	16,21	13,11	10,76	8,16	11,53	8,69	5,62	3,31	3,75
Yellow birch, ash, basswood, elm	A	1,47	1,47	1,47	1,47	1,47	35,48	40,10	43,76	35,40	29,06	22,04	31,14	23,47	15,17	8,95	10,11
	B	1,00	1,00	1,00	1,00	1,00	24,16	27,31	29,80	24,11	19,79	15,01	21,21	15,98	10,33	6,09	6,89
	C	0,50	0,50	0,50	0,50	0,50	9,39	10,61	11,58	9,36	7,69	5,83	8,24	6,21	4,01	2,37	2,68
White birch	A	1,59	1,59	1,59	1,59	1,59	25,24	30,61	31,48	27,34	19,79	15,80	16,10	9,13	5,29	1,59	5,00
	B	1,00	1,00	1,00	1,00	1,00	15,90	19,29	19,84	17,22	12,47	9,96	10,14	5,75	3,33	1,00	3,15
	C	0,50	0,50	0,50	0,50	0,50	6,68	8,10	8,33	7,23	5,24	4,18	4,26	2,42	1,40	0,68	1,32
Sugar maple	A	1,52	1,52	1,52	1,52	1,52	45,55	39,92	38,57	17,78	12,75	12,92	22,50	16,78	17,78	9,23	3,08
	B	1,00	1,00	1,00	1,00	1,00	30,03	26,32	25,43	11,72	8,40	8,52	14,83	11,06	11,72	6,09	2,03
	C	0,50	0,50	0,50	0,50	0,50	6,98	6,11	5,91	2,72	2,22	1,98	3,45	2,57	2,72	1,41	0,77
Other hardwoods	B	1,00	1,00	1,00	1,00	1,00	9,66	10,92	11,92	9,64	7,92	6,00	8,48	6,39	4,13	2,44	2,75
	C	0,50	0,50	0,50	0,50	0,50	3,75	4,24	4,63	3,75	3,08	2,33	3,30	2,48	1,61	0,95	1,07
Poplar	B	3,13	1,76	2,07	2,55	4,58	5,37	8,75	9,14	9,26	8,26	5,72	6,80	6,93	4,32	3,86	5,25
	C	2,34	1,32	1,55	1,91	3,43	4,02	6,55	6,84	6,93	6,18	4,28	5,09	5,19	3,23	2,89	3,93
All hardwoods (except poplar / aspen)	D	0,25	0,25	0,25	0,25	0,25	2,71	3,06	3,34	2,70	2,22	1,68	2,38	1,79	1,16	0,68	0,77

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m3)															
		701	702	703	704	705	706	707	708	709	710	711	712	801	802	803	804
Fir, spruce, jack pine, tamarack	A	23,79	17,54	13,46	15,22	15,64	14,05	15,42	14,70	12,22	12,60	11,81	12,54	10,34	15,69	14,05	10,79
	B	23,79	12,98	12,79	14,75	13,60	11,97	15,42	14,70	12,22	8,43	3,89	4,39	8,63	15,69	14,05	10,74
White pine	B	17,22	18,03	16,95	17,45	17,59	17,15	16,99	14,55	14,10	13,33	12,69	13,00	16,35	16,46	16,33	16,43
	A	26,28	26,29	23,85	24,93	25,42	24,38	23,86	20,97	20,05	19,73	17,82	19,18	22,97	23,01	22,48	23,00
Red pine	B	12,61	12,80	12,05	12,39	12,51	12,20	12,07	10,77	10,48	10,13	9,56	9,90	11,71	11,75	11,65	11,74
	B	5,24	5,21	4,62	4,88	4,99	4,74	4,62	3,88	3,60	3,61	2,99	3,46	4,39	4,41	4,24	4,40
White pine, red pine, hemlock, cedar	C	1,93	1,89	1,63	1,74	1,80	1,69	1,63	1,37	1,29	1,27	1,09	1,22	1,54	1,54	1,47	1,54
	A	58,74	39,85	44,04	39,17	40,50	41,25	18,04	28,87	5,09	2,06	2,06	2,06	46,49	37,79	61,01	48,45
Oak, cheery, walnut, hickory	B	40,00	27,13	29,99	26,67	27,58	28,09	12,28	19,66	3,46	1,40	1,40	1,40	31,66	25,73	41,55	32,99
	C	15,54	10,54	11,65	10,36	10,71	10,91	4,77	7,64	1,35	0,70	0,70	0,70	12,30	10,00	16,14	12,82
Yellow birch, ash, basswood, elm	A	41,95	28,46	31,46	27,98	28,93	29,46	12,88	20,62	3,63	1,47	1,47	1,47	33,21	26,99	43,58	34,61
	B	28,57	19,38	21,42	19,05	19,70	20,06	8,77	14,04	2,47	1,00	1,00	1,00	22,61	18,38	29,68	23,57
White birch	C	11,10	7,53	8,32	7,40	7,65	7,79	3,41	5,46	0,96	0,50	0,50	0,50	8,78	7,14	11,53	9,15
	A	36,22	25,73	23,95	22,32	29,29	21,67	4,69	10,71	1,59	1,59	1,59	1,59	5,53	13,38	13,70	19,67
Sugar maple	B	22,82	16,21	15,09	14,06	18,45	13,65	2,96	6,75	1,00	1,00	1,00	1,00	3,48	8,43	8,63	12,39
	C	9,58	6,81	6,34	5,90	7,75	5,73	1,24	2,83	0,50	0,50	0,50	0,50	2,53	3,54	3,62	5,20
Other hardwoods	A	43,76	28,74	27,75	25,37	29,07	30,93	9,81	13,11	7,25	3,10	1,52	1,91	15,55	20,01	26,07	16,64
	B	28,85	18,95	18,30	16,73	19,17	20,39	6,47	8,64	4,78	2,04	1,00	1,26	10,25	13,20	17,19	10,97
Poplar	C	6,70	4,40	4,25	3,88	4,45	4,74	1,50	2,01	1,11	0,50	0,50	0,50	2,53	3,07	3,99	2,64
	B	11,43	7,75	8,57	7,62	7,88	8,02	3,51	5,62	1,00	1,00	1,00	1,00	9,05	7,35	11,87	9,43
All hardwoods (except poplar / aspen)	C	4,44	3,01	3,33	2,96	3,06	3,12	1,36	2,18	0,50	0,50	0,50	0,50	3,51	2,86	4,61	3,66
	B	7,48	6,04	6,85	5,73	4,92	3,80	4,30	6,63	4,09	4,80	3,39	2,30	7,51	8,94	9,12	8,20
* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.	C	5,60	4,52	5,13	4,29	3,68	2,84	3,22	4,96	3,06	3,59	2,53	1,72	5,62	6,69	6,82	6,14
	D	3,20	2,17	2,40	2,13	2,21	2,25	0,98	1,57	0,28	0,25	0,25	0,25	2,53	2,06	3,32	2,64

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)															
		805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820
Fir, spruce, jack pine, tamarack	A	10,37	11,94	15,26	10,41	11,13	13,13	15,74	13,83	14,87	13,29	15,45	16,41	13,98	15,17	19,51	20,86
	B	5,67	9,75	15,26	10,19	9,11	5,75	15,74	11,38	10,68	8,29	12,23	14,33	7,65	12,36	19,23	19,91
White pine	B	16,35	16,07	15,76	16,31	15,29	13,83	14,74	13,66	13,44	13,80	13,06	13,25	13,63	13,49	12,94	12,46
Red pine	A	22,98	22,17	21,40	22,91	21,59	19,32	19,88	17,85	18,16	19,22	17,90	17,76	17,89	17,57	16,73	16,22
	B	11,71	11,52	11,34	11,69	11,13	10,34	10,81	10,29	10,13	10,32	9,86	10,01	10,27	10,19	9,82	9,48
Hemlock, cedar	B	4,39	4,13	3,88	4,37	4,01	3,30	3,36	2,58	2,81	3,25	2,84	2,68	2,61	2,49	2,26	2,20
White pine, red pine, hemlock, cedar	C	1,54	1,44	1,36	1,53	1,42	1,21	1,22	0,97	1,09	1,20	1,08	1,06	0,99	0,96	0,94	0,92
Oak, cheery, walnut, hickory	A	34,09	32,82	39,19	12,99	6,69	2,06	10,14	18,37	5,66	11,04	6,53	11,42	2,06	3,52	9,82	24,04
	B	23,21	22,35	26,69	8,85	4,56	1,40	6,90	12,51	3,85	7,52	4,45	7,78	1,40	2,40	6,69	16,37
	C	9,02	8,68	10,37	3,44	1,77	0,70	2,68	4,86	1,50	2,92	1,73	3,02	0,70	0,93	2,60	6,36
Yellow birch, ash, basswood, elm	A	24,35	23,44	27,99	9,28	4,78	1,47	7,24	13,12	4,04	7,89	4,67	8,16	1,47	2,51	7,01	17,17
	B	16,58	15,96	19,06	6,32	3,25	1,00	4,93	8,93	2,75	5,37	3,18	5,56	1,00	1,71	4,78	11,69
	C	6,44	6,20	7,40	2,45	1,26	0,50	1,92	3,47	1,07	2,09	1,23	2,16	0,50	0,66	1,86	4,54
White birch	A	9,74	10,74	19,33	4,41	1,59	1,59	1,59	9,45	1,59	1,59	1,59	1,59	1,59	1,59	3,99	13,06
	B	6,13	6,77	12,18	2,78	1,00	1,00	1,00	5,95	1,00	1,00	1,00	1,00	1,00	1,00	2,52	8,23
	C	2,58	2,84	5,11	1,17	0,50	0,50	0,55	2,50	0,50	0,60	0,50	0,62	0,50	0,50	1,06	3,46
Sugar maple	A	16,30	11,70	16,22	7,98	3,95	1,52	8,11	9,96	7,37	6,42	4,44	6,34	2,42	3,44	6,20	12,45
	B	10,75	7,72	10,70	5,26	2,60	1,00	5,35	6,57	4,86	4,24	2,93	4,18	1,60	2,27	4,09	8,21
	C	2,50	1,79	2,48	1,22	0,60	0,50	1,24	1,52	1,13	0,98	0,68	0,97	0,50	0,53	0,95	1,91
Other hardwoods	B	6,63	6,39	7,62	2,53	1,30	1,00	1,97	3,57	1,10	2,15	1,27	2,22	1,00	1,91	4,68	
	C	2,58	2,48	2,96	0,98	0,51	0,50	0,77	1,39	0,50	0,83	0,50	0,86	0,50	0,50	0,74	1,82
Poplar	B	5,81	6,98	8,24	6,10	3,61	3,16	6,72	4,63	5,29	4,68	4,82	6,53	3,00	5,24	6,90	7,79
	C	4,35	5,22	6,17	4,56	2,70	2,36	5,03	3,46	3,96	3,50	3,61	4,89	2,25	3,92	5,17	5,83
All hardwoods (except poplar / aspen)	D	1,86	1,79	2,13	0,71	0,36	0,25	0,55	1,00	0,31	0,60	0,36	0,62	0,25	0,53	1,31	

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Stumpage (\$/m ³)																
	Quality*	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836
Fir, spruce, jack pine, tamarack	A	19,14	15,18	16,46	12,88	17,38	21,52	18,92	16,76	16,58	18,23	20,84	18,17	9,22	15,26	16,25	19,74
	B	17,15	13,07	11,17	12,88	17,38	21,52	18,92	15,47	14,32	13,11	17,11	10,86	6,81	15,20	16,25	19,74
White pine	B	11,98	11,92	11,26	8,47	11,49	12,08	10,76	11,50	11,30	11,11	12,34	11,07	6,69	9,79	9,84	8,17
Red pine	A	15,98	16,46	15,65	14,35	15,76	16,03	15,41	15,76	15,69	15,67	16,17	15,59	13,71	15,15	14,99	14,21
	B	9,14	9,12	8,78	7,50	8,89	9,19	8,55	8,89	8,82	8,91	9,49	8,86	6,88	8,29	8,13	7,36
Hemlock, cedar	B	2,28	2,49	2,19	1,66	2,24	2,29	2,09	2,24	2,21	2,02	2,11	1,97	1,49	1,96	1,92	1,60
White pine, red pine, hemlock, cedar	C	0,91	0,97	0,90	0,84	0,91	0,91	0,89	0,91	0,91	0,92	0,93	0,95	0,95	0,88	0,87	0,83
Oak, cheery, walnut, hickory	A	2,06	2,06	2,06	2,06	2,06	2,92	2,06	6,60	8,50	10,26	17,06	17,89	4,70	2,38	2,06	11,47
	B	1,40	1,40	1,40	1,40	1,40	1,99	1,40	4,50	5,79	6,99	11,62	12,18	3,20	1,62	1,40	7,81
	C	0,70	0,70	0,70	0,70	0,70	0,77	0,70	1,75	2,25	2,71	4,51	4,73	1,24	0,70	0,70	3,03
Yellow birch, ash, basswood, elm	A	1,47	1,47	1,47	1,47	1,47	2,09	1,47	4,72	6,07	7,33	12,18	12,78	3,35	1,70	1,47	8,19
	B	1,00	1,00	1,00	1,00	1,00	1,42	1,00	3,21	4,13	4,99	8,30	8,70	2,28	1,16	1,00	5,58
	C	0,50	0,50	0,50	0,50	0,50	0,55	0,50	1,25	1,61	1,94	3,22	3,38	0,89	0,50	0,50	2,17
White birch	A	1,59	1,59	1,59	1,59	1,59	1,59	1,59	1,94	3,15	4,28	8,61	9,14	1,59	1,59	1,59	5,05
	B	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,22	1,98	2,69	5,43	5,76	1,00	1,00	1,00	3,18
	C	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,51	0,83	1,13	2,28	2,42	0,50	0,50	0,50	1,34
Sugar maple	A	1,55	1,52	1,52	1,52	1,52	3,18	2,16	4,79	5,62	6,40	9,38	9,75	3,96	2,94	1,52	6,93
	B	1,02	1,00	1,00	1,00	1,00	2,09	1,42	3,16	3,71	4,22	6,19	6,43	2,61	1,94	1,00	4,57
	C	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,73	0,86	0,98	1,44	1,49	0,61	0,50	0,50	1,06
Other hardwoods	B	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,28	1,65	2,00	3,32	3,48	1,00	1,00	1,00	2,23
	C	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,64	0,78	1,29	1,35	0,50	0,50	0,50	0,87
Poplar	B	6,32	4,24	3,95	3,41	4,58	5,08	4,58	4,14	4,47	4,87	6,78	5,62	3,12	2,82	4,51	4,58
	C	4,73	3,17	2,96	2,55	3,43	3,81	3,43	3,10	3,35	3,64	5,07	4,21	2,33	2,11	3,38	3,43
All hardwoods (except poplar / aspen)	D	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,36	0,46	0,56	0,93	0,97	0,26	0,25	0,25	0,62

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m3)															
		837	838	839	840	841	842	901	902	903	904	905	906	907	908	909	910
Zones																	
Fir, spruce, jack pine, tamarack	A	11,24	10,80	7,77	9,27	3,90	7,11	14,99	14,16	13,35	19,98	16,26	18,91	17,02	13,74	11,14	9,29
	B	11,08	9,24	7,77	3,53	3,53	3,53	14,99	12,35	11,37	19,98	16,26	18,91	17,02	13,74	11,14	9,29
White pine	B	7,74	6,64	6,55	6,91	2,50	5,61	10,45	10,47	10,45	10,16	9,01	10,37	10,08	8,45	4,88	4,48
Red pine	A	14,02	13,86	13,64	13,85	13,64	13,64	13,64	13,67	13,64	13,64	13,64	13,64	13,64	13,64	13,64	13,64
	B	7,18	7,02	6,81	7,01	6,81	6,81	6,82	6,92	6,82	6,81	6,81	6,81	6,81	6,81	6,81	6,81
Hemlock, cedar	B	1,53	1,38	1,53	1,49	0,62	1,31	2,22	2,50	2,22	2,12	1,88	2,15	2,09	1,77	1,06	0,98
White pine, red pine, hemlock, cedar	C	0,82	0,79	0,96	0,87	0,39	0,82	1,13	1,18	1,13	1,10	1,01	1,12	1,10	0,96	0,64	0,60
Oak, cheery, walnut, hickory	A	2,06	2,06	2,06	2,06	2,06	2,06	20,21	11,12	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06
	B	1,40	1,40	1,40	1,40	1,40	1,40	13,76	7,57	1,40	1,40	1,40	1,40	1,40	1,40	1,40	1,40
	C	0,70	0,70	0,70	0,70	0,70	0,70	5,35	2,94	0,70	0,70	0,70	0,70	0,70	0,70	0,70	0,70
Yellow birch, ash, basswood, elm	A	1,47	1,47	1,47	1,47	1,47	1,47	14,43	7,94	1,47	1,47	1,47	1,47	1,47	1,47	1,47	1,47
	B	1,00	1,00	1,00	1,00	1,00	1,00	9,83	5,41	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00
	C	0,50	0,50	0,50	0,50	0,50	0,50	3,82	2,10	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
White birch	A	1,59	1,59	1,59	1,59	1,59	1,59	10,62	4,82	1,59	1,59	1,59	1,59	1,59	1,59	1,59	1,59
	B	1,00	1,00	1,00	1,00	1,00	1,00	6,69	3,04	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00
	C	0,50	0,50	0,50	0,50	0,50	0,50	2,81	1,28	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
Sugar maple	A	1,52	1,52	1,52	1,52	1,52	1,52	10,77	6,77	1,52	1,52	1,52	1,52	1,52	1,52	1,52	1,52
	B	1,00	1,00	1,00	1,00	1,00	1,00	7,10	4,47	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00
	C	0,50	0,50	0,50	0,50	0,50	0,50	1,65	1,04	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
Other hardwoods	B	1,00	1,00	1,00	1,00	1,00	1,00	3,93	2,16	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00
	C	0,50	0,50	0,50	0,50	0,50	0,50	1,53	0,84	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
Poplar	B	2,09	2,48	1,11	1,11	2,55	1,11	6,58	5,44	3,15	1,11	1,11	1,11	1,11	1,11	1,11	1,11
	C	1,56	1,85	1,08	1,08	1,91	1,08	4,92	4,07	2,35	1,08	1,08	1,08	1,08	1,08	1,08	1,08
All hardwoods (except poplar / aspen)	D	0,25	0,25	0,25	0,25	0,25	0,25	1,10	0,61	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m3)																
		911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	999
Fir, spruce, jack pine, tamarack	A	7,35	12,12	8,70	9,39	6,89	6,11	5,39	5,36	5,37	6,12	5,08	3,53	5,42	3,53	4,10	5,35	
	B	7,09	12,12	8,70	9,39	6,89	6,11	3,53	5,03	3,53	6,12	3,53	3,53	5,27	3,53	3,53	3,53	
White pine	B	4,42	7,29	4,30	6,21	4,35	3,34	2,54	2,49	2,49	3,38	3,33	2,52	3,58	1,42	1,42	2,69	3,37
Red pine	A	13,64	13,64	13,64	13,64	13,64	13,64	13,64	13,64	13,64	13,64	13,64	13,64	13,64	13,64	13,64	13,64	13,64
	B	6,81	6,81	6,81	6,81	6,81	6,81	6,81	6,81	6,81	6,81	6,81	6,81	6,81	6,81	6,81	6,81	6,81
Hemlock, cedar	B	0,96	1,54	0,95	1,33	0,99	0,79	0,59	0,58	0,58	0,76	0,75	0,62	0,81	0,38	0,63	0,84	
White pine, red pine, hemlock, cedar	C	0,59	0,83	0,55	0,71	0,56	0,46	0,34	0,33	0,33	0,46	0,45	0,40	0,50	0,24	0,24	0,41	0,53
Oak, cheery, walnut, hickory	A	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06	2,06
	B	1,40	1,40	1,40	1,40	1,40	1,40	1,40	1,40	1,40	1,40	1,40	1,40	1,40	1,40	1,40	1,40	1,40
	C	0,70	0,70	0,70	0,70	0,70	0,70	0,70	0,70	0,70	0,70	0,70	0,70	0,70	0,70	0,70	0,70	0,70
Yellow birch, ash, basswood, elm	A	1,47	1,47	1,47	1,47	1,47	1,47	1,47	1,47	1,47	1,47	1,47	1,47	1,47	1,47	1,47	1,47	1,47
	B	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00
	C	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
White birch	A	1,59	1,59	1,59	1,59	1,59	1,59	1,59	1,59	1,59	1,59	1,59	1,59	1,59	1,59	1,59	1,59	1,59
	B	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00
	C	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
Sugar maple	A	1,52	1,52	1,52	1,52	1,52	1,52	1,52	1,52	1,52	1,52	1,52	1,52	1,52	1,52	1,52	1,52	1,52
	B	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00
	C	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
Other hardwoods	B	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00
	C	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
Poplar	B	1,11	1,11	1,11	1,11	1,11	1,11	1,11	1,11	1,11	1,11	1,11	1,11	1,11	1,11	1,11	1,11	1,11
	C	1,08	1,08	1,08	1,08	1,08	1,08	1,08	1,08	1,08	1,08	1,08	1,08	1,08	1,08	1,08	1,08	1,08
All hardwoods (except poplar / aspen)	D	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

SCHEDULE II

(s.1)

PRICE INDEXES PER SPECIES, GROUP OF SPECIES AND QUALITY

Species and groups of species	Quality¹	Price index²	Reference price index³
Fir, spruce, jack pine, tamarack	A	Preserved or treated wood (P2457)	149,8
	B	Lumber and pulp and paper index, softwood: Lumber, softwood, Québec (P2444; 78,5 %) Newsprint paper (P2552; 10,8 %) Paper board (P2580; 1,5 %) Woodpulp, sulfate, softwood (P2538; 6,5 %) Printing and speciality paper (P2558; 2,7 %)	100,0
White pine	B	White pine (Eastern Quotes and Comments)	918
Red pine	A	Preserved or treated wood (P2457)	149,8
	B	White pine (Eastern Quotes and Comments)	918
Hemlock, cedar	B	Lumber, softwood, Québec (P2444)	155,1
White pine, red pine, hemlock, cedar	C	Pulp and paper index: Newsprint paper (P2552; 3,8 %) Paper board (P2580; 5,4 %) Woodpulp, sulfate, softwood (P2538; 90,4 %) Printing and speciality paper (P2558; 0,4 %)	100,0
Oak, cherry, walnut Hickory	A	Veneer and plywood, hardwood (P2468)	149,0
	B, C	Lumber, hardwood, birch (P3664)	166,2
Yellow birch, ash, basswood, elm	A	Veneer and plywood, hardwood (P2468)	149,0
	B, C	Lumber, hardwood, birch (P3664)	166,2
White birch	A	Veneer and plywood, hardwood (P2468)	149,0
	B, C	Lumber, hardwood, birch (P3664)	166,2
Sugar maple	A	Veneer and plywood, hardwood (P2468)	149,0
	B, C	Lumber, hardwood, maple (P3663)	165,9
Poplar/aspens	B	Poplar/Aspen index, B: Waferboard OSB (Random Lengths; 60,4 %) Pallets (P2494; 36,4 %) Woodpulp, sulphate, hardwood, domestic (P2536, 3,2 %)	100,0
	C	Poplar/Aspen index, C: Waferboard OSB (Random Lengths; 78,1 %) Pallets (P2494; 12,3 %) Woodpulp, sulphate, hardwood, domestic (P2536, 9,6 %)	100,0
Other hardwoods	B, C	Lumber, hardwood, birch (P3664)	166,2
All hardwoods except poplar/aspens	D	Pulp and paper index: Newsprint paper (P2552; 1,4 %) Paper board (P2580; 15,3 %) Woodpulp, sulfate, softwood (P2538; 72,0 %) Printing and speciality paper (P2558; 11,3 %)	100,0

¹ The letters A, B, C and D correspond to quality levels determined on the basis of the assessment of cuts according to species, diameter length and imperfections on crosscuts and trunks.

² The source of the price indexes and the relative weight of each are indicated in parentheses. The price indexes from Statistics Canada are indicated according to the Cansim number appearing in catalogue 62-011.

³ The reference price index corresponds to the average of the price indexes calculated between 1 April 1998 and 31 March 1999.