

(2) in all other cases, \$64 for each return trip plus \$0.75 per kilometre travelled;

(3) \$50 for each additional body transported during the same trip.

2. The carrier shall be paid \$15 per hour per employee, up to a maximum of \$120 per employee, for any wait sustained by the employee during the examination of the body or when taking possession of the body if the wait exceeds one hour.

3. The morgue designated under paragraph 2 of section 32 of the Act respecting the determination of the causes and circumstances of death (R.S.Q., c. R-0.2) shall be paid \$25 for each 24-hour period, or part thereof, of safekeeping or preservation of the body.

4. The designated morgue shall be paid \$25 each time the coroner or a person authorized by the coroner visits the morgue during the period of safekeeping or preservation of the body.

5. The carrier shall be reimbursed for living expenses in accordance with Directive 7-74 of the Conseil du trésor entitled *Règles sur les frais de déplacement du personnel engagé à honoraires*.

6. This Tariff replaces the Tariff respecting coroners' investigations and inquests, made by O.C. 1376-83 dated 22 June 1983.

7. This Tariff comes into force on the fifteenth day following the date of its publication in the *Gazette officielle du Québec*.

4071

Draft Regulation

Forest Act
(R.S.Q., c. F-4.1)

Unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants

Notice is hereby given, in accordance with sections 10 and 11 of the Regulations Act (R.S.Q., c. R-18.1), that the Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants, the text of which appears below, may be made by the Minister at the expiry of 45 days following this publication.

Any person having comments to make on this matter is asked to send them in writing, before the expiry of the 45-day period, to Mr. Marc Ledoux, Associate Deputy Minister for Forests, ministère des Ressources naturelles, 880, chemin Sainte-Foy, 10^e étage, Québec (Québec) G1S 4X4.

JACQUES BRASSARD,
Minister of Natural Resources

Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants

Forest Act
(R.S.Q., c. F-4.1, ss. 5 and 72)

1. The unit rates for stumpage in forests in the public domain set out in Schedule I shall be indexed on 1 April, 1 July, 1 October 2001 and 1 January 2002 in accordance with the performance of the price indexes for the forest products specified in Schedule II. The index rates per species, group of species and quality shall be calculated in accordance with the following formulas:

Index rate at 1 April 2001	=	Average price index for the months <u>of December 2000, January and February 2001</u> Average price index for the months of April 1999 to March 2000
-------------------------------	---	---

Index rate at 1 July 2001	=	Average price index for the months <u>of March, April and May 2001</u> Average price index for the months of April 1999 to March 2000
------------------------------	---	--

Index rate at 1 October 2001	=	Average price index for the months <u>of June, July and August 2001</u> Average price index for the months of April 1999 to March 2000
---------------------------------	---	---

Index rate at 1 January 2002	=	Average price index for the months <u>of September, October and November 2001</u> Average price index for the months of April 1999 to March 2000
---------------------------------	---	---

The amounts thus indexed shall apply, in each forest tariffing zone indicated in Schedule I, to the calculation of the dues payable by the holder of a forest management permit for the supply of a wood processing plant for the 3-month period following the date of indexing.

The amounts indexed in the manner prescribed in the first paragraph shall be reduced to the nearest fraction of \$0.10/m³ where they contain a fraction less than \$0.025/m³. They shall be rounded off to the nearest fraction of \$0.05/m³ where they contain a fraction equal to or greater than \$0.025/m³ but less than \$0.075/m³ and shall be increased to the nearest fraction of \$0.10/m³ where they contain a fraction equal to or greater than \$0.075/m³.

The Minister of Natural Resources shall inform the public, through Part I of the *Gazette officielle du Québec* and, where he considers it appropriate, by any other means, of the indexing calculated under this section.

2. This Regulation replaces the Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants, made by Minister's Order 432 of the Minister of Natural Resources, dated 24 March 2000 and published in Part 2 of the *Gazette officielle du Québec* of 31 March 2000.

3. This Regulation comes into force on 1 April 2001.

REFERENCE UNIT RATES FOR STUMPPAGE IN FORESTS IN THE DOMAIN OF THE STATE FOR THE 2001-2002 FISCAL YEAR

Species	Quality*	Stumpage (\$/m ³)										201	202	203	204	205	
		101	102	103	104	111	112	113	114	115	116	117	201	202	203	204	
Fir, spruce, jack pine, tamarack	A	18,10	15,90	15,63	15,65	13,85	13,83	13,78	13,79	14,02	14,56	13,82	17,37	17,37	17,55	19,40	18,42
	B	16,97	14,52	13,76	15,05	9,43	13,68	9,11	8,90	7,75	12,00	13,56	15,37	12,22	17,55	13,31	16,03
White pine	B	11,42	9,34	9,31	9,31	9,10	9,10	9,09	9,09	9,10	9,10	9,10	10,66	10,14	9,65	10,02	
	A	18,44	14,70	14,58	14,59	13,83	13,82	13,80	13,80	13,83	13,83	13,82	18,10	18,09	17,60	16,10	16,84
Red pine	B	8,12	6,78	6,78	6,78	6,78	6,78	6,78	6,78	6,78	6,78	6,78	8,80	8,80	8,61	7,86	8,20
	A	4,13	3,55	3,52	3,52	3,31	3,31	3,30	3,30	3,31	3,31	3,31	3,81	3,81	3,94	3,11	3,37
Hemlock, cedar	C	1,42	1,25	1,25	1,25	1,24	1,24	1,24	1,24	1,24	1,24	1,24	1,37	1,37	1,39	1,13	1,22
	A	71,61	60,38	56,54	36,45	34,70	33,29	3,43	3,43	7,63	29,41	3,43	38,73	25,58	35,04	22,98	37,92
Oak, cheery, walnut, hickory	B	26,72	22,53	21,10	13,60	12,95	12,42	1,76	1,38	2,85	10,98	1,28	14,45	9,54	13,07	8,57	14,15
	C	9,00	8,60	8,05	5,35	4,20	4,17	1,76	1,38	2,44	3,61	1,10	5,69	3,75	5,14	3,37	5,57
Yellow birch, ash, basswood, elm	A	52,04	49,74	46,58	43,05	24,32	24,10	10,00	10,00	10,00	29,07	10,00	43,12	31,31	42,90	28,13	46,43
	B	18,42	17,60	16,48	9,57	8,60	8,53	1,76	1,38	2,44	6,58	1,10	8,84	3,16	7,45	3,96	6,78
White birch	C	7,03	6,72	6,29	3,65	3,28	3,25	1,76	1,38	2,44	3,09	1,10	3,37	3,16	3,63	2,84	3,68
	A	52,04	49,74	46,58	43,05	24,32	24,10	10,00	10,00	10,00	29,07	10,00	43,12	31,31	42,90	28,13	46,43
Sugar maple	B	11,33	9,95	10,49	10,63	4,57	2,54	1,76	1,38	2,44	7,18	1,10	11,29	7,46	10,21	6,70	11,05
	C	4,46	3,92	4,12	4,18	2,74	2,54	1,76	1,38	2,44	3,09	1,10	4,44	3,16	4,02	2,84	4,35
Other hardwoods	A	55,95	42,05	35,99	28,37	27,11	26,01	10,00	10,00	10,00	22,98	10,00	18,05	10,00	10,00	10,00	10,00
	B	20,88	15,69	13,43	10,59	10,12	9,71	1,76	1,38	2,44	8,57	1,10	6,73	3,16	3,63	2,84	3,68
Poplar	C	5,13	3,88	3,84	3,49	2,74	2,54	1,76	1,38	2,44	3,09	1,10	3,15	3,16	3,63	2,84	3,68
	D	4,02	3,88	3,84	3,49	2,74	2,54	1,76	1,38	2,44	3,09	1,10	3,15	3,16	3,63	2,84	3,68
All hardwoods (except poplar / aspen)																	

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

REFERENCE UNIT RATES FOR STUMPPAGE IN FORESTS IN THE DOMAIN OF THE STATE FOR THE 2001-2002 FISCAL YEAR

Species	Quality*	Stumpage (\$/m ³)															
		206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221
Fir, spruce, jack pine, tamarack	A	20,50	19,28	16,30	16,09	16,07	15,19	18,57	20,30	18,87	15,14	13,73	12,53	12,35	13,28	12,52	15,48
	B	9,53	19,28	14,96	14,40	16,07	13,71	18,57	20,30	18,87	15,14	12,20	6,54	8,70	10,74	10,26	15,48
White pine	B	9,75	9,64	9,85	10,12	9,55	9,57	9,89	9,76	9,39	7,86	7,56	8,78	7,37	7,51	7,42	8,14
	A	16,19	16,08	15,40	14,83	13,84	14,71	15,47	16,06	15,85	14,13	13,98	14,66	13,93	13,97	13,92	13,83
Red pine	B	7,94	7,85	7,62	7,41	6,83	7,27	7,66	7,89	7,66	6,87	6,83	7,52	6,85	6,84	6,81	6,79
	A	3,13	3,10	3,00	3,05	2,22	2,62	3,06	3,12	3,03	2,15	1,86	1,90	1,76	1,83	1,82	1,84
Hemlock, cedar	C	1,16	1,12	1,19	1,25	1,12	1,14	1,20	1,16	1,06	0,98	0,89	0,81	0,93	0,90	0,89	0,93
	A	40,37	21,96	32,61	39,07	23,63	30,59	34,25	28,91	14,57	3,43	3,43	3,43	11,67	26,07	4,54	3,43
Oak, cheery, walnut, hickory	B	15,06	8,19	12,17	14,58	8,82	11,41	12,78	10,79	5,44	1,96	1,87	1,28	4,35	9,73	1,69	2,07
	C	5,93	3,22	4,79	5,56	3,37	4,36	5,03	4,24	2,72	1,96	1,87	0,64	1,71	3,83	0,75	2,07
Yellow birch, ash, basswood, elm	A	49,43	26,88	39,93	39,46	23,86	30,89	41,93	35,39	17,84	10,00	10,00	10,00	14,29	31,92	10,00	10,00
	B	6,10	3,05	8,31	11,39	6,89	8,92	6,42	3,35	2,72	1,96	1,87	1,00	1,00	1,00	1,00	2,07
White birch	C	3,75	3,05	3,59	4,35	2,63	3,40	3,73	3,35	2,72	1,96	1,87	0,50	0,50	0,50	0,75	2,07
	A	49,43	26,88	39,93	39,46	23,86	30,89	41,93	35,39	17,84	10,00	10,00	10,00	14,29	31,92	10,00	10,00
Sugar maple	B	11,77	6,40	9,51	6,48	2,36	7,13	9,98	8,43	4,25	1,96	1,87	1,00	3,40	7,60	1,32	2,07
	C	4,63	3,05	3,74	3,04	2,36	3,21	3,93	3,35	2,72	1,96	1,87	0,50	1,34	2,99	0,75	2,07
Other hardwoods	A	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	
	B	3,75	3,05	3,59	3,04	2,36	3,21	3,73	3,35	2,72	1,96	1,87	1,00	1,00	1,00	1,00	2,07
Poplar	C	3,75	3,05	3,59	3,04	2,36	3,21	3,73	3,35	2,72	1,96	1,87	0,50	0,50	0,50	0,75	2,07
	B	5,71	4,79	4,79	4,50	3,61	3,19	4,43	5,41	3,97	2,89	2,84	1,05	1,05	1,05	2,31	2,89
All hardwoods (except poplar / aspen)	D	3,75	3,05	3,59	3,04	2,36	3,21	3,73	3,35	2,72	1,96	1,87	0,25	0,25	0,28	0,75	2,07

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

SCHEDULE 1
 (s.1)

REFERENCE UNIT RATES FOR STUMPPAGE IN FORESTS IN THE DOMAIN OF THE STATE FOR THE 2001-2002 FISCAL YEAR

Species	Quality*	Stumpage (\$/m ³)															
		222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237
Fir, spruce, jack pine, tamarack	A	18.84	14,86	17,18	17,08	13,34	11,16	7,33	6,09	5,58	5,40	6,74	11,95	6,04	13,94	10,59	10,59
	B	18.84	13,21	17,18	17,08	13,34	8,05	4,24	3,97	3,97	5,29	6,74	11,95	5,70	13,94	3,97	4,85
White pine	B	9,18	8,61	8,42	9,30	7,91	7,58	4,71	3,75	3,06	2,79	4,10	7,17	3,71	7,71	7,01	7,12
	A	15,56	13,95	13,82	14,78	13,80	13,80	13,80	13,80	13,80	13,80	13,80	13,80	13,80	14,00	13,82	13,89
Red pine	B	7,51	6,85	6,78	7,29	6,78	6,78	6,78	6,78	6,78	6,78	6,78	6,78	6,83	6,78	6,86	
	A	2,87	1,99	1,89	2,57	1,77	1,70	1,13	0,93	0,78	0,72	1,00	1,62	0,92	2,05	1,85	1,81
Hemlock, cedar	C	1,02	0,98	0,95	1,10	0,91	0,91	0,64	0,56	0,48	0,45	0,59	0,85	0,55	1,00	1,17	1,14
	A	11,10	16,06	8,43	21,99	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	38,16	3,43	3,43
Oak, cheery, walnut, hickory	B	4,14	5,99	3,15	8,20	2,09	1,28	1,30	1,28	1,28	1,28	1,28	1,28	1,28	14,24	1,28	1,28
	C	2,64	2,82	2,53	3,23	2,09	0,82	1,30	0,64	0,64	0,64	0,64	0,64	0,64	5,60	0,64	0,64
Yellow birch, ash, basswood, elm	A	13,59	19,66	10,32	26,92	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	46,72	10,00	10,00
	B	2,64	2,82	2,53	3,17	2,09	1,00	1,30	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00
White birch	C	2,64	2,82	2,53	3,17	2,09	0,82	1,30	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
	A	13,59	19,66	10,32	26,92	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	46,72	10,00	10,00
Sugar maple	B	3,23	4,68	2,53	6,41	2,09	1,00	1,30	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00
	C	2,64	2,82	2,53	3,17	2,09	0,82	1,30	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
Other hardwoods	B	2,64	2,82	2,53	3,17	2,09	0,82	1,30	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
	C	2,64	2,82	2,53	3,17	2,09	0,82	1,30	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50
Poplar	B	3,55	3,97	3,60	4,34	2,29	2,27	1,05	1,05	1,05	1,05	1,07	1,76	1,05	1,44	1,05	1,05
	D	2,64	2,82	2,53	3,17	2,09	0,82	1,30	0,25	0,25	0,25	0,25	1,39	0,25	0,47	0,25	0,25
All hardwoods (except poplar / aspen)																	

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

SCHEDULE 1
(s.1)

REFERENCE UNIT RATES FOR STUMPPAGE IN FORESTS IN THE DOMAIN OF THE STATE FOR THE 2001-2002 FISCAL YEAR

Species	Quality*	Stumpage (\$/m ³)															
		238	239	301	302	303	304	305	306	401	402	403	404	405	406	407	408
Fir, spruce, jack pine, tamarack	A	10,24	6,80	19,44	16,55	17,29	19,00	16,02	16,81	18,54	19,26	19,91	18,71	18,48	16,61	14,71	16,22
	B	5,65	3,97	16,91	11,00	8,31	17,75	14,13	16,81	15,84	19,26	19,91	16,90	16,84	10,37	14,71	16,08
White pine	B	6,94	5,60	13,93	9,81	10,57	13,92	10,01	10,23	13,89	14,19	15,32	13,33	12,90	9,94	12,84	8,49
	A	13,80	13,80	22,62	17,29	18,02	23,12	15,38	14,94	22,95	23,50	25,27	22,21	21,54	16,75	20,11	14,99
Red pine	B	6,78	6,78	9,85	8,50	8,77	10,91	7,69	7,50	10,78	11,04	11,81	10,53	10,23	8,03	9,90	7,08
	A	1,83	1,43	4,71	4,02	3,83	4,77	3,53	3,35	4,69	4,81	5,18	4,60	4,46	3,26	3,97	3,23
Hemlock, cedar	C	1,19	0,93	1,61	1,40	1,38	1,78	1,36	1,35	1,72	1,79	1,95	1,70	1,64	1,13	1,38	0,84
	B	7,22	3,43	62,93	30,65	50,46	85,17	21,04	36,91	67,66	73,86	84,31	63,81	55,18	14,32	13,69	5,76
Oak, cherry, walnut, hickory	B	2,69	1,28	23,48	11,44	18,83	31,78	7,85	13,77	25,24	27,56	31,46	23,81	20,59	5,34	5,11	2,36
	C	1,06	0,64	7,78	4,37	4,80	9,09	3,00	5,26	8,65	10,52	10,77	7,30	8,10	2,79	2,45	2,36
Yellow birch, ash, basswood, elm	A	10,00	10,00	45,03	30,95	32,16	68,94	21,25	37,27	52,70	66,68	81,66	55,38	61,43	15,23	12,06	10,00
	B	1,00	1,00	15,93	8,94	9,82	17,28	6,13	10,76	17,71	21,53	20,30	14,43	14,96	4,17	3,48	2,36
White birch	C	0,50	0,50	6,08	3,41	3,75	6,59	2,82	4,11	6,76	8,22	7,75	5,51	5,71	2,79	2,45	2,36
	A	10,00	10,00	45,03	30,95	32,16	68,94	21,25	37,27	52,70	66,68	81,66	55,38	61,43	15,23	12,06	10,00
	B	2,10	1,00	10,36	8,02	8,21	18,05	4,92	6,50	14,60	18,47	21,38	14,50	16,08	3,63	2,80	2,36
	C	0,83	0,50	4,07	3,15	3,23	7,10	2,82	2,98	5,74	7,27	8,41	5,70	6,33	2,79	2,45	2,36
Sugar maple	A	10,00	10,00	49,17	20,08	39,43	66,54	10,00	10,00	52,86	55,78	65,87	49,85	40,43	10,00	10,69	10,00
	B	1,00	1,00	18,35	7,49	14,71	24,83	3,36	2,98	19,72	20,81	24,58	18,60	15,09	2,79	3,99	2,36
Other hardwoods	C	0,50	0,50	4,51	2,78	3,62	6,10	2,82	2,98	4,85	5,12	6,04	4,57	3,71	2,79	2,45	2,36
	B	1,00	1,00	6,37	3,57	3,93	6,91	2,82	4,30	7,09	8,61	8,12	5,77	5,98	2,79	2,45	2,36
Poplar	C	0,50	0,50	3,02	2,78	2,77	3,62	2,82	2,98	3,87	3,97	4,20	3,42	3,63	2,79	2,45	2,36
	B	1,05	1,05	4,65	3,51	3,37	5,70	4,26	5,00	4,86	5,19	4,87	5,67	3,76	3,46	2,91	2,36
All hardwoods (except poplar / aspen)	D	0,25	0,25	3,02	2,78	2,77	3,62	2,82	2,98	3,87	3,97	4,20	3,42	3,63	2,79	2,45	2,36

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

SCHEDULE 1
 (s.1)

REFERENCE UNIT RATES FOR STUMPPAGE IN FORESTS IN THE DOMAIN OF THE STATE FOR THE 2001-2002 FISCAL YEAR

Species	Quality*	Stumpage (\$/m ³)															
		409	410	411	412	413	501	601	602	603	604	605	606	607	608	609	610
Fir, spruce, jack pine, tamarack	A	14.15	15.40	14.16	14.47	16.29	19.46	20.69	21.03	19.64	19.07	17.15	18.38	15.77	13.27	13.26	14.52
	B	8.73	8.38	11.56	10.27	16.29	14.67	20.69	20.25	18.83	16.89	15.30	18.38	15.77	10.25	11.36	5.36
White pine	B	8.42	9.80	8.42	8.25	9.02	13.97	16.49	16.77	15.76	15.35	14.69	15.11	13.45	13.36	13.36	12.54
	A	14.92	15.39	14.92	14.42	15.45	22.68	26.13	26.54	25.67	25.31	23.80	24.77	20.92	20.73	20.73	19.92
Red pine	B	7.03	7.86	7.03	7.08	7.45	9.89	12.31	12.47	12.01	11.83	11.31	11.64	10.31	10.24	10.24	9.73
	A	3.25	2.84	3.25	2.32	2.84	4.72	5.38	5.48	5.28	5.19	4.82	5.06	4.10	4.05	4.05	3.91
Hemlock, cedar	C	0.82	0.89	0.82	0.92	1.03	1.62	2.04	2.08	1.99	1.96	1.79	1.90	1.47	1.45	1.45	1.39
	A	3.71	3.43	3.43	3.43	20.40	88.85	98.40	113.84	104.76	87.13	85.18	87.50	67.37	56.94	24.69	39.19
Oak, cheery, walnut, hickory	B	2.18	1.40	1.69	1.35	7.61	33.15	36.72	42.48	39.09	32.51	31.78	32.65	25.14	21.25	9.21	14.62
	C	2.18	1.40	1.69	1.35	2.91	11.29	14.01	16.21	14.92	12.41	12.13	12.46	9.60	8.11	3.52	5.58
Yellow birch, ash, basswood, elm	A	10.00	10.00	10.00	10.00	20.60	60.76	79.73	87.98	85.74	69.52	69.58	69.21	50.60	42.77	24.93	39.58
	B	2.18	1.40	1.69	1.35	5.95	23.11	28.68	33.19	30.54	25.40	24.83	25.51	19.64	16.60	7.20	11.42
White birch	A	10.00	10.00	10.00	10.00	20.60	60.76	79.73	87.98	85.74	69.52	69.58	69.21	50.60	42.77	24.93	39.58
	B	2.18	1.40	1.69	1.35	2.43	8.82	10.95	12.67	11.66	9.69	9.48	9.74	7.50	6.34	2.95	4.36
Sugar maple	A	10.00	10.00	10.00	10.00	20.60	60.76	79.73	87.98	85.74	69.52	69.58	69.21	50.60	42.77	24.93	39.58
	B	2.18	1.40	1.69	1.35	4.09	16.56	22.61	24.95	24.14	19.57	19.59	19.48	13.32	10.62	3.42	5.83
Other hardwoods	C	2.18	1.40	1.69	1.35	2.43	6.51	8.89	9.81	9.49	7.70	7.70	7.66	5.24	4.18	2.95	3.17
	A	2.18	1.40	1.69	1.35	2.43	6.37	6.94	7.14	5.70	5.05	4.64	5.42	4.21	3.75	2.95	3.17
Poplar	B	2.92	2.26	1.94	2.13	3.36	4.17	7.08	7.44	7.37	6.38	4.52	5.61	5.69	3.35	3.54	4.26
	D	2.18	1.40	1.69	1.35	2.43	3.57	5.02	5.08	5.55	5.05	4.64	4.52	4.05	3.47	2.95	3.17
All hardwoods (except poplar / aspen)																	

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

REFERENCE UNIT RATES FOR STUMPPAGE IN FORESTS IN THE DOMAIN OF THE STATE FOR THE 2001-2002 FISCAL YEAR

Species	Quality*	Stumpage (\$/m ³)															
		701	702	703	704	705	706	707	708	709	710	711	712	801	802	803	804
Fir, spruce, jack pine, tamarack	A	21.00	17.75	13.63	15.41	15.83	14.22	13.57	13.62	12.10	12.75	11.96	12.69	10.47	11.10	12.52	10.92
	B	21.00	13.36	11.61	13.90	11.31	12.25	13.48	13.62	8.32	7.20	3.97	3.97	7.95	8.57	11.77	8.35
White pine	B	17.15	17.96	16.89	17.38	17.52	17.08	16.93	14.49	14.04	13.28	12.64	12.95	16.28	16.39	16.26	16.36
Red pine	A	26.60	26.60	24.14	25.23	25.73	24.67	24.15	21.22	20.30	19.97	18.04	19.41	23.25	23.28	22.75	23.27
	B	12.56	12.75	12.00	12.34	12.46	12.15	12.02	10.73	10.44	10.09	9.53	9.86	11.66	11.70	11.60	11.69
Hemlock, cedar	B	5.47	5.44	4.83	5.10	5.22	4.96	4.83	4.06	3.76	3.77	3.13	3.62	4.59	4.60	4.43	4.60
White pine, red pine, hemlock, cedar	C	2.07	2.04	1.75	1.88	1.94	1.81	1.75	1.48	1.39	1.37	1.17	1.31	1.66	1.65	1.58	1.65
Oak, cheery, walnut, hickory	A	97.74	74.52	78.56	70.58	56.47	57.20	48.31	50.83	32.58	17.79	8.21	12.47	66.20	57.76	85.41	74.95
	B	36.47	27.81	29.31	26.34	21.07	21.34	18.02	18.97	12.16	6.64	3.07	4.65	24.70	21.55	31.87	27.97
	C	13.69	10.94	11.19	10.05	8.07	7.96	6.56	7.24	4.04	2.61	2.45	2.61	9.43	8.23	12.16	10.67
Yellow birch, ash, basswood, elm	A	92.84	75.02	65.28	58.11	47.17	46.59	38.38	47.23	24.53	13.93	10.00	13.57	53.61	50.79	66.40	60.01
	B	28.02	21.29	22.90	20.57	16.37	16.30	13.43	14.82	8.28	4.06	2.45	3.57	19.30	16.84	24.90	21.85
	C	10.70	8.12	8.74	7.85	6.25	6.22	5.12	5.66	3.16	2.61	2.45	2.61	7.37	6.43	9.50	8.34
White birch	A	92.84	75.02	65.28	58.11	47.17	46.59	38.38	47.23	24.53	13.93	10.00	13.57	53.61	50.79	66.40	60.01
	B	26.88	21.72	18.51	19.11	16.02	12.23	10.65	12.60	5.72	3.72	2.45	3.23	16.09	15.38	20.35	18.39
	C	10.57	8.55	7.28	7.52	6.30	4.81	4.19	4.96	2.93	2.61	2.45	2.61	6.33	6.05	8.01	7.24
Sugar maple	A	76.36	53.25	45.25	43.59	44.11	44.69	37.74	39.41	25.45	13.90	10.00	10.00	38.89	35.21	53.10	43.15
	B	28.49	19.87	16.88	16.27	16.46	16.68	14.08	14.70	9.50	5.19	2.45	3.64	14.51	13.14	19.81	16.10
	C	7.00	4.88	4.56	4.00	4.05	4.10	3.46	3.92	2.93	2.61	2.45	2.61	3.94	4.34	5.00	4.36
Other hardwoods	B	11.21	8.51	9.16	8.23	6.55	6.52	5.37	5.93	3.31	2.61	2.45	2.61	7.72	6.74	9.96	8.74
	C	5.76	4.40	4.56	3.94	3.58	3.47	3.33	3.92	2.93	2.61	2.45	2.61	3.94	4.34	5.00	4.36
Poplar	B	5.98	4.55	5.34	4.24	3.44	2.68	3.36	5.04	3.23	3.74	2.61	2.22	5.93	7.05	7.21	6.54
All hardwoods (except poplar / aspen)	D	5.76	4.40	4.56	3.94	3.58	3.47	3.33	3.92	2.93	2.61	2.45	2.61	3.94	4.34	5.00	4.36

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

REFERENCE UNIT RATES FOR STUMPPAGE IN FORESTS IN THE DOMAIN OF THE STATE FOR THE 2001-2002 FISCAL YEAR

Species	Quality*	Stumpage (\$/m ³)															
		805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820
Fir, spruce, jack pine, tamarack	A	10,50	12,08	13,35	10,54	11,26	13,28	14,86	14,00	15,05	13,45	15,63	16,60	14,15	15,35	19,75	21,11
	B	5,86	9,88	12,75	8,38	8,11	4,77	14,86	8,76	9,08	6,87	11,23	13,81	5,62	12,76	17,08	20,24
White pine	B	16,29	16,00	15,70	16,24	15,23	13,78	14,68	13,60	13,39	13,74	13,01	13,20	13,57	13,44	12,89	12,41
	A	23,25	22,43	21,66	23,18	21,85	19,55	20,12	18,07	18,38	19,45	18,11	17,97	18,11	17,78	16,93	16,42
Red pine	B	11,66	11,48	11,29	11,64	11,09	10,30	10,77	10,25	10,09	10,28	9,82	9,97	10,23	10,14	9,78	9,44
	A	4,59	4,31	4,05	4,57	4,19	3,44	3,51	2,69	2,94	3,40	2,97	2,80	2,73	2,61	2,36	2,30
Hemlock, cedar	C	1,66	1,55	1,46	1,65	1,53	1,30	1,31	1,05	1,17	1,29	1,16	1,14	1,06	1,03	1,01	0,99
	B	61,16	69,08	68,74	63,10	44,19	10,34	35,23	24,72	17,94	7,80	7,02	12,63	6,91	12,99	15,04	20,11
Oak, cheery, walnut, hickory	B	22,82	25,77	25,65	23,55	16,49	3,86	13,14	9,22	6,70	2,91	2,62	4,71	2,58	4,85	5,61	7,50
	C	8,71	9,84	9,79	8,99	6,29	2,10	5,17	3,63	2,63	2,20	2,07	2,23	2,08	2,54	2,64	2,86
Yellow birch, ash, basswood, elm	A	50,95	59,66	60,05	54,67	38,17	12,66	43,13	30,26	21,97	10,00	10,00	15,46	10,00	15,91	18,41	20,30
	B	17,83	20,14	20,04	18,40	12,88	2,10	8,14	6,05	4,31	2,20	2,07	3,39	2,08	3,02	4,37	5,86
White birch	B	14,13	14,60	16,02	14,59	9,15	3,01	10,27	7,21	5,23	2,20	2,07	2,23	2,08	2,54	2,64	2,24
	C	5,56	5,74	6,30	5,74	3,60	2,10	4,04	3,00	2,47	2,20	2,07	2,23	2,08	2,54	2,64	2,24
Sugar maple	A	39,68	46,67	43,89	38,69	26,85	10,00	14,07	12,63	10,00	10,00	10,00	10,00	10,00	10,42	10,00	
	B	14,81	17,42	16,38	14,44	10,02	2,10	5,25	4,71	3,08	2,27	2,07	2,89	2,08	2,58	3,89	1,60
Other hardwoods	C	3,87	4,28	4,41	3,97	3,07	2,10	3,34	3,00	2,47	2,20	2,07	2,23	2,08	2,54	2,64	2,34
	B	7,13	8,05	8,02	7,36	5,15	2,10	3,34	3,00	2,47	2,20	2,07	2,23	2,08	2,54	2,64	1,60
Poplar	C	3,87	4,27	4,41	3,97	3,07	2,10	3,34	3,00	2,47	2,20	2,07	2,23	2,08	2,54	2,64	1,60
	B	4,58	5,62	6,42	4,82	3,09	2,67	5,13	3,23	3,94	3,30	3,81	5,10	2,03	4,06	5,59	6,03
All hardwoods (except poplar / aspen)	D	3,87	4,27	4,41	3,97	3,07	2,10	3,34	3,00	2,47	2,20	2,07	2,23	2,08	2,54	2,64	1,60

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

SCHEDULE 1
 (s.1)

REFERENCE UNIT RATES FOR STUMPPAGE IN FORESTS IN THE DOMAIN OF THE STATE FOR THE 2001-2002 FISCAL YEAR

Species	Quality*	Stumpage (\$/m ³)										Zones						
		Zones					Zones					Zones						
		821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836	
Fir, spruce, jack pine, tamarack	A	19,37	15,36	16,65	12,92	16,97	21,75	18,65	16,96	16,77	18,45	21,09	18,39	9,33	15,44	16,34	15,53	
	B	16,95	11,07	7,11	12,92	16,88	21,75	18,65	14,16	12,85	11,64	16,11	8,99	3,97	13,54	16,34	15,53	
White pine	B	11,93	11,87	11,22	8,44	11,45	12,03	10,71	11,45	11,25	11,06	12,29	11,02	6,66	9,75	9,81	8,14	
Red pine	A	16,18	16,65	15,84	14,52	15,95	16,22	15,60	15,95	15,88	15,86	16,37	15,77	13,87	15,33	15,17	14,38	
	B	9,10	9,09	8,74	7,47	8,85	9,15	8,51	8,85	8,78	8,87	9,45	8,83	6,85	8,25	8,09	7,33	
Hemlock, cedar	B	2,38	2,60	2,29	1,73	2,34	2,39	2,18	2,34	2,31	2,11	2,20	2,06	1,56	2,05	2,01	1,67	
White pine, red pine, hemlock, cedar	C	0,98	1,04	0,97	0,90	0,98	0,98	0,96	0,98	0,98	0,99	1,00	1,02	1,02	0,95	0,94	0,90	
Oak, cheery, walnut, hickory	A	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	9,77	20,72	18,24	3,43	3,43	3,43	16,08
	B	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	3,64	7,73	6,80	1,28	1,28	1,28	6,00	
	C	0,68	1,24	0,64	0,64	0,64	0,72	0,64	0,64	0,64	1,39	2,95	2,60	0,64	0,64	0,64	2,36	
Yellow birch, ash, basswood, elm	A	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	20,92	18,41	10,00	10,00	10,00	19,69	
	B	1,00	1,24	1,00	1,00	1,00	1,00	1,00	1,00	1,00	2,85	6,04	5,32	1,00	1,00	1,00	1,00	
	C	0,68	1,24	0,50	0,50	0,50	0,72	0,50	0,59	0,53	1,09	2,31	2,03	0,50	0,50	0,50	0,50	
White birch	A	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	20,92	18,41	10,00	10,00	10,00	19,69	
	B	1,00	1,24	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,25	1,10	1,10	1,00	1,00	1,00	
	C	0,68	1,24	0,50	0,50	0,50	0,72	0,50	0,59	0,53	0,72	1,25	1,10	0,50	0,50	0,50	1,84	
Sugar maple	A	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	
	B	1,00	1,24	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,25	1,10	1,10	1,00	1,00	1,00	
	C	0,68	1,24	0,50	0,50	0,50	0,72	0,50	0,59	0,53	0,72	1,25	1,10	0,50	0,50	0,50	0,50	
Other hardwoods	B	1,00	1,24	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,14	2,42	2,13	1,00	1,00	1,00	1,00	
	C	0,68	1,24	0,50	0,50	0,50	0,72	0,50	0,59	0,53	0,72	1,25	1,10	0,50	0,50	0,50	0,50	
Poplar	B	4,90	3,26	2,96	2,66	3,43	4,05	3,56	2,93	3,26	4,02	5,06	4,52	2,22	2,06	3,56	3,47	
All hardwoods (except poplar / aspen)	D	0,68	1,24	0,25	0,25	0,25	0,72	0,25	0,59	0,53	0,72	1,25	1,10	0,25	0,25	0,25	0,25	

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

SCHEDULE 1
 (s.1)

REFERENCE UNIT RATES FOR STUMPPAGE IN FORESTS IN THE DOMAIN OF THE STATE FOR THE 2001-2002 FISCAL YEAR

Species	Quality*	Stumpage (\$/m ³)															
		837	838	839	840	841	842	901	902	903	904	905	906	907	908	909	910
Fir, spruce, jack pine, tamarack	A	11.43	10.93	7.72	9.39	3.97	7.19	13.51	14.33	13.51	18.39	15.34	17.34	15.39	12.17	10.25	7.97
	B	11.43	6.64	7.03	3.97	3.97	13.51	11.19	11.02	18.39	15.34	17.34	14.21	9.99	10.25	6.54	
White pine	B	7.71	6.61	6.52	6.88	2.49	5.59	10.41	10.43	10.41	10.12	8.97	10.33	10.04	8.42	4.86	4.47
	A	14.19	14.03	13.80	14.01	13.80	13.80	13.83	13.80	13.80	13.80	13.80	13.80	13.80	13.80	13.80	
Red pine	B	7.15	6.99	6.78	6.98	6.78	6.78	6.79	6.90	6.79	6.78	6.78	6.78	6.78	6.78	6.78	
	A	1.60	1.45	1.60	1.56	0.64	1.36	2.32	2.61	2.32	2.21	1.97	2.25	2.19	1.85	1.10	1.02
Hemlock, cedar	C	0.88	0.85	1.03	0.94	0.42	0.89	1.22	1.27	1.22	1.18	1.08	1.21	1.18	1.03	0.69	0.65
	B	3.43	3.43	3.43	3.43	3.43	3.43	20.26	18.78	3.43	3.43	3.43	3.43	3.43	3.43	3.43	3.43
Oak, cheery, walnut, hickory	A	1.28	1.28	1.28	1.28	1.28	1.28	7.56	7.01	2.06	1.56	1.28	1.94	1.28	1.28	1.28	1.28
	B	0.64	0.64	0.64	0.64	0.64	0.64	2.97	2.68	2.06	1.56	0.71	1.94	0.72	0.64	0.64	0.64
	C	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50	0.50
Yellow birch, ash, basswood, elm	A	10.00	10.00	10.00	10.00	10.00	10.00	24.81	18.97	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
	B	1.00	1.00	1.00	1.00	1.00	1.00	2.82	5.48	2.06	1.56	1.00	1.94	1.00	1.00	1.00	1.00
	C	0.50	0.50	0.50	0.50	0.50	0.50	2.82	2.35	2.06	1.56	0.71	1.94	0.72	0.50	0.50	0.50
White birch	A	10.00	10.00	10.00	10.00	10.00	10.00	24.81	18.97	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
	B	1.00	1.00	1.00	1.00	1.00	1.00	5.91	2.35	2.06	1.56	1.00	1.94	1.00	1.00	1.00	1.00
	C	0.50	0.50	0.50	0.50	0.50	0.50	2.82	2.35	2.06	1.56	0.71	1.94	0.72	0.50	0.50	0.50
Sugar maple	A	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00	10.00
	B	1.00	1.00	1.00	1.00	1.00	1.00	2.82	2.35	2.06	1.56	1.00	1.94	1.00	1.00	1.00	1.00
	C	0.50	0.50	0.50	0.50	0.50	0.50	2.82	2.35	2.06	1.56	0.71	1.94	0.72	0.50	0.50	0.50
Other hardwoods	B	1.00	1.00	1.00	1.00	1.00	1.00	2.82	2.35	2.06	1.56	1.00	1.94	1.00	1.00	1.00	1.00
	C	0.50	0.50	0.50	0.50	0.50	0.50	2.82	2.35	2.06	1.56	0.71	1.94	0.72	0.50	0.50	0.50
Poplar	B	1.51	1.56	1.05	1.05	1.88	1.05	4.80	4.03	3.17	1.05	1.05	1.05	1.05	1.05	1.05	1.05
	D	0.25	0.25	0.25	0.25	0.25	0.25	2.82	2.35	2.06	1.56	0.71	1.94	0.72	0.25	0.25	0.25
All hardwoods (except poplar / aspen)																	

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

SCHEDULE 1
(s.1)

REFERENCE UNIT RATES FOR STUMPPAGE IN FORESTS IN THE DOMAIN OF THE STATE FOR THE 2001-2002 FISCAL YEAR

Species	Quality*	Stumpage (\$/m ³)																
		911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	999	
Fir, spruce, jack pine, tamarack	A	7,43	10,64	6,22	9,23	6,84	5,85	5,46	5,43	4,45	5,14	3,97	5,48	3,97	3,97	4,15	5,41	
	B	3,97	10,35	5,97	7,15	3,97	3,97	3,97	3,97	3,97	3,97	3,97	3,97	3,97	3,97	3,97	3,97	
White pine	B	4,41	7,26	4,28	6,18	4,33	3,32	2,53	2,48	2,48	3,37	3,32	2,51	3,56	1,41	1,41	2,68	3,36
Red pine	A	13,80	13,80	13,80	13,80	13,80	13,80	13,80	13,80	13,80	13,80	13,80	13,80	13,80	13,80	13,80	13,80	
	B	6,78	6,78	6,78	6,78	6,78	6,78	6,78	6,78	6,78	6,78	6,78	6,78	6,78	6,78	6,78	6,78	
Hemlock, cedar	B	1,01	1,61	1,00	1,39	1,04	0,82	0,62	0,61	0,61	0,79	0,78	0,65	0,85	0,39	0,39	0,87	
White pine, red pine, hemlock, cedar	C	0,63	0,89	0,59	0,76	0,61	0,49	0,36	0,35	0,35	0,49	0,49	0,43	0,54	0,26	0,26	0,44	0,57
Oak, cheery, walnut, hickory	A	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	
	B	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	1,28	
Yellow birch, ash, basswood, elm	C	0,64	0,64	0,64	0,64	0,64	0,64	0,64	0,64	0,64	0,64	0,64	0,64	0,64	0,64	0,64	0,64	
	A	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	
	B	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	
	C	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	
White birch	A	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	
	B	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	
Sugar maple	C	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	
	A	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	10,00	
	B	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	
	C	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	
Other hardwoods	B	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	1,00	
	C	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	0,50	
Poplar	B	1,05	1,05	1,05	1,05	1,05	1,05	1,05	1,05	1,05	1,05	1,05	1,05	1,05	1,05	1,05	1,05	
All hardwoods (except poplar / aspen)	D	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cutis according to species, diameter, length and imperfections observed on crosscuts and trunks.

SCHEDULE II

(s.1)

PRICE INDEXES PER SPECIES, GROUP OF SPECIES AND QUALITY

Species and groups of species	Quality¹	Price index²	Reference price index³
Fir, spruce, jack pine, tamarack	A	Preserved or treated wood (P2457)	151,6
	B	Index: Lumber, softwood, Québec (P2444 ; 78,7%) Newsprint paper (P2552 ; 9,4%) Paper board (P2580 ; 3,1%) Woodpulp, sulfate, softwood, domestic (P2538 ; 6,0%) Printing and speciality paper (P2558 ; 2,8%)	100,0
White pine	B	White pine (Eastern Quotes and Comments)	914
Red pine	A	Preserved or treated wood (P2457)	151,6
	B	White pine (Eastern Quotes and Comments)	914
Hemlock, cedar	B	Lumber, softwood, Québec (P2444)	162,4
White pine, red pine, hemlock, cedar	C	Index : Waferboard OSB (Random Lengths ; 2,9%) Lumber, softwood, Québec (P2444 ; 88,4%) Woodpulp, sulfate, softwood, domestic (P2538 ; 8,7%)	100,0
	A	Veneer and plywood, hardwood (P2468)	158,6
hickory	B, C	Lumber, hardwood, birch (P3664)	162,6
	A	Veneer and plywood, hardwood (P2468)	158,6
Yellow birch, ash, basswood, elm	B, C	Lumber, hardwood, birch (P3664)	162,6
	A	Veneer and plywood, hardwood (P2468)	158,6
White birch	B, C	Lumber, hardwood, birch (P3664)	162,6
	A	Veneer and plywood, hardwood (P2468)	158,6
Sugar maple	B, C	Lumber, hardwood, maple (P3663)	170,5
	A	Veneer and plywood, hardwood (P2468)	158,6
Poplar/aspen	B	Index : Waferboard OSB (Random Lengths ; 60,4%) Pallets (P2494 ; 36,4%) Woodpulp, sulphate, hardwood, domestic (P2536 ; 3,2%)	100,0
Other hardwoods	B, C	Lumber, hardwood, birch (P3664)	162,6
All hardwoods except poplar/aspen	D	Index : Waferboard OSB (Random Lengths ; 29,4%) Lumber, hardwood, birch (P3664 ; 42,3%) Woodpulp, sulfate, hardwood, domestic (P2536 ; 28,3%)	100,0

¹ The letters A, B, C and D correspond to quality levels determined on the basis of the assessment of cuts according to species, diameter length and imperfections on crosscuts and trunks.

² The source of the price indexes and the relative weight of each are indicated in parentheses. The price indexes from Statistics Canada are indicated according to the Cansim number appearing in catalogue 62-011.

³ The reference price index corresponds to the average of the price indexes calculated between 1 April 1999 and 31 March 2000.