

Regulations and other acts

M.O., 2001-001

Order of the Minister of Health and Social services dated 7 March 2001 to designate breast cancer detection centres

Health Insurance Act
(R.S.Q., c. A-29)

THE MINISTER OF STATE FOR HEALTH AND SOCIAL SERVICES AND MINISTER OF HEALTH AND SOCIAL SERVICES,

CONSIDERING paragraph *b.3* of the first paragraph of section 69 of the Health Insurance Act (R.S.Q., c. A-29);

CONSIDERING the designation of breast cancer detection centres by Minister's order dated 11 June 1998;

CONSIDERING that it is necessary to amend that Minister's order to remove the name of a detection centre that has ceased its activities;

ORDERS:

That the following breast cancer detection centre no longer be designated for the Montréal-Centre region:

Services radiologiques de Montréal
3875, rue Saint-Urbain, bureau 205
Montréal, Québec
H2W 1V1.

Québec, 7 March 2001

PAULINE MAROIS,
*Minister of State for Health and Social Services
and Minister of Health and Social Services*

4156

M.O., 2001

Order number 450 of the Minister of Natural Resources dated 20 March 2001

Forest Act
(R.S.Q., c. F-4.1)

Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants

WHEREAS under the third paragraph of section 5 of the Forest Act (R.S.Q., c. F-4.1), the Minister shall determine the unit rates for the classes of forest management permits for which the unit rates have not been determined by regulation of the Government;

WHEREAS under section 72 of that Act, the Minister shall determine the unit rate corresponding to the stumpage value according to the rules of calculation determined by regulation of the Government;

WHEREAS by Order in Council number 372-87 dated 18 March 1987, the Government made the Regulation respecting forest royalties;

WHEREAS in accordance with sections 2 and 7 of that Regulation, it is expedient to establish the unit rates for the stumpage value applicable to the calculation of the dues payable by the holder of a forest management permit for the supply of a wood processing plant for the 2001-2002 fiscal year;

WHEREAS in accordance with sections 10 and 11 of the Regulations Act (R.S.Q., c. R-18.1), a draft of the Regulation attached to this Order was published in Part 2 of the *Gazette officielle du Québec* of 31 January 2001 with a notice that it could be made by the Minister upon the expiry of a 45-day period following that publication;

WHEREAS the 45-day period has expired;

WHEREAS under section 18 of that Act, a regulation may come into force on the date of its publication in the *Gazette officielle du Québec*, or between that date and the date applicable under section 17 of that Act, where the authority that has made it is of the opinion that the urgency of the situation requires it;

WHEREAS under the same section, the reason justifying such coming into force shall be published with the regulation;

WHEREAS in the opinion of the Minister, the urgency due to the following circumstances justifies such coming into force:

— The first paragraph of section 2 of the Regulation respecting forest royalties specifies that in order to determine a unit rate fixed by the Minister under section 72 of the Forest Act (R.S.Q., c. F-4.1), the stumpage value of standing timber shall be calculated on 1 April of each year in each forest tariffing zone, by species or group of species and quality of timber, according to the parity technique applicable in property assessment, by comparing the timber to similar timber for which the selling price is known.

For the application of that regulation, the rates must be calculated on 1 April next and must be effective as of that date, a deadline that the Minister could not meet were he to comply fully with the time period for coming into force provided for in the Regulations Act.

WHEREAS it is expedient to make the Regulation with amendments;

THEREFORE, the Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants, attached to this Order, is made.

Charlesbourg, 20 March 2001

JACQUES BRASSARD,
Minister of Natural Resources

Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants

Forest Act
(R.S.Q., c. F-4.1, ss. 5 and 72)

1. The unit rates for stumpage in forests in the public domain set out in Schedule I shall be indexed on 1 April, 1 July, 1 October 2001 and 1 January 2002 in accordance with the performance of the price indexes for the forest products specified in Schedule II. The index rates per species, group of species and quality shall be calculated in accordance with the following formulas:

Index rate at 1 April 2001 = Average price index for the months of December 2000, January and February 2001

Average price index for the months of April 1999 to March 2000

Index rate at 1 July 2001 = Average price index for the months of March, April and May 2001

Average price index for the months of April 1999 to March 2000

Index rate at 1 October 2001 = Average price index for the months of June, July and August 2001

Average price index for the months of April 1999 to March 2000

Index rate at 1 January 2002 = Average price index for the months of September, October and November 2001

Average price index for the months of April 1999 to March 2000

The amounts thus indexed shall apply, in each forest tariffing zone indicated in Schedule I, to the calculation of the dues payable by the holder of a forest management permit for the supply of a wood processing plant for the 3-month period following the date of indexing.

The amounts indexed in the manner prescribed in the first paragraph shall be reduced to the nearest fraction of $\$0.10/\text{m}^3$ where they contain a fraction less than $\$0.025/\text{m}^3$. They shall be rounded off to the nearest fraction of $\$0.05/\text{m}^3$ where they contain a fraction equal to or greater than $\$0.025/\text{m}^3$ but less than $\$0.075/\text{m}^3$ and shall be increased to the nearest fraction of $\$0.10/\text{m}^3$ where they contain a fraction equal to or greater than $\$0.075/\text{m}^3$.

The Minister of Natural Resources shall inform the public, through Part I of the *Gazette officielle du Québec* and, where he considers it appropriate, by any other means, of the indexing calculated under this section.

2. This Regulation replaces the Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants, made by Minister's Order number 432 of the Minister of Natural Resources, dated 24 March 2000 and published in Part 2 of the *Gazette officielle du Québec* of 31 March 2000.

3. This Regulation comes into force on 1 April 2001.

SCHEDULE 1
(s.1)

REFERENCE UNIT RATES FOR STUMPAGE IN FORESTS IN THE DOMAIN OF THE STATE FOR THE 2000-2001 FISCAL YEAR

| Species | Quality* | Stumpage (\$/m ³) | | | | | | | | | | | | | | | |
|---|----------|-------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | 101 | 102 | 103 | 104 | 111 | 112 | 113 | 114 | 115 | 116 | 117 | 201 | 202 | 203 | 204 | 205 |
| Fir, spruce, jack pine, tamarack | A | 18,10 | 15,90 | 15,63 | 15,65 | 13,85 | 13,83 | 13,78 | 13,79 | 14,02 | 14,56 | 13,82 | 17,37 | 17,37 | 17,55 | 19,40 | 18,42 |
| | B | 16,97 | 14,52 | 13,76 | 15,06 | 9,43 | 13,64 | 5,17 | 6,52 | 7,70 | 12,00 | 13,08 | 15,37 | 12,22 | 17,55 | 13,32 | 16,03 |
| White pine | B | 11,42 | 9,34 | 9,31 | 9,31 | 9,10 | 9,10 | 9,09 | 9,09 | 9,10 | 9,10 | 9,10 | 10,66 | 10,66 | 10,14 | 9,65 | 10,02 |
| Red pine | A | 18,44 | 14,70 | 14,58 | 14,59 | 13,83 | 13,82 | 13,80 | 13,80 | 13,83 | 13,83 | 13,82 | 18,10 | 18,09 | 17,60 | 16,10 | 16,84 |
| | B | 8,12 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 8,80 | 8,80 | 8,61 | 7,86 | 8,20 |
| Hemlock, cedar | B | 4,13 | 3,55 | 3,52 | 3,52 | 3,31 | 3,31 | 3,30 | 3,30 | 3,31 | 3,31 | 3,31 | 3,81 | 3,81 | 3,94 | 3,11 | 3,37 |
| White pine, red pine, hemlock, cedar | C | 1,42 | 1,25 | 1,25 | 1,25 | 1,24 | 1,24 | 1,24 | 1,24 | 1,24 | 1,24 | 1,24 | 1,37 | 1,37 | 1,39 | 1,13 | 1,22 |
| Oak, cheery, walnut, hickory | A | 55,20 | 52,53 | 48,87 | 38,74 | 13,39 | 22,83 | 12,80 | 12,80 | 12,80 | 16,44 | 12,80 | 28,45 | 26,62 | 38,58 | 23,33 | 42,23 |
| | B | 20,77 | 19,77 | 18,39 | 9,88 | 7,09 | 7,01 | 1,28 | 1,28 | 1,28 | 5,05 | 1,28 | 9,23 | 2,14 | 7,62 | 3,31 | 6,79 |
| | C | 7,92 | 7,54 | 7,01 | 3,77 | 2,70 | 2,67 | 0,64 | 0,64 | 1,27 | 2,06 | 0,64 | 3,52 | 2,14 | 2,90 | 1,77 | 2,78 |
| Yellow birch, ash, basswood, elm | A | 43,12 | 41,04 | 38,18 | 30,26 | 10,46 | 17,83 | 10,00 | 10,00 | 10,00 | 12,84 | 10,00 | 22,23 | 20,79 | 30,14 | 18,22 | 32,99 |
| | B | 16,23 | 15,44 | 14,37 | 7,72 | 5,54 | 5,47 | 1,00 | 1,00 | 1,27 | 3,94 | 1,00 | 7,21 | 2,14 | 5,95 | 2,59 | 5,30 |
| | C | 6,19 | 5,89 | 5,48 | 2,94 | 2,11 | 2,09 | 0,50 | 0,50 | 1,27 | 2,06 | 0,50 | 2,75 | 2,14 | 2,71 | 1,77 | 2,78 |
| White birch | A | 43,12 | 41,04 | 38,18 | 30,26 | 10,46 | 17,83 | 10,00 | 10,00 | 10,00 | 12,84 | 10,00 | 22,23 | 20,79 | 30,14 | 18,22 | 32,99 |
| | B | 11,25 | 9,69 | 10,30 | 9,95 | 3,24 | 1,39 | 1,00 | 1,00 | 1,27 | 5,88 | 1,00 | 9,92 | 7,15 | 10,37 | 6,27 | 11,35 |
| | C | 4,47 | 3,85 | 4,09 | 4,16 | 1,63 | 1,39 | 0,50 | 0,50 | 1,27 | 2,34 | 0,50 | 4,15 | 2,84 | 4,12 | 2,49 | 4,51 |
| Sugar maple | A | 47,58 | 34,70 | 29,08 | 22,02 | 20,85 | 19,83 | 10,00 | 10,00 | 10,00 | 17,02 | 10,00 | 11,17 | 10,00 | 10,00 | 10,00 | 10,00 |
| | B | 18,96 | 13,83 | 11,59 | 8,78 | 4,29 | 4,08 | 1,00 | 1,00 | 1,27 | 3,50 | 1,00 | 5,00 | 2,14 | 2,71 | 1,77 | 2,78 |
| | C | 4,88 | 3,56 | 2,98 | 2,55 | 1,63 | 1,39 | 0,50 | 0,50 | 1,27 | 2,06 | 0,50 | 2,13 | 2,14 | 2,71 | 1,77 | 2,78 |
| Other hardwoods | B | 6,49 | 6,18 | 5,75 | 3,09 | 2,21 | 2,19 | 1,00 | 1,00 | 1,27 | 2,06 | 1,00 | 2,89 | 2,14 | 2,71 | 1,77 | 2,78 |
| | C | 3,18 | 3,01 | 2,97 | 2,55 | 1,63 | 1,39 | 0,50 | 0,50 | 1,27 | 2,06 | 0,50 | 2,13 | 2,14 | 2,71 | 1,77 | 2,78 |
| Poplar | B | 5,96 | 3,99 | 5,48 | 5,84 | 4,95 | 5,16 | 4,97 | 3,04 | 2,84 | 4,44 | 4,95 | 5,20 | 4,16 | 5,83 | 4,39 | 6,12 |
| All hardwoods (except poplar) | D | 3,18 | 3,01 | 2,97 | 2,55 | 1,63 | 1,39 | 0,44 | 0,25 | 1,27 | 2,06 | 0,25 | 2,13 | 2,14 | 2,71 | 1,77 | 2,78 |

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

| Species | Quality* | Stumpage (\$/m ³) | | | | | | | | | | | | | | | | | | |
|---|----------|-------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|--|
| | | 206 | 207 | 208 | 209 | 210 | 211 | 212 | 213 | 214 | 215 | 216 | 217 | 218 | 219 | 220 | 221 | | | |
| Fir, spruce, jack pine, tamarack | A | 20,50 | 19,28 | 16,30 | 16,09 | 16,07 | 15,19 | 18,57 | 20,31 | 18,87 | 15,15 | 13,73 | 12,53 | 12,35 | 13,28 | 12,52 | 15,48 | | | |
| | B | 9,53 | 19,28 | 14,96 | 14,40 | 16,07 | 13,71 | 18,57 | 20,31 | 18,87 | 15,15 | 12,21 | 6,54 | 8,70 | 10,74 | 10,27 | 15,48 | | | |
| White pine | B | 9,75 | 9,64 | 9,85 | 10,12 | 9,55 | 9,57 | 9,89 | 9,76 | 9,39 | 7,86 | 7,56 | 8,78 | 7,37 | 7,51 | 7,42 | 8,14 | | | |
| Red pine | A | 16,19 | 16,08 | 15,40 | 14,83 | 13,84 | 14,71 | 15,47 | 16,06 | 15,85 | 14,13 | 13,98 | 14,66 | 13,93 | 13,97 | 13,92 | 13,83 | | | |
| Hemlock, cedar | B | 7,94 | 7,85 | 7,62 | 7,41 | 6,83 | 7,27 | 7,66 | 7,89 | 7,66 | 6,87 | 6,83 | 7,52 | 6,85 | 6,84 | 6,81 | 6,79 | | | |
| | B | 3,13 | 3,10 | 3,00 | 3,05 | 2,22 | 2,62 | 3,06 | 3,12 | 3,03 | 2,15 | 1,86 | 1,90 | 1,76 | 1,83 | 1,82 | 1,84 | | | |
| White pine, red pine, hemlock, cedar | C | 1,16 | 1,12 | 1,19 | 1,25 | 1,12 | 1,14 | 1,20 | 1,16 | 1,06 | 0,98 | 0,89 | 0,81 | 0,93 | 0,90 | 0,89 | 0,93 | | | |
| Oak, cheery, walnut, hickory | A | 45,33 | 22,04 | 28,25 | 40,62 | 22,55 | 30,69 | 37,04 | 30,83 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 27,24 | 12,80 | 12,80 | | | |
| | B | 5,95 | 2,00 | 8,67 | 12,47 | 6,92 | 9,42 | 6,34 | 2,27 | 1,61 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | | | |
| | C | 2,85 | 2,00 | 3,31 | 4,76 | 2,64 | 3,59 | 2,42 | 2,25 | 1,61 | 0,69 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,82 | | | |
| Yellow birch, ash, basswood, elm | A | 35,41 | 17,22 | 22,07 | 31,73 | 17,62 | 23,98 | 29,36 | 24,08 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 21,28 | 10,00 | 10,00 | | | |
| | B | 4,65 | 2,00 | 6,78 | 9,74 | 5,41 | 7,36 | 4,96 | 2,25 | 1,61 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | | | |
| | C | 2,85 | 2,00 | 2,66 | 3,72 | 2,06 | 2,81 | 2,25 | 2,25 | 1,61 | 0,69 | 0,58 | 0,50 | 0,50 | 0,50 | 0,50 | 0,82 | | | |
| White birch | A | 35,41 | 17,22 | 22,07 | 31,73 | 17,62 | 23,98 | 29,36 | 24,08 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 21,28 | 10,00 | 10,00 | | | |
| | B | 10,97 | 5,33 | 8,59 | 5,41 | 1,17 | 6,10 | 9,00 | 7,46 | 3,07 | 1,00 | 1,00 | 1,00 | 2,18 | 6,59 | 1,00 | 1,00 | | | |
| | C | 4,36 | 2,12 | 3,42 | 2,15 | 1,17 | 2,43 | 3,62 | 2,97 | 1,61 | 0,69 | 0,58 | 0,50 | 0,87 | 2,62 | 0,50 | 0,82 | | | |
| Sugar maple | A | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | | | |
| | B | 2,85 | 2,00 | 2,66 | 2,00 | 1,17 | 2,20 | 2,25 | 2,25 | 1,61 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | | | |
| | C | 2,85 | 2,00 | 2,66 | 2,00 | 1,17 | 2,20 | 2,25 | 2,25 | 1,61 | 0,69 | 0,58 | 0,50 | 0,50 | 0,50 | 0,50 | 0,82 | | | |
| Other hardwoods | B | 2,85 | 2,00 | 2,71 | 3,90 | 2,16 | 2,94 | 2,25 | 2,25 | 1,61 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | | | |
| | C | 2,85 | 2,00 | 2,66 | 2,00 | 1,17 | 2,20 | 2,25 | 2,25 | 1,61 | 0,69 | 0,58 | 0,50 | 0,50 | 0,50 | 0,50 | 0,82 | | | |
| | B | 5,71 | 4,78 | 4,79 | 4,49 | 3,61 | 3,18 | 4,43 | 5,41 | 3,97 | 2,89 | 2,84 | 1,05 | 1,05 | 2,31 | 2,89 | 2,89 | | | |
| All hardwoods (except poplar) | D | 2,85 | 2,00 | 2,66 | 2,00 | 1,17 | 2,20 | 2,25 | 2,25 | 1,61 | 0,69 | 0,58 | 0,25 | 0,25 | 0,25 | 0,25 | 0,82 | | | |

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

| | | Stumpage (\$/m ³) | | | | | | | | | | | | | | | | | | | |
|---|----------|-------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|--|--|--|--|
| | | Zones | | | | | | | | | | | | | | | | | | | |
| Species | Quality* | 222 | 223 | 224 | 225 | 226 | 227 | 228 | 229 | 230 | 231 | 232 | 233 | 234 | 235 | 236 | 237 | | | | |
| Fir, spruce, jack pine, tamarack | A | 18,84 | 14,86 | 17,18 | 17,09 | 13,35 | 11,16 | 7,33 | 6,09 | 5,58 | 5,40 | 6,75 | 11,96 | 6,04 | 13,94 | 10,59 | 10,59 | | | | |
| | B | 18,84 | 13,21 | 17,18 | 17,09 | 13,35 | 8,06 | 4,25 | 3,97 | 3,97 | 5,30 | 6,75 | 11,96 | 5,70 | 13,94 | 3,97 | 4,86 | | | | |
| White pine | B | 9,18 | 8,61 | 8,42 | 9,30 | 7,91 | 7,58 | 4,71 | 3,75 | 3,06 | 2,79 | 4,10 | 7,17 | 3,71 | 7,71 | 7,01 | 7,12 | | | | |
| Red pine | A | 15,56 | 13,95 | 13,82 | 14,78 | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 | 14,00 | 13,82 | 13,89 | | | | |
| Hemlock, cedar | B | 7,51 | 6,85 | 6,78 | 7,29 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,83 | 6,78 | 6,86 | | | | |
| | B | 2,87 | 1,99 | 1,89 | 2,57 | 1,77 | 1,70 | 1,13 | 0,93 | 0,78 | 0,72 | 1,00 | 1,62 | 0,92 | 2,05 | 1,85 | 1,81 | | | | |
| White pine, red pine, hemlock, cedar | C | 1,02 | 0,98 | 0,95 | 1,10 | 0,91 | 0,91 | 0,64 | 0,56 | 0,48 | 0,45 | 0,59 | 0,85 | 0,55 | 1,00 | 1,17 | 1,14 | | | | |
| Oak, cheery, walnut, hickory | A | 12,80 | 14,58 | 12,80 | 22,08 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 37,04 | 12,80 | 12,80 | | | | |
| | B | 1,51 | 1,73 | 1,38 | 2,14 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | | | | |
| | C | 1,51 | 1,73 | 1,38 | 2,14 | 0,84 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | | | | |
| Yellow birch, ash, basswood, elm | A | 10,00 | 11,39 | 10,00 | 17,25 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 33,23 | 10,00 | 10,00 | | | | |
| | B | 1,51 | 1,73 | 1,38 | 2,14 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | | | | |
| | C | 1,51 | 1,73 | 1,38 | 2,14 | 0,84 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | | | | |
| White birch | A | 10,00 | 11,39 | 10,00 | 17,25 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 33,23 | 10,00 | 10,00 | | | | |
| | B | 2,01 | 3,53 | 1,38 | 5,34 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 9,00 | 1,00 | 1,00 | | | | |
| | C | 1,51 | 1,73 | 1,38 | 2,14 | 0,84 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 4,09 | 0,50 | 0,50 | | | | |
| Sugar maple | A | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | | | | |
| | B | 1,51 | 1,73 | 1,38 | 2,14 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | | | | |
| | C | 1,51 | 1,73 | 1,38 | 2,14 | 0,84 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | | | | |
| Other hardwoods | B | 1,51 | 1,73 | 1,38 | 2,14 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | | | | |
| | C | 1,51 | 1,73 | 1,38 | 2,14 | 0,84 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | | | | |
| | B | 3,55 | 3,97 | 3,60 | 4,33 | 2,29 | 2,27 | 1,05 | 1,05 | 1,05 | 1,05 | 1,05 | 1,07 | 1,76 | 1,05 | 1,44 | 1,05 | | | | |
| All hardwoods (except poplar) | D | 1,51 | 1,73 | 1,38 | 2,14 | 0,84 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | | | | |

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

| | | Stumpage (\$/m ³) | | | | | | | | | | | | | | | |
|---|----------|-------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Zones | | | | | | | | | | | | | | | |
| Species | Quality* | 238 | 239 | 301 | 302 | 303 | 304 | 305 | 306 | 401 | 402 | 403 | 404 | 405 | 406 | 407 | 408 |
| Fir, spruce, jack pine, tamarack | A | 10,24 | 6,80 | 19,44 | 16,55 | 17,29 | 19,00 | 16,02 | 16,81 | 18,54 | 19,26 | 19,91 | 18,71 | 18,48 | 16,61 | 13,61 | 16,22 |
| | B | 5,65 | 3,97 | 16,91 | 11,01 | 8,32 | 17,74 | 14,14 | 16,81 | 15,82 | 19,26 | 19,91 | 16,87 | 16,84 | 10,31 | 12,31 | 16,04 |
| White pine | B | 6,94 | 5,60 | 13,93 | 9,81 | 10,57 | 13,92 | 10,01 | 10,23 | 13,89 | 14,19 | 15,32 | 13,33 | 12,90 | 9,94 | 12,84 | 8,49 |
| Red pine | A | 13,80 | 13,80 | 22,62 | 17,29 | 18,02 | 23,12 | 15,38 | 14,94 | 22,95 | 23,50 | 25,27 | 22,21 | 21,54 | 16,75 | 20,11 | 14,99 |
| Hemlock, cedar | B | 6,78 | 6,78 | 9,85 | 8,50 | 8,77 | 10,91 | 7,69 | 7,50 | 10,78 | 11,04 | 11,81 | 10,53 | 10,23 | 8,03 | 9,90 | 7,08 |
| | B | 1,83 | 1,43 | 4,71 | 4,02 | 3,83 | 4,77 | 3,53 | 3,35 | 4,69 | 4,81 | 5,18 | 4,60 | 4,46 | 3,26 | 3,97 | 3,23 |
| White pine, red pine, hemlock, cedar | C | 1,19 | 0,93 | 1,61 | 1,40 | 1,38 | 1,78 | 1,36 | 1,35 | 1,72 | 1,79 | 1,95 | 1,70 | 1,64 | 1,13 | 1,38 | 0,84 |
| Oak, cheery, walnut, hickory | A | 12,80 | 12,80 | 47,07 | 25,89 | 32,17 | 60,50 | 13,68 | 38,09 | 53,81 | 61,66 | 68,71 | 51,48 | 50,66 | 12,80 | 12,80 | 12,80 |
| | B | 1,28 | 1,28 | 17,71 | 9,45 | 10,44 | 19,64 | 5,99 | 11,69 | 20,00 | 24,52 | 23,35 | 16,13 | 16,83 | 3,58 | 2,72 | 1,28 |
| | C | 0,64 | 0,64 | 6,76 | 3,60 | 3,98 | 7,49 | 2,29 | 4,46 | 7,63 | 9,35 | 8,91 | 6,15 | 6,42 | 1,69 | 1,22 | 1,15 |
| Yellow birch, ash, basswood, elm | A | 10,00 | 10,00 | 36,77 | 20,23 | 25,13 | 47,27 | 10,69 | 29,76 | 42,04 | 51,96 | 56,22 | 40,22 | 45,10 | 10,00 | 10,00 | 10,00 |
| | B | 1,00 | 1,00 | 13,84 | 7,38 | 8,16 | 15,34 | 4,68 | 9,14 | 15,85 | 19,58 | 18,24 | 12,60 | 13,15 | 2,80 | 2,13 | 1,15 |
| | C | 0,50 | 0,50 | 5,28 | 2,81 | 3,11 | 5,85 | 1,79 | 3,48 | 6,04 | 7,47 | 6,96 | 4,81 | 5,01 | 1,69 | 1,22 | 1,15 |
| White birch | A | 10,00 | 10,00 | 36,77 | 20,23 | 25,13 | 47,27 | 10,69 | 29,76 | 42,04 | 50,77 | 55,82 | 40,22 | 45,10 | 10,00 | 10,00 | 10,00 |
| | B | 1,00 | 1,00 | 10,15 | 6,96 | 7,17 | 16,19 | 3,68 | 5,35 | 13,93 | 17,87 | 21,03 | 13,52 | 15,52 | 2,42 | 1,55 | 1,15 |
| | C | 0,50 | 0,50 | 4,04 | 2,77 | 2,85 | 7,00 | 1,73 | 2,13 | 6,22 | 8,06 | 8,40 | 5,50 | 6,17 | 1,69 | 1,22 | 1,15 |
| Sugar maple | A | 10,00 | 10,00 | 41,30 | 28,33 | 29,48 | 51,85 | 10,32 | 10,00 | 40,98 | 43,49 | 52,12 | 38,41 | 30,34 | 10,00 | 13,08 | 10,00 |
| | B | 1,00 | 1,00 | 16,46 | 5,83 | 12,58 | 18,99 | 2,12 | 1,92 | 18,32 | 19,45 | 20,34 | 15,85 | 13,57 | 1,69 | 2,69 | 1,15 |
| | C | 0,50 | 0,50 | 4,23 | 1,69 | 3,39 | 6,06 | 1,73 | 1,92 | 4,71 | 5,00 | 5,99 | 4,42 | 3,49 | 1,69 | 1,22 | 1,15 |
| Other hardwoods | B | 1,00 | 1,00 | 5,54 | 2,95 | 3,26 | 6,14 | 1,87 | 3,65 | 6,25 | 7,66 | 7,30 | 5,04 | 5,26 | 1,69 | 1,22 | 1,15 |
| | C | 0,50 | 0,50 | 2,11 | 1,69 | 1,67 | 2,70 | 1,73 | 1,92 | 3,00 | 3,11 | 3,40 | 2,45 | 2,71 | 1,69 | 1,22 | 1,15 |
| | B | 1,05 | 1,05 | 4,65 | 3,51 | 3,37 | 5,70 | 4,26 | 5,00 | 4,86 | 4,84 | 5,18 | 4,87 | 5,67 | 3,72 | 3,45 | 2,88 |
| All hardwoods (except poplar) | D | 0,25 | 0,25 | 1,98 | 1,69 | 1,67 | 2,70 | 1,73 | 1,92 | 3,00 | 3,11 | 3,40 | 2,45 | 2,71 | 1,69 | 1,22 | 1,15 |

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

| | | Stumpage (\$/m ³) | | | | | | | | | | | | | | | |
|-------------------------------------|----------|-------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Zones | | | | | | | | | | | | | | | |
| Species | Quality* | 409 | 410 | 411 | 412 | 413 | 501 | 601 | 602 | 603 | 604 | 605 | 606 | 607 | 608 | 609 | 610 |
| Fir, spruce, jack pine, tamarack | A | 14,15 | 15,40 | 14,16 | 14,47 | 16,29 | 19,46 | 20,69 | 21,03 | 19,64 | 19,07 | 17,15 | 18,38 | 15,77 | 13,27 | 13,26 | 14,52 |
| | B | 8,73 | 8,38 | 11,58 | 10,27 | 16,29 | 14,67 | 20,69 | 20,25 | 18,83 | 16,89 | 15,31 | 18,38 | 15,77 | 10,23 | 11,36 | 5,29 |
| White pine | B | 8,42 | 9,80 | 8,42 | 8,25 | 9,02 | 13,97 | 16,49 | 16,77 | 15,76 | 15,35 | 14,69 | 15,11 | 13,45 | 13,36 | 13,36 | 12,54 |
| Red pine | A | 14,92 | 15,39 | 14,92 | 14,42 | 15,45 | 22,68 | 26,13 | 26,54 | 25,67 | 25,31 | 23,80 | 24,77 | 20,92 | 20,73 | 20,73 | 19,92 |
| | B | 7,03 | 7,86 | 7,03 | 7,08 | 7,45 | 9,89 | 12,31 | 12,47 | 12,01 | 11,83 | 11,31 | 11,64 | 10,31 | 10,24 | 10,24 | 9,73 |
| Hemlock, cedar | B | 3,25 | 2,84 | 3,25 | 2,32 | 2,84 | 4,72 | 5,38 | 5,48 | 5,28 | 5,19 | 4,82 | 5,06 | 4,10 | 4,05 | 4,05 | 3,91 |
| | C | 0,82 | 0,89 | 0,82 | 0,92 | 1,03 | 1,62 | 2,04 | 2,08 | 1,99 | 1,96 | 1,79 | 1,90 | 1,47 | 1,45 | 1,45 | 1,39 |
| Oak, cheery, walnut, hickory | A | 12,80 | 12,80 | 12,80 | 12,80 | 18,77 | 65,29 | 79,92 | 88,34 | 77,33 | 66,09 | 57,64 | 63,23 | 43,15 | 44,45 | 12,80 | 40,75 |
| | B | 1,28 | 1,28 | 1,28 | 1,28 | 5,76 | 25,54 | 32,19 | 37,55 | 35,10 | 30,52 | 24,17 | 28,25 | 24,18 | 20,08 | 7,30 | 12,51 |
| | C | 0,95 | 0,64 | 0,64 | 0,64 | 2,20 | 9,74 | 12,28 | 14,32 | 13,39 | 11,64 | 9,22 | 10,77 | 9,22 | 7,66 | 2,79 | 4,77 |
| Yellow birch, ash, basswood, elm | A | 10,00 | 10,00 | 10,00 | 10,00 | 14,67 | 51,01 | 64,28 | 73,10 | 65,23 | 51,63 | 51,17 | 55,16 | 33,71 | 34,73 | 10,00 | 31,84 |
| | B | 1,00 | 1,00 | 1,00 | 1,00 | 4,50 | 19,96 | 25,15 | 29,34 | 28,73 | 23,35 | 19,09 | 21,83 | 18,89 | 15,69 | 5,71 | 9,78 |
| | C | 0,95 | 0,50 | 0,50 | 0,50 | 1,72 | 7,61 | 9,59 | 11,19 | 11,45 | 9,52 | 8,26 | 9,31 | 7,20 | 5,98 | 2,18 | 3,73 |
| White birch | A | 10,00 | 10,00 | 10,00 | 10,00 | 14,67 | 51,01 | 61,43 | 62,83 | 58,16 | 51,63 | 50,64 | 51,59 | 33,71 | 34,73 | 10,00 | 31,84 |
| | B | 1,00 | 1,00 | 1,00 | 1,00 | 2,91 | 18,41 | 23,04 | 25,42 | 22,50 | 20,26 | 17,79 | 18,38 | 12,90 | 9,94 | 2,20 | 4,74 |
| | C | 0,95 | 0,50 | 0,50 | 0,50 | 1,26 | 7,32 | 9,16 | 10,75 | 9,62 | 8,43 | 8,17 | 8,39 | 5,13 | 3,95 | 1,88 | 2,16 |
| Sugar maple | A | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 61,56 | 67,50 | 66,30 | 54,14 | 47,05 | 48,33 | 51,52 | 44,51 | 39,17 | 23,02 | 21,32 |
| | B | 1,00 | 1,00 | 1,00 | 1,00 | 1,26 | 25,25 | 27,68 | 28,42 | 20,49 | 15,87 | 16,70 | 18,78 | 15,43 | 13,58 | 4,74 | 4,39 |
| | C | 0,95 | 0,50 | 0,50 | 0,50 | 1,26 | 6,49 | 7,12 | 7,34 | 5,51 | 4,19 | 4,38 | 5,22 | 3,97 | 3,49 | 1,88 | 2,16 |
| Other hardwoods | B | 1,00 | 1,00 | 1,00 | 1,00 | 1,80 | 7,98 | 10,06 | 11,74 | 10,97 | 9,54 | 7,55 | 8,83 | 7,56 | 6,27 | 2,28 | 3,91 |
| | C | 0,95 | 0,50 | 0,50 | 0,50 | 1,26 | 3,04 | 4,40 | 4,48 | 4,32 | 3,72 | 3,24 | 3,55 | 3,22 | 2,51 | 1,88 | 2,16 |
| Poplar | B | 2,91 | 2,26 | 1,94 | 2,13 | 3,36 | 4,16 | 7,08 | 7,44 | 7,37 | 6,39 | 4,52 | 5,61 | 5,69 | 3,35 | 3,53 | 4,26 |
| All hardwoods (except poplar) | D | 0,95 | 0,25 | 0,37 | 0,25 | 1,26 | 2,64 | 4,40 | 4,47 | 4,32 | 3,72 | 3,24 | 3,55 | 3,22 | 2,51 | 1,88 | 2,16 |

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

| Species | Quality* | Stumpage (\$/m ³) | | | | | | | | | | | | | | | |
|-------------------------------------|----------|-------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | 701 | 702 | 703 | 704 | 705 | 706 | 707 | 708 | 709 | 710 | 711 | 712 | 801 | 802 | 803 | 804 |
| Fir, spruce, jack pine, tamarack | A | 21,00 | 17,75 | 13,63 | 15,41 | 15,83 | 14,22 | 13,57 | 13,38 | 12,10 | 12,75 | 11,96 | 12,69 | 10,47 | 11,10 | 12,52 | 10,92 |
| | B | 21,00 | 13,36 | 11,61 | 13,33 | 11,31 | 7,15 | 9,79 | 13,38 | 7,98 | 7,20 | 3,97 | 3,97 | 7,95 | 8,57 | 11,77 | 8,35 |
| White pine | B | 17,15 | 17,96 | 16,89 | 17,38 | 17,52 | 17,08 | 16,93 | 14,49 | 14,04 | 13,28 | 12,64 | 12,95 | 16,28 | 16,39 | 16,26 | 16,36 |
| Red pine | A | 26,60 | 26,60 | 24,14 | 25,23 | 25,73 | 24,67 | 24,15 | 21,22 | 20,30 | 19,97 | 18,04 | 19,41 | 23,25 | 23,28 | 22,75 | 23,27 |
| | B | 12,56 | 12,75 | 12,00 | 12,34 | 12,46 | 12,15 | 12,02 | 10,73 | 10,44 | 10,09 | 9,53 | 9,86 | 11,66 | 11,70 | 11,60 | 11,69 |
| Hemlock, cedar | B | 5,47 | 5,44 | 4,83 | 5,10 | 5,22 | 4,96 | 4,83 | 4,06 | 3,76 | 3,77 | 3,13 | 3,62 | 4,59 | 4,60 | 4,43 | 4,60 |
| | C | 2,07 | 2,04 | 1,75 | 1,88 | 1,94 | 1,81 | 1,75 | 1,48 | 1,39 | 1,37 | 1,17 | 1,31 | 1,66 | 1,65 | 1,58 | 1,65 |
| Oak, cheery, walnut, hickory | A | 82,38 | 69,59 | 61,71 | 54,30 | 43,00 | 48,88 | 39,36 | 45,51 | 16,42 | 12,80 | 12,80 | 12,80 | 57,01 | 51,36 | 68,49 | 56,26 |
| | B | 32,78 | 24,38 | 22,07 | 23,52 | 18,69 | 18,92 | 13,28 | 15,89 | 7,69 | 2,91 | 1,28 | 2,84 | 21,83 | 18,87 | 28,64 | 24,88 |
| | C | 12,50 | 9,30 | 8,42 | 8,97 | 7,13 | 7,22 | 5,07 | 6,06 | 2,93 | 1,48 | 1,28 | 1,47 | 8,32 | 7,20 | 10,92 | 9,49 |
| Yellow birch, ash, basswood, elm | A | 68,85 | 56,07 | 48,21 | 42,42 | 33,59 | 38,19 | 30,75 | 35,56 | 12,83 | 10,00 | 10,00 | 10,00 | 44,54 | 40,13 | 55,92 | 43,95 |
| | B | 25,61 | 19,04 | 17,24 | 18,38 | 14,60 | 14,78 | 10,38 | 12,42 | 6,01 | 2,28 | 1,28 | 2,22 | 17,05 | 14,75 | 22,37 | 19,44 |
| | C | 9,77 | 7,26 | 6,58 | 7,01 | 5,57 | 5,64 | 3,96 | 4,74 | 2,29 | 1,48 | 1,28 | 1,47 | 6,50 | 5,62 | 8,53 | 7,41 |
| White birch | A | 60,35 | 55,79 | 48,21 | 42,42 | 33,59 | 38,19 | 30,75 | 35,56 | 12,83 | 10,00 | 10,00 | 10,00 | 36,60 | 40,13 | 43,74 | 43,95 |
| | B | 23,87 | 21,02 | 18,56 | 18,51 | 15,96 | 11,69 | 9,61 | 12,87 | 4,60 | 2,43 | 1,28 | 2,01 | 9,00 | 13,23 | 13,47 | 16,52 |
| | C | 10,14 | 9,03 | 7,38 | 7,63 | 6,35 | 4,65 | 3,95 | 5,12 | 1,86 | 1,48 | 1,28 | 1,47 | 4,50 | 6,13 | 6,22 | 7,50 |
| Sugar maple | A | 73,26 | 61,05 | 52,07 | 50,01 | 39,67 | 43,53 | 36,09 | 40,65 | 24,74 | 11,57 | 10,00 | 11,54 | 40,38 | 43,17 | 55,81 | 44,55 |
| | B | 26,70 | 18,40 | 15,06 | 15,02 | 14,71 | 15,03 | 12,46 | 12,13 | 6,22 | 2,91 | 1,28 | 2,38 | 14,17 | 11,84 | 18,72 | 15,63 |
| | C | 6,87 | 4,73 | 3,87 | 3,86 | 3,78 | 3,87 | 3,21 | 3,12 | 1,86 | 1,48 | 1,28 | 1,47 | 3,64 | 3,44 | 4,81 | 4,02 |
| Other hardwoods | B | 10,24 | 7,62 | 6,90 | 7,35 | 5,84 | 5,91 | 4,15 | 4,97 | 2,40 | 1,48 | 1,28 | 1,47 | 6,82 | 5,90 | 8,95 | 7,78 |
| | C | 4,60 | 3,65 | 3,84 | 3,09 | 2,65 | 2,52 | 2,35 | 3,06 | 1,86 | 1,48 | 1,28 | 1,47 | 3,09 | 3,44 | 3,84 | 3,59 |
| | B | 5,98 | 4,55 | 5,35 | 4,22 | 3,42 | 2,47 | 3,24 | 5,04 | 3,19 | 3,74 | 2,60 | 2,21 | 5,93 | 7,06 | 7,21 | 6,54 |
| All hardwoods (except poplar) | D | 4,60 | 3,65 | 3,84 | 3,09 | 2,65 | 2,52 | 2,35 | 3,06 | 1,86 | 1,48 | 1,28 | 1,47 | 3,09 | 3,44 | 3,84 | 3,59 |

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

| | | Stumpage (\$/m ³) | | | | | | | | | | | | | | | |
|-------------------------------------|----------|-------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Zones | | | | | | | | | | | | | | | |
| Species | Quality* | 805 | 806 | 807 | 808 | 809 | 810 | 811 | 812 | 813 | 814 | 815 | 816 | 817 | 818 | 819 | 820 |
| Fir, spruce, jack pine, tamarack | A | 10,50 | 12,08 | 13,35 | 10,54 | 11,26 | 13,28 | 14,86 | 14,00 | 15,05 | 13,45 | 15,63 | 16,60 | 14,15 | 15,35 | 19,75 | 21,11 |
| | B | 5,86 | 9,62 | 12,75 | 8,38 | 8,09 | 4,77 | 14,86 | 8,77 | 9,09 | 6,87 | 11,24 | 13,81 | 5,63 | 12,76 | 17,08 | 20,24 |
| White pine | B | 16,29 | 16,00 | 15,70 | 16,24 | 15,23 | 13,78 | 14,68 | 13,60 | 13,39 | 13,74 | 13,01 | 13,20 | 13,57 | 13,44 | 12,89 | 12,41 |
| Red pine | A | 23,25 | 22,43 | 21,66 | 23,18 | 21,85 | 19,55 | 20,12 | 18,07 | 18,38 | 19,45 | 18,11 | 17,97 | 18,11 | 17,78 | 16,93 | 16,42 |
| | B | 11,66 | 11,48 | 11,29 | 11,64 | 11,09 | 10,30 | 10,77 | 10,25 | 10,09 | 10,28 | 9,82 | 9,97 | 10,23 | 10,14 | 9,78 | 9,44 |
| Hemlock, cedar | B | 4,59 | 4,31 | 4,05 | 4,57 | 4,19 | 3,44 | 3,51 | 2,69 | 2,94 | 3,40 | 2,97 | 2,80 | 2,73 | 2,61 | 2,36 | 2,30 |
| | C | 1,66 | 1,55 | 1,46 | 1,65 | 1,53 | 1,30 | 1,31 | 1,05 | 1,17 | 1,29 | 1,16 | 1,14 | 1,06 | 1,03 | 1,01 | 0,99 |
| Oak, cheery, walnut, hickory | A | 39,34 | 64,02 | 63,69 | 41,52 | 29,68 | 12,80 | 27,57 | 25,53 | 16,96 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 13,29 | 18,43 |
| | B | 20,88 | 21,10 | 20,99 | 11,67 | 9,56 | 1,28 | 8,47 | 5,90 | 3,75 | 1,28 | 1,28 | 2,62 | 1,28 | 2,16 | 3,82 | 5,66 |
| | C | 7,96 | 8,05 | 8,00 | 4,45 | 3,65 | 0,87 | 3,23 | 2,25 | 1,43 | 0,99 | 0,83 | 1,02 | 0,83 | 1,38 | 1,51 | 2,16 |
| Yellow birch, ash, basswood, elm | A | 30,73 | 50,02 | 49,75 | 39,66 | 23,19 | 10,00 | 21,54 | 19,95 | 13,25 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,38 | 14,40 |
| | B | 16,31 | 16,48 | 16,40 | 11,19 | 9,00 | 1,00 | 6,61 | 4,61 | 2,93 | 1,00 | 1,00 | 2,04 | 1,00 | 1,69 | 2,99 | 4,42 |
| | C | 6,22 | 6,29 | 6,25 | 4,96 | 3,84 | 0,87 | 2,52 | 1,95 | 1,31 | 0,99 | 0,83 | 1,02 | 0,83 | 1,38 | 1,51 | 1,69 |
| White birch | A | 30,73 | 43,48 | 49,75 | 37,62 | 23,19 | 10,00 | 21,54 | 19,95 | 13,25 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,38 | 14,40 |
| | B | 11,21 | 12,97 | 14,37 | 9,64 | 8,31 | 1,78 | 9,00 | 6,18 | 4,11 | 1,00 | 1,00 | 2,48 | 1,00 | 2,59 | 3,22 | 1,00 |
| | C | 5,33 | 5,16 | 5,72 | 4,68 | 3,31 | 0,87 | 3,74 | 2,46 | 1,63 | 0,99 | 0,83 | 1,02 | 0,83 | 1,38 | 1,51 | 0,50 |
| Sugar maple | A | 38,17 | 45,10 | 45,76 | 39,83 | 26,33 | 10,00 | 18,56 | 16,23 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 12,63 | 10,00 |
| | B | 13,18 | 12,30 | 11,50 | 10,01 | 6,62 | 1,00 | 3,82 | 3,34 | 1,88 | 1,00 | 1,00 | 1,71 | 1,00 | 1,43 | 2,60 | 1,00 |
| | C | 3,39 | 3,49 | 3,65 | 2,58 | 2,04 | 0,87 | 2,36 | 1,95 | 1,31 | 0,99 | 0,83 | 1,02 | 0,83 | 1,38 | 1,51 | 0,50 |
| Other hardwoods | B | 6,52 | 6,59 | 6,56 | 3,65 | 2,99 | 1,00 | 2,65 | 1,95 | 1,31 | 1,00 | 1,00 | 1,02 | 1,00 | 1,38 | 1,51 | 1,77 |
| | C | 3,00 | 3,49 | 3,65 | 2,36 | 2,04 | 0,87 | 2,36 | 1,95 | 1,31 | 0,99 | 0,83 | 1,02 | 0,83 | 1,38 | 1,51 | 0,67 |
| Poplar | B | 4,56 | 5,62 | 6,42 | 4,82 | 3,08 | 2,68 | 5,13 | 3,24 | 3,95 | 3,31 | 3,81 | 5,10 | 2,03 | 4,06 | 5,59 | 6,03 |
| All hardwoods (except poplar) | D | 3,00 | 3,49 | 3,65 | 2,36 | 2,04 | 0,87 | 2,36 | 1,95 | 1,31 | 0,99 | 0,83 | 1,02 | 0,83 | 1,38 | 1,51 | 0,25 |

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

| Species | Quality* | Stumpage (\$/m ³) | | | | | | | | | | | | | | | |
|---|----------|-------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | 821 | 822 | 823 | 824 | 825 | 826 | 827 | 828 | 829 | 830 | 831 | 832 | 833 | 834 | 835 | 836 |
| Fir, spruce, jack pine, tamarack | A | 19,37 | 15,36 | 16,65 | 12,93 | 16,97 | 21,75 | 18,65 | 16,96 | 16,77 | 18,45 | 21,09 | 18,39 | 9,33 | 15,44 | 16,35 | 15,53 |
| | B | 16,95 | 10,87 | 7,03 | 12,93 | 16,89 | 21,75 | 18,65 | 14,17 | 12,85 | 11,64 | 16,11 | 8,99 | 3,97 | 13,54 | 16,35 | 15,53 |
| White pine | B | 11,93 | 11,87 | 11,22 | 8,44 | 11,45 | 12,03 | 10,71 | 11,45 | 11,25 | 11,06 | 12,29 | 11,02 | 6,66 | 9,75 | 9,81 | 8,14 |
| Red pine | A | 16,18 | 16,65 | 15,84 | 14,52 | 15,95 | 16,22 | 15,60 | 15,95 | 15,88 | 15,86 | 16,37 | 15,77 | 13,87 | 15,33 | 15,17 | 14,38 |
| Hemlock, cedar | B | 9,10 | 9,09 | 8,74 | 7,47 | 8,85 | 9,15 | 8,51 | 8,85 | 8,78 | 8,87 | 9,45 | 8,83 | 6,85 | 8,25 | 8,09 | 7,33 |
| | B | 2,38 | 2,60 | 2,29 | 1,73 | 2,34 | 2,39 | 2,18 | 2,34 | 2,31 | 2,11 | 2,20 | 2,06 | 1,56 | 2,05 | 2,01 | 1,67 |
| White pine, red pine, hemlock, cedar | C | 0,98 | 1,04 | 0,97 | 0,90 | 0,98 | 0,98 | 0,96 | 0,98 | 0,98 | 0,99 | 1,00 | 1,02 | 1,02 | 0,95 | 0,94 | 0,90 |
| Oak, cheery, walnut, hickory | A | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 19,15 | 16,24 | 12,80 | 12,80 | 12,80 | 14,61 |
| | B | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,94 | 5,88 | 4,99 | 1,28 | 1,28 | 1,28 | 1,28 |
| | C | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,74 | 2,24 | 1,90 | 0,64 | 0,64 | 0,64 | 0,64 |
| Yellow birch, ash, basswood, elm | A | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 14,96 | 12,69 | 10,00 | 10,00 | 10,00 | 11,41 |
| | B | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,52 | 4,59 | 3,90 | 1,00 | 1,00 | 1,00 | 1,00 |
| | C | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,58 | 1,75 | 1,49 | 0,50 | 0,50 | 0,50 | 0,50 |
| White birch | A | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 14,96 | 12,69 | 10,00 | 10,00 | 10,00 | 10,00 | 11,41 |
| Sugar maple | B | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 |
| | C | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 |
| | A | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 |
| Other hardwoods | B | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 |
| | C | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,70 | 0,59 | 0,50 | 0,50 | 0,50 | 0,50 |
| | B | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,84 | 1,56 | 1,00 | 1,00 | 1,00 | 1,00 |
| Poplar | B | 4,90 | 3,25 | 2,96 | 2,65 | 3,43 | 4,05 | 3,56 | 2,93 | 3,26 | 4,02 | 5,06 | 4,51 | 2,22 | 2,05 | 3,56 | 3,47 |
| All hardwoods (except poplar) | D | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 |

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

| Species | Quality* | Stumpage (\$/m ³) | | | | | | | | | | | | | | | |
|---|----------|-------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | 837 | 838 | 839 | 840 | 841 | 842 | 901 | 902 | 903 | 904 | 905 | 906 | 907 | 908 | 909 | 910 |
| Fir, spruce, jack pine, tamarack | A | 11,44 | 10,93 | 7,72 | 9,39 | 3,97 | 7,19 | 13,51 | 14,33 | 13,51 | 17,90 | 15,33 | 17,34 | 15,39 | 12,17 | 10,24 | 7,97 |
| | B | 11,44 | 6,64 | 7,03 | 3,97 | 3,97 | 3,97 | 13,51 | 11,20 | 11,02 | 17,90 | 15,33 | 17,34 | 14,21 | 10,01 | 10,24 | 6,53 |
| | B | 7,71 | 6,61 | 6,52 | 6,88 | 2,49 | 5,59 | 10,41 | 10,43 | 10,41 | 10,12 | 8,97 | 10,33 | 10,04 | 8,42 | 4,86 | 4,47 |
| Red pine | A | 14,19 | 14,03 | 13,80 | 14,01 | 13,80 | 13,80 | 13,80 | 13,83 | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 |
| | B | 7,15 | 6,99 | 6,78 | 6,98 | 6,78 | 6,78 | 6,79 | 6,90 | 6,79 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 |
| Hemlock, cedar | B | 1,60 | 1,45 | 1,60 | 1,56 | 0,64 | 1,36 | 2,32 | 2,61 | 2,32 | 2,21 | 1,97 | 2,25 | 2,19 | 1,85 | 1,10 | 1,02 |
| | C | 0,88 | 0,85 | 1,03 | 0,94 | 0,42 | 0,89 | 1,22 | 1,27 | 1,22 | 1,18 | 1,08 | 1,21 | 1,18 | 1,03 | 0,69 | 0,65 |
| White pine, red pine, hemlock, cedar | A | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 19,90 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 |
| | B | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,72 | 5,18 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 |
| | C | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 1,72 | 1,98 | 0,82 | 0,64 | 0,64 | 0,66 | 0,64 | 0,64 | 0,64 | 0,64 |
| Yellow birch, ash, basswood, elm | A | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 15,54 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 |
| | B | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,72 | 4,05 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 |
| | C | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 1,72 | 1,54 | 0,82 | 0,50 | 0,50 | 0,66 | 0,50 | 0,50 | 0,50 | 0,50 |
| White birch | A | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 15,54 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 |
| | B | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 4,82 | 1,17 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 |
| | C | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 1,91 | 1,17 | 0,82 | 0,50 | 0,50 | 0,66 | 0,50 | 0,50 | 0,50 | 0,50 |
| Sugar maple | A | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 |
| | B | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,72 | 1,17 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 |
| | C | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 1,72 | 1,17 | 0,82 | 0,50 | 0,50 | 0,66 | 0,50 | 0,50 | 0,50 | 0,50 |
| Other hardwoods | B | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,72 | 1,62 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 |
| | C | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 1,72 | 1,17 | 0,82 | 0,50 | 0,50 | 0,66 | 0,50 | 0,50 | 0,50 | 0,50 |
| | B | 1,50 | 1,56 | 1,05 | 1,05 | 1,88 | 1,05 | 4,80 | 4,03 | 3,16 | 1,05 | 1,05 | 1,05 | 1,05 | 1,05 | 1,05 | 1,05 |
| All hardwoods (except poplar) | D | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 1,72 | 1,17 | 0,82 | 0,25 | 0,25 | 0,66 | 0,25 | 0,25 | 0,25 | 0,25 |
| | D | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 1,72 | 1,17 | 0,82 | 0,25 | 0,25 | 0,66 | 0,25 | 0,25 | 0,25 | 0,25 |

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

| | | Stumpage (\$/m ³) | | | | | | | | | | | | | | | | |
|---|----------|-------------------------------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|-------|
| | | Zones | | | | | | | | | | | | | | | | |
| Species | Quality* | 911 | 912 | 913 | 914 | 915 | 916 | 917 | 918 | 919 | 920 | 921 | 922 | 923 | 924 | 925 | 926 | 999 |
| Fir, spruce, jack pine, tamarack | A | 7,43 | 10,64 | 6,22 | 9,23 | 6,84 | 5,85 | 5,46 | 5,43 | 5,43 | 4,45 | 5,14 | 3,97 | 5,48 | 3,97 | 3,97 | 4,15 | 5,41 |
| | B | 3,97 | 10,35 | 5,97 | 7,16 | 3,97 | 3,97 | 3,97 | 3,97 | 3,97 | 3,97 | 3,97 | 3,97 | 3,97 | 3,97 | 3,97 | 3,97 | 3,97 |
| White pine | B | 4,41 | 7,26 | 4,28 | 6,18 | 4,33 | 3,32 | 2,53 | 2,48 | 2,48 | 3,37 | 3,32 | 2,51 | 3,56 | 1,41 | 1,41 | 2,68 | 3,36 |
| Red pine | A | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 | 13,80 |
| | B | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 | 6,78 |
| Hemlock, cedar | B | 1,01 | 1,61 | 1,00 | 1,39 | 1,04 | 0,82 | 0,62 | 0,61 | 0,61 | 0,79 | 0,78 | 0,65 | 0,85 | 0,39 | 0,39 | 0,66 | 0,87 |
| White pine, red pine, hemlock, cedar | C | 0,63 | 0,89 | 0,59 | 0,76 | 0,61 | 0,49 | 0,36 | 0,35 | 0,35 | 0,49 | 0,49 | 0,43 | 0,54 | 0,26 | 0,26 | 0,44 | 0,57 |
| Oak, cheery, walnut, hickory | A | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 | 12,80 |
| | B | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 | 1,28 |
| | C | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 | 0,64 |
| Yellow birch, ash, basswood, elm | A | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 |
| | B | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 |
| | C | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 |
| White birch | A | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 |
| | B | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 |
| | C | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 |
| Sugar maple | A | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 | 10,00 |
| | B | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 |
| | C | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 |
| Other hardwoods | B | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 | 1,00 |
| | C | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 | 0,50 |
| | B | 1,05 | 1,05 | 1,05 | 1,05 | 1,05 | 1,05 | 1,05 | 1,05 | 1,05 | 1,05 | 1,05 | 1,05 | 1,05 | 1,05 | 1,05 | 1,05 | 1,05 |
| All hardwoods (except poplar) | D | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 | 0,25 |
| | | | | | | | | | | | | | | | | | | |

* The letters A, B, C and D correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

SCHEDULE II

(s.1)

PRICE INDEXES PER SPECIES, GROUP OF SPECIES AND QUALITY

| Species and groups of species | Quality¹ | Price index² | Reference price index³ |
|---|----------------------------|---|--|
| Fir, spruce, Jack pine, tamarack | A | Preserved or treated wood (P2457) | 151,6 |
| | B | Index : Lumber, softwood, Québec (P2444 ; 78,7%) Newsprint paper (P2552 ; 9,4%) Paper board (P2580 ; 3,1%) Woodpulp, sulfate, softwood, domestic (P2538 ; 6,0%) Printing and speciality paper (P2558 ; 2,8%) | 100,0 |
| White pine | B | White pine (Eastern Quotes and Comments) | 914 |
| Red pine | A | Preserved or treated wood (P2457) | 151,6 |
| | B | White pine (Eastern Quotes and Comments) | 914 |
| Hemlock, cedar | B | Lumber, softwood, Québec (P2444) | 162,4 |
| White pine, red pine, Hemlock, cedar | C | Index : Waferboard OSB (Random Lengths ; 2,9%) Lumber, softwood, Québec (P2444 ; 88,4%) Woodpulp, sulfate, softwood, domestic (P2538 ; 8,7%) | 100,0 |
| Oak, cheery, walnut, Hickory | A | Veneer and plywood, hardwood (P2468) | 158,6 |
| | B, C | Lumber, hardwood, birch (P3664) | 162,6 |
| Yellow birch, ash, basswood, elm | A | Veneer and plywood, hardwood (P2468) | 158,6 |
| | B, C | Lumber, hardwood, birch (P3664) | 162,6 |
| White birch | A | Veneer and plywood, hardwood (P2468) | 158,6 |
| | B, C | Lumber, hardwood, birch (P3664) | 162,6 |
| Sugar maple | A | Veneer and plywood, hardwood (P2468) | 158,6 |
| | B, C | Lumber, hardwood, maple (P3663) | 170,5 |
| Poplar | B | Index : Waferboard OSB (Random Lengths ; 60,4%) Pallets (P2494 ; 36,4%) Woodpulp, sulphate, hardwood, domestic (P2536 ; 3,2%) | 100,0 |
| Other hardwoods | B, C | Lumber, hardwood, birch (P3664) | 162,6 |
| All hardwoods Except poplar | D | Index : Waferboard OSB (Random Lengths ; 29,4%) Lumber, hardwood, birch (P3664 ; 10,0%) Woodpulp, sulfate, hardwood, domestic (P2536 ; 60,6%) | 100,0 |

¹ The letters A, B, C and D correspond to quality levels determined on the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

² The source of the price indexes and the relative weight of each are indicated in parentheses. The price indexes from Statistics Canada are indicated according to the Cansim number appearing in catalogue 62-011.

³ The reference price index corresponds to the average of the price indexes calculated between 1 April 1999 and 31 March 2000.