

Regulations and other acts

M.O., 2005

Order number AM 2005-010 of the Minister of Natural Resources and Wildlife dated 23 March 2005

Forest Act
(R.S.Q., c. F-4.1; 2004, c. 6, 11 and 20)

Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants

THE MINISTER OF NATURAL RESOURCES AND WILDLIFE,

CONSIDERING the third paragraph of section 5 of the Forest Act (R.S.Q., c. F-4.1) which provides that the Minister shall determine the unit rates for the classes of forest management permits for which the unit rates have not been determined by regulation of the Government;

CONSIDERING section 72 of that Act which provides that the Minister shall determine the unit rate corresponding to the stumpage value according to the rules of calculation determined by regulation of the Government;

CONSIDERING Order in Council number 372-87 dated 18 March 1987 according to which the Government made the Regulation respecting forest royalties;

CONSIDERING that, in accordance with section 2 and 7 of that Regulation, it is expedient to establish the unit rates for the stumpage value applicable to the calculation of the dues payable by the holder of a forest management permit for the supply of a wood processing plant for the 2005-2006 fiscal year;

CONSIDERING that, in accordance with sections 10, 12 and 13 of the Regulations Act (R.S.Q., c. R-18.1), a draft of the Regulation attached to this Order was published in Part 2 of the *Gazette officielle du Québec* of 23 February 2005 with a notice that it could be made by the Minister upon the expiry of a 25-day period following that publication;

CONSIDERING that the 25-day period has expired;

CONSIDERING section 18 of that Act which provides that a regulation may come into force on the date of its publication in the *Gazette officielle du Québec*, or between that date and the date applicable under section 17 of that Act, where the authority that has made it is of the opinion that the urgency of the situation requires it;

CONSIDERING the same section which provides that the reason justifying such coming into force shall be published with the regulation;

CONSIDERING that in the opinion of the Minister the urgency due to the following circumstances justifies such coming into force:

— The first paragraph of section 2 of the Regulation respecting forest royalties specifies that in order to determine a unit rate fixed by the Minister under the first paragraph of section 72 of the Forest Act the stumpage value of standing timber shall be calculated on 1 April of each year in each forest tariffing zone, by species or group of species and quality of timber, according to the parity technique applicable in property assessment, by comparing the timber to similar timber for which the selling price is known.

For the application of that regulation, the rates must be known as soon as possible;

CONSIDERING that it is expedient to make the regulation with amendments;

ORDERS:

The regulation respecting unit rates applicable to the calculation of dues forest management permits for the supply of wood processing plants, attached to this Order, is made.

Québec, 23 March 2005

PIERRE CORBEIL,
Minister of Natural Resources and Wildlife

Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants

Forest Act

(R.S.Q., c. F-4.1, ss. 5 and 72)

1. The unit rates for stumpage in forests in the public domain by tariffing zone for the fiscal year 2005-2006 set out in Schedule I shall be indexed on 1 April, 1 July, 1 October 2005 and 1 January 2006 in accordance with the performance of the price indexes for the forest products specified in Schedule II. The index rates per species, group of species and quality shall be calculated in accordance with the following formulas :

Index rate at = 1 April 2005	Average price index for the months of December 2004, January and February 2005
	Average price index for the months of April 2002 to March 2004
Index rate at = 1 July 2005	Average price index for the months of March, April and May 2005
	Average price index for the months of April 2002 to March 2004
Index rate at = 1 October 2005	Average price index for the months of June, July and August 2005
	Average price index for the months of April 2002 to March 2004
Index rate at = 1 January 2006	Average price index for the months of September, October and November 2005
	Average price index for the months of April 2002 to March 2004

The amounts thus indexed shall apply, in each forest tariffing zone indicated in Schedule I, to the calculation of the dues payable by the holder of a forest management permit for the supply of a wood processing plant for the 3-month period following the date of indexing.

The amounts indexed in the manner prescribed in the first paragraph shall be reduced to the nearest fraction of \$0.10/m³ where they contain a fraction less than \$0.025/m³. They shall be rounded off to the nearest fraction of \$0.05/m³ where they contain a fraction equal to or greater than \$0.025/m³ but less than \$0.075/m³ and shall be increased to the nearest fraction of \$0.10/m³ where they contain a fraction equal to or greater than \$0.075/m³.

The Minister of Natural Resources and Wildlife shall inform the public, through Part I of the *Gazette officielle du Québec* and, where he considers it appropriate, by any other means, of the indexing calculated under this section.

2. This Regulation replaces the Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants, made by Minister's Order number AM 2004-009 of the Minister of Natural Resources, Wildlife and Parks and the Minister for Forest, Wildlife and Parks dated 25 March 2004.

3. This Regulation comes into force on 1 April 2005.

SCHEDULE I
(s. 1)

REFERENCE UNIT RATES FOR STUMPAGE IN FORESTS IN THE DOMAIN OF THE STATE FOR THE 2005-2006 FISCAL YEAR

Species	Quality*	Stumpage (\$/m ³)																
		101	102	103	104	111	112	113	114	115	116	117	201	202	203	204	205	
Fir, spruce, jack pine, tamarack	F	12,31	12,17	12,99	12,83	9,83	10,90	6,85	7,83	9,15	11,27	12,92	19,16	16,31	21,41	21,49	21,88	
	B	12,20	12,06	12,88	12,71	9,51	10,81	4,46	5,73	7,93	11,17	12,81	18,99	14,24	21,22	18,11	21,69	
White pine	G	8,18	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	13,37	11,89	10,92	13,19	9,47	
	H	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	6,72	5,97	5,48	6,63	4,76	
Red pine	I	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	5,19	4,61	4,24	5,12	4,20	
	F	18,90	15,07	14,95	14,96	14,18	14,17	14,15	14,15	14,15	14,17	14,18	14,17	18,55	18,55	18,05	16,50	17,27
Hemlock, cedar	G	6,06	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	9,91	8,82	8,09	9,78	7,02	
	H	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	4,98	4,43	4,07	4,92	3,53	
White pine, red pine, hemlock, cedar	I	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,85	3,42	3,14	3,80	3,12	
	B	2,93	2,52	2,49	2,50	2,35	2,35	2,34	2,34	2,35	2,35	2,34	2,70	2,70	2,79	2,20	2,39	
Oak, cherry, walnut, hickory	C	1,47	1,30	1,30	1,30	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,43	1,43	1,44	1,17	1,26	
	A	55,42	46,48	37,02	34,30	24,89	24,89	24,89	24,89	24,89	24,89	27,13	24,89	29,84	24,89	44,08	26,76	24,89
Yellow birch, ash, basswood, elm	B	29,04	23,73	18,98	17,51	12,44	11,43	11,43	11,43	11,43	13,64	11,43	13,85	11,43	11,85	11,53	11,43	
	C	11,61	9,52	7,62	7,03	4,98	4,75	4,75	4,75	4,75	5,36	4,75	5,54	4,75	4,75	4,75	4,75	
White birch	A	55,42	45,73	36,27	33,55	24,57	24,50	24,50	24,50	24,50	27,13	24,50	29,84	24,51	44,30	26,76	24,50	
	B	22,51	18,28	14,60	13,46	9,65	8,52	8,52	8,52	8,52	10,04	8,52	10,74	8,52	9,19	8,94	8,52	
Sugar maple	C	9,00	7,31	5,84	5,38	3,81	3,39	3,39	3,39	3,39	3,81	3,39	4,29	3,39	3,67	3,57	3,39	
	A	55,42	44,63	35,17	32,45	22,97	22,97	22,97	22,97	22,97	22,97	22,97	29,84	23,02	43,20	26,76	24,50	
Other hardwoods	B	13,98	10,22	9,72	9,59	5,52	5,52	5,52	5,52	5,52	7,05	5,52	7,19	6,29	11,31	7,04	5,52	
	C	5,58	4,08	3,88	3,83	1,99	1,99	1,99	1,99	1,99	2,69	1,99	2,88	2,51	4,51	2,81	2,06	
Poplars	A	72,63	55,92	53,12	46,07	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	
	B	26,32	20,26	18,81	16,32	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	
All hardwoods (except poplars / aspen	C	6,28	4,83	4,47	3,87	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	
	B	9,01	7,46	5,99	5,53	3,86	3,86	3,86	3,86	3,86	4,23	3,86	4,29	3,86	3,86	3,86	3,86	
All hardwoods (except poplars / aspen	C	4,08	3,02	2,53	2,49	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	
	B	6,75	5,63	6,43	6,21	4,62	5,30	4,31	2,97	3,34	5,73	5,25	7,30	6,91	7,52	6,71	8,76	
All hardwoods (except poplars / aspen	D,E	4,08	2,58	2,21	2,33	1,27	1,27	1,27	1,27	1,27	1,62	1,27	1,43	1,27	1,61	1,31	1,27	

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Zones																		
		206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221			
Fir, spruce, jack pine, tamarack	F	23,01	21,22	20,19	15,80	16,30	16,95	21,90	24,40	22,55	19,87	18,48	14,39	14,06	15,43	15,11	16,75			
	B	15,63	21,03	20,01	15,66	16,16	16,80	21,70	24,18	22,35	19,69	18,31	12,63	13,93	15,30	14,97	16,60			
White pine	G	7,50	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21			
	H	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63			
Red pine	I	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20			
	F	16,59	16,49	15,79	15,21	14,19	15,08	15,86	16,47	16,25	14,48	14,33	15,03	14,28	14,32	14,27	14,18			
Hemlock, cedar	G	5,56	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35			
	H	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43			
White pine, red pine, hemlock, cedar	I	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12			
	B	2,22	2,20	2,13	2,16	1,57	1,85	2,17	2,21	2,15	1,53	1,32	1,34	1,26	1,30	1,29	1,30			
Oak, cherry, walnut, hickory	C	1,20	1,16	1,24	1,30	1,16	1,18	1,24	1,20	1,10	1,02	0,92	0,84	0,97	0,93	0,93	0,97			
	A	35,87	24,89	32,95	24,89	24,89	24,89	30,20	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89			
Yellow birch, ash, basswood, elm	B	12,63	11,43	12,29	11,43	11,43	11,43	11,72	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43			
	C	5,05	4,75	4,91	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75			
White birch	A	35,12	24,50	32,20	24,50	24,50	24,50	29,25	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50			
	B	9,79	8,52	9,53	8,52	8,52	8,52	9,09	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52			
Sugar maple	C	3,91	3,39	3,81	3,39	3,39	3,39	3,63	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39			
	A	34,02	22,97	31,10	22,97	22,97	22,97	28,15	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97			
Other hardwoods	B	8,14	5,52	8,30	5,52	5,52	5,52	7,57	5,79	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52			
	C	3,25	1,99	3,31	1,99	1,99	1,99	3,02	2,31	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99			
Poplars	A	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99			
	B	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50			
All hardwoods (except poplars / aspen)	C	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45			
	B	3,92	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86			
D,E	C	2,09	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71			
	B	7,97	7,28	7,50	6,47	4,86	4,80	7,00	7,81	6,47	5,06	4,91	2,00	2,22	2,67	3,41	5,33			

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)															
		222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237
Fir, spruce, jack pine, tamarack	F	21,89	18,60	18,45	20,01	14,87	12,64	10,44	7,31	5,30	5,13	7,57	12,83	9,88	18,16	12,68	12,39
	B	21,70	18,43	18,28	19,83	14,74	10,85	10,35	7,25	4,46	4,46	7,50	12,71	9,79	17,99	9,42	10,96
White pine	G	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21
	H	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63
Red pine	I	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20
	F	15,95	14,30	14,17	15,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15
Hemlock, cedar	G	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35
	H	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43
White pine, red pine, hemlock, cedar	I	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12
	B	2,04	1,41	1,34	1,82	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,26
Oak, cherry, walnut, hickory	C	1,06	1,01	0,99	1,14	0,95	0,94	0,73	0,73	0,73	0,73	0,73	0,88	0,73	1,04	1,21	1,19
	A	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89
Yellow birch, ash, basswood, elm	B	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43
	C	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75
White birch	A	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50
	B	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52
Sugar maple	C	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39
	A	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97
Other hardwoods	B	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52
	C	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99
Poplars	A	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99
	B	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50
All hardwoods (except poplars / aspen)	C	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45
	B	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86
D,E	C	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71
	B	5,96	5,99	5,89	6,67	4,59	2,71	2,00	2,00	2,00	2,00	2,00	2,00	2,00	2,00	2,00	2,00

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)															
		238	239	301	302	303	304	305	306	401	402	403	404	405	406	407	408
Fir, spruce, jack pine, tamarack	F	11,86	6,46	14,21	9,89	9,67	15,31	11,07	16,76	20,43	22,81	22,37	17,96	21,86	18,72	12,75	19,09
	B	11,75	4,46	14,08	6,00	5,54	14,41	9,59	16,61	19,42	22,60	22,17	17,80	21,67	14,96	12,64	18,92
White pine	G	7,21	7,21	19,44	16,68	18,52	32,34	10,61	7,21	20,10	26,47	31,06	29,12	26,52	7,21	14,18	15,18
	H	4,63	4,63	9,76	8,38	9,30	16,88	5,33	4,63	10,10	13,30	15,61	14,63	13,32	4,63	7,12	7,62
Red pine	I	4,20	4,20	7,54	6,47	7,19	13,11	4,20	4,20	7,80	10,27	12,05	11,30	10,29	4,20	5,50	5,89
	F	14,15	14,15	23,19	17,73	18,47	24,26	15,77	15,31	23,53	24,09	25,91	22,77	22,08	17,17	20,62	15,36
Hemlock, cedar	G	5,35	5,35	14,41	12,37	13,73	24,26	7,87	5,35	14,91	19,63	23,03	21,59	19,67	5,35	10,52	11,25
	H	3,43	3,43	7,24	6,21	6,90	12,59	3,95	3,43	7,49	9,86	11,57	10,85	9,88	3,43	5,28	5,65
White pine, red pine, hemlock, cedar	I	3,12	3,12	5,59	4,80	5,33	9,72	3,12	3,12	5,79	7,62	8,94	8,38	7,63	3,12	4,08	4,37
	B	1,30	1,26	3,34	2,85	2,71	3,38	2,51	2,37	3,32	3,41	3,68	3,26	3,16	2,31	2,81	2,29
Oak, cherry, walnut, hickory	C	1,23	0,96	1,67	1,45	1,43	1,84	1,42	1,40	1,78	1,85	2,02	1,77	1,71	1,17	1,43	0,87
	A	24,89	24,89	62,63	24,89	39,91	54,37	24,89	31,90	46,77	63,55	65,66	50,44	56,17	24,89	24,89	24,89
Yellow birch, ash, basswood, elm	B	11,43	11,43	35,19	11,43	16,74	27,04	11,43	11,43	22,15	32,26	34,35	24,85	30,37	11,43	11,43	11,43
	C	4,75	4,75	14,07	4,75	6,69	10,81	4,75	4,75	8,86	12,90	13,73	9,94	12,14	4,75	4,75	4,75
White birch	A	24,50	24,50	62,63	24,50	39,91	54,37	24,50	29,09	46,77	63,55	65,66	50,44	56,17	24,50	24,50	24,50
	B	8,52	8,52	27,28	8,52	12,98	20,96	8,52	8,52	17,17	25,01	26,63	19,27	23,54	8,52	8,52	8,52
Sugar maple	C	3,39	3,39	10,91	3,39	5,19	8,38	3,39	3,39	6,87	10,00	10,65	7,70	9,41	3,39	3,39	3,39
	A	22,97	22,97	62,63	24,50	39,91	54,37	22,97	27,99	46,77	63,55	65,66	50,44	56,17	22,97	22,97	22,97
Other hardwoods	B	5,52	5,52	17,47	5,52	5,52	10,33	5,52	7,41	14,94	21,31	20,21	13,00	18,83	5,52	5,52	5,52
	C	1,99	1,99	6,98	1,99	1,99	4,13	1,99	2,96	5,97	8,52	8,08	5,20	7,53	1,99	1,99	1,99
Poplars	A	28,99	28,99	70,86	28,99	48,28	69,57	28,99	28,99	52,77	79,15	88,86	66,94	64,82	28,99	28,99	28,99
	B	10,50	10,50	27,10	10,50	17,49	25,81	10,50	10,50	19,12	29,25	34,14	24,25	23,64	10,50	10,50	10,50
All hardwoods (except poplars / aspen)	C	2,45	2,45	6,46	2,45	4,17	6,16	2,45	2,45	4,56	6,98	8,14	5,78	5,64	2,45	2,45	2,45
	B	3,86	3,86	10,91	3,86	5,19	8,39	3,86	3,86	6,87	10,00	10,65	7,71	9,42	3,86	3,86	3,86
D,E	C	1,71	1,71	4,36	1,71	2,08	3,99	1,71	1,71	3,24	4,48	5,30	3,40	4,14	1,71	1,71	1,71
	B	2,00	2,00	6,64	2,70	3,84	6,70	4,74	6,13	7,19	7,59	8,07	6,09	7,95	6,00	3,53	5,23

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)															
		409	410	411	412	413	501	601	602	603	604	605	606	607	608	609	610
Fir, spruce, jack pine, tamarack	F	16,20	18,51	15,95	16,30	20,47	13,02	18,25	21,03	20,78	18,50	15,91	15,16	11,01	11,25	11,18	11,38
	B	12,98	9,19	15,03	15,06	20,29	9,97	17,55	20,84	20,59	18,33	14,54	14,25	10,80	8,24	11,08	7,67
White pine	G	7,21	7,21	7,21	7,21	7,21	20,03	32,61	31,54	23,58	19,55	22,03	27,06	24,96	22,08	17,64	15,01
	H	4,63	4,63	4,63	4,63	4,63	10,06	17,05	15,85	11,84	9,82	11,07	13,59	12,27	10,94	8,86	7,54
Red pine	I	4,20	4,20	4,20	4,20	4,20	7,77	13,65	12,24	9,15	7,59	8,55	10,74	9,91	8,57	6,84	5,83
	F	15,29	15,78	15,29	14,78	15,84	23,25	26,79	27,21	26,32	25,95	24,40	25,39	21,45	21,26	21,25	20,42
Hemlock, cedar	G	5,35	5,35	5,35	5,35	5,35	14,85	24,46	23,39	17,48	14,49	16,34	20,35	18,79	16,37	13,08	11,13
	H	3,43	3,43	3,43	3,43	3,43	7,46	12,72	11,75	8,78	7,28	8,21	10,15	9,18	8,18	6,57	5,59
White pine, red pine, hemlock, cedar	I	3,12	3,12	3,12	3,12	3,12	5,76	10,13	9,08	6,78	5,62	6,34	7,97	7,35	6,35	5,08	4,32
	B	2,30	2,01	2,30	1,64	2,01	3,35	3,81	3,88	3,74	3,68	3,42	3,59	2,91	2,87	2,87	2,77
Oak, cherry, walnut, hickory	C	0,85	0,93	0,85	0,95	1,07	1,68	2,11	2,16	2,07	2,03	1,86	1,97	1,52	1,50	1,50	1,44
	A	24,89	24,89	24,89	24,89	24,89	55,60	73,57	72,93	63,83	46,44	42,49	68,13	50,41	41,55	35,71	29,79
Yellow birch, ash, basswood, elm	B	11,43	11,43	11,43	11,43	11,43	32,85	39,57	39,36	28,55	24,14	23,75	35,77	26,67	23,30	15,45	13,10
	C	4,75	4,75	4,75	4,75	4,75	13,13	15,82	15,74	11,42	9,65	9,50	14,30	10,66	9,32	6,18	5,24
White birch	A	24,50	24,50	24,50	24,50	24,50	55,60	73,57	72,93	63,83	46,44	42,49	68,13	50,41	41,55	35,71	29,79
	B	8,52	8,52	8,52	8,52	8,52	25,46	30,68	30,52	22,13	18,71	18,41	27,73	20,67	18,06	11,98	10,16
Sugar maple	C	3,39	3,39	3,39	3,39	3,39	10,18	12,27	12,20	8,85	7,48	7,36	11,09	8,27	7,22	4,79	4,06
	A	22,97	22,97	22,97	22,97	22,97	55,60	73,57	72,93	63,83	46,44	42,49	68,13	50,41	41,55	35,71	29,79
Other hardwoods	B	5,52	5,52	5,52	5,52	5,52	17,73	25,99	24,35	19,72	16,79	12,24	24,43	17,19	11,84	6,39	8,07
	C	1,99	1,99	1,99	1,99	1,99	7,09	10,39	9,74	7,88	6,71	4,89	9,77	6,87	4,74	2,55	3,23
Poplars	A	28,99	28,99	28,99	28,99	28,99	85,89	88,94	83,70	66,28	43,61	39,37	61,67	47,00	39,57	28,99	28,99
	B	10,50	10,50	10,50	10,50	10,50	31,12	32,22	30,33	24,02	15,80	14,26	22,34	17,03	14,34	10,50	10,50
All hardwoods (except poplars / aspen)	C	2,45	2,45	2,45	2,45	2,45	7,42	7,69	7,23	5,73	3,83	3,40	5,33	4,06	3,42	2,45	2,45
	B	3,86	3,86	3,86	3,86	3,86	10,18	12,27	12,21	8,85	7,49	7,36	11,09	8,27	7,23	4,79	4,06
D,E	C	1,71	1,71	1,71	1,71	1,71	4,07	5,34	5,55	4,54	3,83	2,94	4,49	3,31	2,89	1,92	1,71
	B	5,19	2,00	3,60	4,34	5,99	5,69	8,42	9,85	10,02	8,83	6,18	7,48	6,95	3,61	4,49	5,96

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)															
		701	702	703	704	705	706	707	708	709	710	711	712	801	802	803	804
Fir, spruce, jack pine, tamarack	F	17,16	13,29	8,58	8,71	13,02	9,54	8,26	11,72	8,02	12,25	11,36	12,05	12,51	13,34	11,78	9,86
	B	13,12	5,36	4,80	5,19	6,75	4,46	5,00	8,78	6,13	5,96	4,46	4,46	5,75	9,17	10,87	4,46
White pine	G	33,99	32,74	30,64	28,18	29,13	26,01	22,53	24,14	18,67	16,82	13,12	13,92	24,54	25,19	31,49	28,15
	H	17,92	17,13	15,82	14,16	14,88	12,93	11,08	11,76	8,72	8,20	6,59	6,99	12,09	12,41	16,36	14,26
Red pine	I	13,99	13,54	12,97	10,94	11,64	10,52	8,74	9,78	7,25	6,53	5,09	5,40	9,52	10,35	13,93	11,96
	F	27,27	27,27	24,75	25,86	26,38	25,30	24,76	21,76	20,81	20,47	18,49	19,90	23,83	23,87	23,63	23,86
Oak, cherry, walnut, hickory	G	25,48	24,55	23,00	20,90	21,88	19,56	16,71	18,18	13,85	12,47	9,73	10,32	18,19	18,95	23,63	21,15
	H	13,36	12,78	11,81	10,50	11,11	9,66	8,29	8,79	6,54	6,16	4,89	5,19	9,04	9,28	12,20	10,65
Hemlock, cedar	I	10,37	10,04	9,62	8,11	8,63	7,80	6,48	7,26	5,37	4,84	3,78	4,01	7,06	7,68	10,33	8,87
	B	3,88	3,86	3,42	3,61	3,70	3,51	3,42	2,88	2,66	2,67	2,22	2,57	3,25	3,26	3,14	3,26
White pine, red pine, hemlock, cedar	C	2,15	2,11	1,82	1,95	2,01	1,88	1,81	1,53	1,44	1,42	1,21	1,36	1,72	1,71	1,64	1,72
	A	76,83	70,98	76,43	46,26	54,40	43,71	34,68	49,15	24,89	24,89	24,89	24,89	39,96	47,43	67,55	59,32
Yellow birch, ash, basswood, elm	B	40,50	34,26	32,77	23,21	30,77	23,37	16,60	25,70	11,43	11,43	11,43	11,43	21,63	20,12	34,03	32,85
	C	16,20	13,70	13,10	9,28	12,31	9,35	6,64	10,28	4,75	4,75	4,75	4,75	8,65	8,04	13,61	13,13
White birch	A	76,83	70,98	76,43	46,26	54,40	43,71	34,68	49,15	24,50	24,50	24,50	24,50	39,96	47,43	67,55	59,32
	B	31,40	26,56	25,41	18,00	23,85	18,12	12,87	19,92	8,52	8,52	8,52	8,52	16,77	15,59	26,38	25,46
Sugar maple	C	12,55	10,62	10,16	7,20	9,54	7,24	5,15	7,97	3,39	3,39	3,39	3,39	6,71	6,24	10,55	10,18
	A	76,83	70,98	76,43	46,26	54,40	43,71	34,68	49,15	22,97	22,97	22,97	22,97	39,96	47,43	67,55	59,32
Other hardwoods	B	26,09	23,66	23,80	16,85	20,30	15,47	11,75	16,15	5,52	5,52	5,52	5,52	14,85	16,47	21,82	22,17
	C	10,43	9,46	9,52	6,74	8,12	6,19	4,70	6,46	1,99	1,99	1,99	1,99	5,94	6,59	8,73	8,86
Poplars	A	88,46	62,16	56,64	41,27	67,35	46,09	28,99	42,28	28,99	28,99	28,99	28,99	39,27	35,71	72,33	54,47
	B	32,05	22,52	20,52	14,95	24,40	16,70	10,50	15,32	10,50	10,50	10,50	10,50	14,23	12,94	26,21	19,74
All hardwoods (except poplars / aspen)	C	7,64	5,37	4,96	3,57	5,82	3,98	2,45	3,65	2,45	2,45	2,45	2,45	3,39	3,09	6,25	4,71
	B	12,56	10,62	10,16	7,20	9,54	7,25	5,15	7,97	3,86	3,86	3,86	3,86	6,71	6,24	10,55	10,18
D,E	C	5,95	4,84	4,96	2,88	3,82	2,90	2,06	3,41	1,71	1,71	1,71	1,71	2,68	3,01	4,75	4,07
	B	6,52	6,45	5,02	5,19	5,37	3,73	3,87	5,15	2,98	3,86	2,46	2,00	6,72	8,15	9,25	7,31

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)																
		805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820	
Fir, spruce, jack pine, tamarack	F	9,97	11,17	16,65	9,51	9,55	12,62	11,18	13,18	13,41	15,12	16,36	17,63	12,07	11,95	19,01	22,21	
	B	4,46	8,39	16,51	8,00	6,22	4,46	11,08	7,87	11,97	10,06	14,84	17,47	8,64	11,75	18,84	22,02	
White pine	G	23,87	25,85	27,97	23,94	18,78	14,01	23,51	21,84	22,36	12,52	15,75	13,32	17,79	21,41	22,90	11,19	
	H	11,59	12,83	14,15	11,83	9,39	7,04	11,48	10,97	10,64	6,29	7,84	6,69	8,94	10,76	11,50	5,62	
Red pine	I	9,33	10,61	11,63	9,29	7,29	5,43	9,12	8,48	8,75	4,86	6,11	5,17	6,90	8,31	8,89	4,34	
	F	23,84	23,00	22,20	23,77	22,40	20,04	20,62	18,52	18,84	19,94	18,57	18,43	18,57	18,23	17,35	16,83	
Hemlock, cedar	G	17,83	19,45	21,02	17,75	13,92	10,39	17,44	16,20	16,72	9,28	11,68	9,88	13,19	15,88	16,98	8,30	
	H	8,67	9,59	10,57	8,85	7,00	5,22	8,59	8,14	7,97	4,66	5,87	4,96	6,63	7,98	8,53	4,17	
White pine, red pine, hemlock, cedar	I	6,92	7,87	8,62	6,89	5,40	4,03	6,77	6,28	6,49	3,60	4,53	3,83	5,12	6,16	6,59	3,22	
	B	3,25	3,06	2,87	3,24	2,97	2,44	2,49	1,91	2,08	2,41	2,10	1,98	1,93	1,85	1,67	1,63	
Oak, cherry, walnut, hickory	C	1,72	1,61	1,51	1,71	1,59	1,35	1,36	1,09	1,21	1,34	1,21	1,18	1,10	1,07	1,05	1,03	
	A	34,57	41,92	50,34	39,48	27,95	24,89	43,91	29,41	24,89	24,89	24,89	24,89	24,89	24,89	24,89	33,44	27,69
Yellow birch, ash, basswood, elm	B	19,15	19,60	20,18	19,62	13,57	11,43	14,23	11,81	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43
	C	7,66	7,84	8,07	7,84	5,42	4,75	5,69	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75
White birch	A	34,57	41,92	50,34	39,48	27,95	24,50	43,34	29,41	24,50	24,50	24,50	24,50	24,50	24,50	32,69	27,52	
	B	14,84	15,20	15,65	15,21	10,52	8,52	11,03	9,16	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52
Sugar maple	C	5,94	6,08	6,26	6,08	4,21	3,39	4,41	3,66	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	
	A	34,57	41,92	50,34	39,48	27,95	22,97	42,24	28,67	22,97	22,97	22,97	22,97	22,97	22,97	23,82	31,59	22,97
Other hardwoods	B	11,26	11,10	12,76	10,77	7,05	5,52	11,13	6,00	5,52	5,52	5,52	5,52	5,52	5,56	7,99	6,75	
	C	4,50	4,44	5,10	4,31	2,69	1,99	4,44	2,40	1,99	1,99	1,99	1,99	1,99	2,22	3,18	2,69	
Poplars	A	38,32	33,08	37,32	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	
	B	13,88	11,99	13,52	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	
All hardwoods (except poplars / aspen)	C	3,31	2,86	3,23	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	
	B	5,94	6,08	6,26	6,08	4,21	3,86	4,41	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	
D,E	C	2,37	2,58	2,79	2,43	1,71	1,71	1,76	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	
	B	4,83	6,96	8,72	6,45	2,91	2,12	6,26	3,98	4,62	2,00	4,40	5,94	3,32	4,92	7,40	7,26	

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)															
		821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836
Fir, spruce, jack pine, tamarack	F	20,41	16,34	19,18	14,56	19,05	23,89	20,34	17,92	18,68	18,40	20,16	19,31	11,62	17,87	17,80	20,20
	B	19,44	14,93	12,31	14,33	18,88	23,68	20,16	17,32	17,04	14,27	17,30	11,34	7,65	17,71	17,64	20,02
White pine	G	7,62	7,21	7,21	7,21	7,21	7,97	7,21	7,21	7,21	7,81	10,56	8,40	7,21	7,21	7,21	7,21
	H	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	5,31	4,63	4,63	4,63	4,63	4,63
Red pine	I	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20
	F	16,58	17,07	16,24	14,89	16,35	16,63	15,99	16,35	16,28	16,26	16,78	16,17	14,22	15,72	15,55	14,74
Hemlock, cedar	G	5,65	5,35	5,35	5,35	5,35	5,91	5,35	5,35	5,35	5,79	7,83	6,23	5,35	5,35	5,35	5,35
	H	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,94	3,43	3,43	3,43	3,43	3,43
White pine, red pine, hemlock, cedar	I	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12
	B	1,69	1,85	1,62	1,26	1,66	1,69	1,55	1,66	1,63	1,50	1,56	1,46	1,26	1,45	1,42	1,26
Oak, cherry, walnut, hickory	C	1,02	1,08	1,01	0,94	1,02	1,02	1,00	1,02	1,01	1,02	1,04	1,06	1,06	0,98	0,97	0,93
	A	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	28,65	29,32	24,89	24,89	24,89	24,89
Yellow birch, ash, basswood, elm	B	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43
	C	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75
White birch	A	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	27,52	27,52	24,50	24,50	24,50	24,50
	B	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52
Sugar maple	C	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39
	A	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	23,47	24,16	22,97	22,97	22,97	22,97
Other hardwoods	B	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	6,98	7,05	5,52	5,52	5,52	5,52
	C	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	2,69	2,69	1,99	1,99	1,99	1,99
Poplars	A	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99
	B	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50
All hardwoods (except poplars / aspen)	C	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45
	B	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86
D,E	C	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71
	B	5,78	4,89	3,26	2,62	3,50	5,36	4,24	6,07	5,45	5,52	6,63	5,41	2,26	3,56	3,67	2,44

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)															
		837	838	839	840	841	842	901	902	903	904	905	906	907	908	909	910
Fir, spruce, jack pine, tamarack	F	13,46	11,88	7,77	9,23	5,48	6,83	13,00	13,25	14,33	15,69	13,94	17,94	15,26	16,25	12,12	7,31
	B	13,34	11,38	7,70	4,62	5,43	4,46	12,89	12,65	13,24	15,55	13,81	17,78	15,12	16,11	12,01	7,21
White pine	G	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21
	H	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63
Red pine	I	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20
	F	14,55	14,38	14,15	14,37	14,15	14,15	14,15	14,18	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15
Hemlock, cedar	G	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35
	H	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43
White pine, red pine, hemlock, cedar	I	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12
	B	1,26	1,26	1,26	1,26	1,26	1,26	1,65	1,85	1,64	1,57	1,39	1,59	1,55	1,31	1,26	1,26
Oak, cherry, walnut, hickory	C	0,91	0,88	1,07	0,97	0,73	0,92	1,26	1,31	1,26	1,23	1,12	1,25	1,23	1,07	0,73	0,73
	A	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89
Yellow birch, ash, basswood, elm	B	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43
	C	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75
White birch	A	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50
	B	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52
Sugar maple	C	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39
	A	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97
Other hardwoods	B	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52
	C	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99
Poplars	A	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99
	B	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50
All hardwoods (except poplars / aspen)	C	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45
	B	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86
D,E	C	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71
	B	2,00	2,68	2,00	2,00	2,44	2,00	4,34	4,78	4,40	2,00	2,00	2,00	2,00	2,00	2,00	2,00

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)																					
		911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930		
Fir, spruce, jack pine, tamarack	F	8,29	10,42	7,69	10,31	8,15	5,56	5,18	5,16	5,16	4,50	4,88	4,50	5,60	4,50	4,50	4,50	4,50	4,50	4,50	4,50	5,14	
	B	7,74	9,64	7,63	7,34	6,32	4,46	4,46	4,46	4,46	4,46	4,46	4,46	4,46	5,25	4,46	4,46	4,46	4,46	4,46	4,46	4,46	4,46
White pine	G	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21	7,21
	H	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63	4,63
Red pine	I	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20	4,20
	F	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15	14,15
Hemlock, cedar	G	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35	5,35
	H	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43	3,43
White pine, red pine, hemlock, cedar	I	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12
	B	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,26	1,26
Oak, cherry, walnut, hickory	C	0,73	0,93	0,73	0,79	0,73	0,73	0,73	0,73	0,73	0,73	0,73	0,73	0,73	0,73	0,73	0,73	0,73	0,73	0,73	0,73	0,73	0,73
	A	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89	24,89
Yellow birch, ash, basswood, elm	B	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43	11,43
	C	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75	4,75
White birch	A	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50	24,50
	B	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52	8,52
Sugar maple	C	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39	3,39
	A	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97	22,97
Other hardwoods	B	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52	5,52
	C	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99	1,99
Poplars (except poplars / aspen)	A	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99	28,99
	B	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50	10,50
All hardwoods (except poplars / aspen)	C	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45	2,45
	B	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86	3,86
* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.	C	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71	1,71
	B	2,00	2,00	2,00	2,00	2,00	2,00	2,00	2,00	2,00	2,00	2,00	2,00	2,00	2,00	2,00	2,00	2,00	2,00	2,00	2,00	2,00	2,00
D,E	D	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27
	E	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27	1,27

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

SCHEDULE II

(s.1)

PRICE INDEXES PER SPECIES, GROUPS OF SPECIES AND QUALITY

Species and groups of species	Quality ¹	Price index ²	Reference price index ³
Fir, spruce, jack pine, tamarack	F	Preserved or treated wood (v1575024)	105.8
	B	Index : Lumber, softwood, Québec (v1575011; 81.4%) Newsprint paper (v1575122; 8.9%) Paper board (v1575150; 1.0%) Woodpulp, sulfate, softwood, domestic (v1575107; 5.3%) Printing and speciality paper (v1575128; 3.4%)	100.0
White pine	G, H, I	White pine (Eastern Quotes and Comments)	861
Red pine	F	Preserved or treated wood (v1575024)	105.8
	G, H, I	White pine (Eastern Quotes and Comments)	861
Hemlock, cedar	B	Lumber, softwood, Québec (v1575011)	79.9
White pine, red pine, hemlock, cedar	C	Lumber, softwood, Québec (v1575011)	79.9
Oak, cherry, walnut, hickory	A	Veneer and plywood, hardwood (v1575039)	105.1
	B, C	Lumber, hardwood, birch (v1575035)	117.5
Yellow birch, ash, basswood, elm	A	Veneer and plywood, hardwood (v1575039)	105.1
	B, C	Lumber, hardwood, birch (v1575035)	117.5
White birch	A	Veneer and plywood, hardwood (v1575039)	105.1
	B, C	Lumber, hardwood, birch (v1575035)	117.5
Sugar maple	A	Veneer and plywood, hardwood (v1575039)	105.1
	B, C	Lumber, hardwood, maple (v1575034)	119.5
Poplar	B	Index :	100.0
		Waferboard OSB (Random Lengths; 79.7%)	
		Pallets (v1575072; 12.5%)	
		Woodpulp, sulphate, hardwood, domestic (v1575105; 7.8%)	
Other hardwoods	B, C	Lumber, hardwood, birch (v1575035)	117.5
All hardwoods except poplar	D, E	Index :	100.0
		Waferboard OSB (Random Lengths; 20.5%)	
		Lumber, hardwood, birch (v1575035; 55.0%)	
		Woodpulp, sulfate, hardwood, domestic (v1575105, 24.5%)	

¹ The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined on the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

² The source of the price indexes and the relative weight of each are indicated in parentheses. The price indexes from Statistics Canada are indicated according to their Cansim number.

³ The reference price index corresponds to the average of the price indexes calculated between 1 April 2002 and 31 March 2004.