

59. The Commission must send each party a certified copy of the decision by certified or registered mail, or by courier.

DIVISION X MISCELLANEOUS

60. A party that discontinues proceedings must file a declaration of discontinuance in the Commission's record and send a copy to the other parties.

61. In computing time limits, the day that marks the start of the period is not counted but the last day of the period is counted. Non-judicial days are counted but a time limit that would normally expire on a non-judicial day or on a day when the Commission's offices are closed is extended to the next judicial day.

62. The following are non-judicial days:

- (1) Saturdays and Sundays;
- (2) 1 and 2 January;
- (3) Good Friday;
- (4) Easter Monday;
- (5) the Monday preceding 25 May;
- (6) 24 June;
- (7) 1 July;
- (8) the first Monday in September;
- (9) the second Monday in October;
- (10) 24, 25, 26 and 31 December;
- (11) any other legal holiday declared by the Government.

63. The Secretary of the Commission has the authority to receive documents intended for the Commission.

Peremption of proceedings

64. If more than 12 months elapse after the filing of a relevant pleading in a matter, the Commission may, after a 30-day notice to the parties, and after giving them an opportunity to make submissions, declare the matter perempted.

DIVISION XI TRANSITIONAL AND FINAL

65. These Rules replace the Rules of Proof and Procedure of the Commission de reconnaissance des associations d'artistes et des associations de producteurs, approved by Order in Council 1538-90 dated 31 October 1990.

66. These Rules come into force on the fifteenth day following the date of publication in the *Gazette officielle du Québec*.

7523

Draft Regulation

Forest Act
(R.S.Q., c. F-4.1)

Unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants

Notice is hereby given, in accordance with sections 10 and 13 of the Regulations Act (R.S.Q., c. R-18.1), that the Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants, the text of which appears below, may be made on the expiry of 10 days following this publication.

The purpose of the draft Regulation is to adjust the chart of unit rates to reflect the proposed amendments to the Regulation respecting forest royalties so as to render admissible, as payment of royalties, the costs for the planning and monitoring of silvicultural treatments.

Under section 12 of the Regulations Act, the draft Regulation may be made on the expiry of a period shorter than the period prescribed in section 11 of that Act, by reason of the urgency due to the following circumstances:

— the first silvicultural treatments in Québec are carried out in May and, without them, forest workers could see their working season significantly shortened if the measures proposed in the Regulation do not take effect in the very near term;

— given the difficult economic situation of the forest industry, it is expedient to implement a critical set of measures derived from the work of the advisory group on the economic future of the forest industry in Québec.

Any person having comments to make on the draft Regulation is asked to send them in writing, before the expiry of the 10-day period, to Mrs. Paule Têtu, Associate Deputy Minister for Forêt Québec, Ministère des Ressources naturelles et de la Faune, 880, chemin Sainte-Foy, 10^e étage, Québec (Québec) G1S 4X4.

PIERRE CORBEIL,
Minister of Natural Resources
and Wildlife

Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants

Forest Act
(R.S.Q., c. F-4.1, ss. 5 and 72)

1. The unit rates for stumpage in forests in the public domain by tariffing zone for the May 1st 2006 to March 31st 2007 period set out in Schedule I shall be indexed on 1 May, 1 July, 1 October 2006 and 1 January 2007 in accordance with the performance of the price indexes for the forest products specified in Schedule II. The index rates per species, group of species and quality shall be calculated in accordance with the following formulas:

Index rate at = 1 May 2006	Average price index for the months of December 2005, January and February 2006
	Average price index for the months of April 2003 to March 2005
Index rate at = 1 July 2006	Average price index for the months of March, April and May 2006
	Average price index for the months of April 2003 to March 2005

Index rate at =
1 October 2006

Average price index for
the months of June,
July and August 2006

Average price index for
the months of April 2003
to March 2005

Index rate at =
1 January 2007

Average price index for
the months of September,
October and November 2006

Average price index for
the months of April 2003
to March 2005

The amounts thus indexed shall apply, in each forest tariffing zone indicated in Schedule I, to the calculation of the dues payable by the holder of a forest management permit for the supply of a wood processing plant for the 3-month period following the date of indexing.

The amounts indexed in the manner prescribed in the first paragraph shall be reduced to the nearest fraction of \$0.10/m³ where they contain a fraction less than \$0.025/m³. They shall be rounded off to the nearest fraction of \$0.05/m³ where they contain a fraction equal to or greater than \$0.025/m³ but less than \$0.075/m³ and shall be increased to the nearest fraction of \$0.10/m³ where they contain a fraction equal to or greater than \$0.075/m³.

The Minister of Natural Resources and Wildlife inform the public, through Part I of the *Gazette officielle du Québec* and, where he considers it appropriate, by any other means, of the indexing calculated under this section.

2. This Regulation replaces the Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants, made by Minister's Order number AM 2006-009 of the Minister of Natural Resources and Wildlife dated 23 March 2006.

3. This Regulation comes into force on 1 May 2006.

SCHEDULE I

(s. 1)

REFERENCE UNIT RATES FOR STUMPAGE IN FORESTS IN THE DOMAIN OF THE STATE FOR MAY 1st 2006 TO MARCH 31st PERIOD

Species	Quality*	Stumpage (\$/m ³)																
		101	102	103	104	111	112	113	114	115	116	117	201	202	203	204	205	
Fir, spruce, jack pine, tamarack	F	12,60	12,45	13,29	13,12	10,06	11,16	7,01	8,01	9,36	11,53	12,42	19,06	16,68	21,51	21,99	22,39	
	B	12,48	12,34	13,17	13,01	9,73	11,06	4,56	5,86	8,11	11,42	12,31	18,89	14,57	21,32	18,53	22,19	
	G	8,37	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	10,76	10,76	10,76	9,68	
White pine	H	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	5,56	5,56	5,56	5,56	4,87	
	I	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	
	F	19,13	15,25	15,13	15,14	14,35	14,34	14,32	14,32	14,34	14,35	14,34	18,77	18,77	18,26	16,70	17,48	
Red pine	G	6,20	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	7,96	7,96	7,96	7,96	7,18	
	H	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	4,08	4,08	4,08	4,08	3,61	
	I	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,23	3,23	3,23	3,23	3,19	
Hemlock, cedar	B	3,00	2,57	2,55	2,55	2,40	2,40	2,39	2,39	2,40	2,40	2,40	2,76	2,76	2,85	2,25	2,45	
	C	1,50	1,33	1,33	1,33	1,32	1,32	1,32	1,32	1,32	1,32	1,32	1,46	1,46	1,47	1,20	1,29	
	A	56,69	47,54	37,88	35,09	25,46	25,35	25,35	25,35	25,35	27,75	25,35	30,53	25,46	45,10	27,38	25,46	
Oak, cherry, walnut, hickory	B	29,71	24,28	19,41	17,91	12,73	11,70	11,70	11,70	11,70	13,95	11,70	14,17	11,70	12,13	11,80	11,70	
	C	11,88	9,74	7,79	7,19	5,09	4,86	4,86	4,86	4,86	5,48	4,86	5,67	4,86	4,86	4,86	4,86	
	A	56,69	46,78	37,11	34,32	25,14	22,51	22,51	22,51	22,51	27,75	22,51	30,53	25,07	45,32	27,38	25,06	
Yellow birch, ash, basswood, elm	B	23,03	18,70	14,93	13,77	9,87	8,72	8,72	8,72	8,72	10,27	8,72	10,98	8,72	9,40	9,14	8,72	
	C	9,21	7,48	5,97	5,51	3,89	3,47	3,47	3,47	3,47	3,89	3,47	4,39	3,47	3,76	3,66	3,47	
	A	56,69	45,65	35,98	33,19	23,50	22,51	22,51	22,51	22,51	23,50	22,51	30,53	23,54	44,19	27,38	25,06	
White birch	B	14,30	10,46	9,94	9,81	5,47	5,47	5,47	5,47	5,47	7,21	5,47	7,36	6,43	11,57	7,20	5,65	
	C	5,71	4,17	3,96	3,91	1,98	1,98	1,98	1,98	1,98	2,76	1,98	2,94	2,57	4,62	2,88	2,11	
	A	58,61	48,59	40,29	46,05	16,42	14,21	14,21	14,21	14,21	29,65	14,21	14,21	14,21	14,21	14,21	14,21	
Sugar maple	B	23,49	19,48	16,15	16,70	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	
	C	5,31	4,40	3,65	3,96	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	
	A	56,69	45,65	35,98	33,19	23,50	22,51	22,51	22,51	22,51	23,50	22,51	30,53	23,54	44,19	27,38	25,06	
Other hardwoods	B	9,21	7,63	6,13	5,66	3,95	3,95	3,95	3,95	3,95	4,33	3,95	4,39	3,95	3,95	3,95	3,95	
	C	3,96	3,09	2,59	2,55	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	
	B	6,78	5,65	6,57	6,36	4,42	5,23	4,11	3,04	3,23	5,62	4,83	6,98	6,68	7,26	6,60	8,63	
Poplars	D, E	1,32	1,32	1,32	1,32	1,30	1,30	1,30	1,30	1,30	1,32	1,30	1,32	1,30	1,65	1,32	1,30	
	All hardwoods (except poplars / aspen)																	

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)															
		206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221
Fir, spruce, jack pine, tamarack	F	23,54	21,71	20,65	15,38	16,26	15,97	22,06	24,96	22,43	19,14	17,68	14,15	14,38	15,79	13,90	17,13
	B	15,99	21,52	20,47	15,25	16,12	15,83	21,87	24,74	22,23	18,97	17,52	12,41	14,25	15,65	13,77	16,98
White pine	G	7,67	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38
	H	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74
Red pine	I	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26
	F	16,79	16,69	15,97	15,39	14,36	15,26	16,05	16,66	16,44	14,66	14,51	15,21	14,45	14,49	14,44	14,35
Oak, cherry, walnut, hickory	G	5,69	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	H	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51
Hemlock, cedar	I	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19
	B	2,27	2,25	2,18	2,21	1,61	1,90	2,22	2,26	2,20	1,56	1,35	1,37	1,29	1,33	1,32	1,33
White pine, red pine, hemlock, cedar	C	1,23	1,19	1,26	1,33	1,19	1,21	1,27	1,23	1,13	1,04	0,94	0,86	0,99	0,96	0,95	0,99
	A	36,70	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35
Yellow birch, ash, basswood, elm	B	12,92	11,70	12,08	11,70	11,70	11,70	11,99	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70
	C	5,16	4,86	4,96	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86
White birch	A	35,93	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
	B	10,01	8,72	9,08	8,72	8,72	8,72	9,08	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72
Sugar maple	C	4,00	3,47	3,55	3,47	3,47	3,47	3,55	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47
	A	34,80	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
Other hardwoods	B	8,33	5,47	8,49	5,65	5,47	5,65	7,74	5,92	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	C	3,32	2,04	3,38	2,04	1,98	2,04	3,09	2,37	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98
Poplars	A	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21
	B	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45
All hardwoods (except poplars / aspen)	C	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41
	B	4,01	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
All hardwoods (except poplars / aspen)	C	2,14	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75
	B	8,15	7,00	7,41	6,35	4,64	4,66	6,76	7,45	6,22	4,82	4,57	2,04	2,27	2,38	3,06	4,95
* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.	D, E	2,14	1,30	1,73	1,30	1,30	1,30	1,60	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)															
		222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237
Fir, spruce, jack pine, tamarack	F	22,40	17,99	18,60	19,93	14,73	11,91	9,40	7,26	3,87	3,74	6,58	11,93	7,78	16,95	12,61	12,67
	B	22,20	17,83	18,43	19,75	14,60	10,22	9,32	7,20	3,25	3,25	6,52	11,83	7,71	16,79	9,37	11,21
White pine	G	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38
	H	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74
Red pine	I	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26
	F	16,14	14,48	14,34	15,33	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32
Oak, cherry, walnut, hickory	G	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	H	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51
Hemlock, cedar	I	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19
	B	2,08	1,45	1,37	1,86	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,48	1,34
White pine, red pine, hemlock, cedar	C	1,09	1,04	1,01	1,16	0,97	0,96	0,75	0,75	0,75	0,75	0,75	0,90	0,75	1,06	1,24	1,21
	A	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35
Yellow birch, ash, basswood, elm	B	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70
	C	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86
White birch	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
	B	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72
Sugar maple	C	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47
	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
Other hardwoods	B	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	C	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98
Poplars	A	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21
	B	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45
All hardwoods (except poplars / aspen)	C	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41
	B	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
All hardwoods (except poplars / aspen)	C	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75
	B	5,50	5,69	5,29	6,18	4,48	2,49	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,44	2,10	2,04
* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.	D, E	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Stumpage (\$/m ³)																
	238	239	301	302	303	304	305	306	401	402	403	404	405	406	407	408	
Fir, spruce, jack pine, tamarack	F	11,91	4,71	14,54	10,12	9,89	15,66	11,02	17,14	20,49	23,21	21,87	17,25	21,80	19,15	13,05	19,52
	B	11,80	3,25	14,41	6,14	5,67	14,75	9,54	16,99	19,48	23,01	21,68	17,10	21,60	15,31	12,93	19,35
White pine	G	7,38	7,38	10,76	10,76	10,76	33,08	10,76	7,38	10,77	19,80	30,24	25,55	21,06	7,38	10,76	10,76
	H	4,74	4,74	5,56	5,56	5,56	17,27	5,45	4,74	5,56	9,95	15,19	12,84	10,58	4,74	5,56	5,56
Red pine	I	4,26	4,26	4,26	4,26	4,26	13,41	4,26	4,26	4,26	7,69	11,73	9,92	8,17	4,26	4,26	4,26
	F	14,32	14,32	23,46	17,94	18,69	24,82	15,96	15,50	23,81	24,38	26,22	23,05	22,34	17,38	20,87	15,55
Hemlock, cedar	G	5,47	5,47	7,96	7,96	7,96	24,82	7,96	5,47	7,98	14,69	22,42	18,95	15,62	5,47	7,96	7,96
	H	3,51	3,51	4,08	4,08	4,08	12,87	4,05	3,51	4,08	7,38	11,26	9,52	7,85	3,51	4,08	4,08
White pine, red pine, hemlock, cedar	I	3,19	3,19	3,23	3,23	3,23	9,95	3,19	3,19	3,23	5,70	8,70	7,35	6,06	3,19	3,23	3,23
	B	1,33	1,29	3,41	2,91	2,78	3,46	2,56	2,43	3,40	3,48	3,76	3,33	3,23	2,36	2,88	2,35
Oak, cherry, walnut, hickory	C	1,26	0,99	1,71	1,48	1,46	1,88	1,45	1,44	1,82	1,90	2,07	1,81	1,74	1,20	1,47	0,89
	A	25,35	25,35	64,07	25,46	40,83	55,62	25,35	25,35	47,84	65,01	67,17	51,60	57,46	25,35	25,46	25,35
Yellow birch, ash, basswood, elm	B	11,70	11,70	36,00	11,70	17,13	27,67	11,70	11,70	22,66	33,00	35,14	25,42	31,07	11,70	11,70	11,70
	C	4,86	4,86	14,40	4,86	6,85	11,06	4,86	4,86	9,06	13,20	14,05	10,17	12,42	4,86	4,86	4,86
White birch	A	22,51	22,51	64,07	25,06	40,83	55,62	23,27	22,51	47,84	65,01	67,17	51,60	57,46	22,51	25,06	22,51
	B	8,72	8,72	27,91	8,72	13,28	21,45	8,72	8,72	17,57	25,58	27,24	19,71	24,08	8,72	8,72	8,72
Sugar maple	C	3,47	3,47	11,16	3,47	5,31	8,58	3,47	3,47	7,02	10,23	10,89	7,88	9,63	3,47	3,47	3,47
	A	22,51	22,51	64,07	25,06	40,83	55,62	23,27	22,51	47,84	65,01	67,17	51,60	57,46	22,51	23,91	22,51
Other hardwoods	B	5,47	5,47	17,87	5,65	5,65	10,57	5,65	7,59	15,28	21,80	20,68	13,30	19,26	5,47	5,47	5,47
	C	1,98	1,98	7,14	2,04	2,04	4,23	2,04	3,02	6,11	8,72	8,27	5,32	7,70	1,98	2,04	1,98
Poplars	A	14,21	14,21	57,60	18,55	28,54	50,04	14,21	14,21	39,20	51,39	67,64	43,76	37,33	14,21	29,65	14,21
	B	10,45	10,45	23,09	10,45	12,24	21,46	10,45	10,45	16,81	22,04	29,01	18,77	16,01	10,45	10,45	10,45
All hardwoods (except poplars / aspen)	C	2,41	2,41	5,22	2,41	2,77	4,85	2,41	2,41	3,80	4,98	6,56	4,24	3,62	2,41	2,41	2,41
	B	3,95	3,95	11,16	3,95	5,31	8,58	3,95	3,95	7,03	10,23	10,90	7,88	9,63	3,95	3,95	3,95
D, E	C	1,75	1,75	4,46	1,75	2,12	4,01	1,75	1,75	3,03	4,16	5,42	3,36	4,11	1,75	1,75	1,75
	B	2,04	2,04	6,80	2,76	3,92	6,47	4,49	6,27	7,18	7,53	8,04	5,87	7,80	5,99	3,61	5,02

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Stumpage (\$/m ³)																
	409	410	411	412	413	501	601	602	603	604	605	606	607	608	609	610	
Fir, spruce, jack pine, tamarack	F	16,57	18,94	16,27	15,98	20,03	13,32	18,67	21,51	21,25	18,92	16,28	15,51	11,26	11,27	11,44	11,64
	B	13,27	9,41	15,34	14,76	19,85	10,20	17,95	21,32	21,06	18,75	14,87	14,58	11,04	8,25	11,34	7,85
White pine	G	7,38	7,38	7,38	7,38	7,38	10,76	33,36	32,27	19,28	10,76	16,39	27,68	24,57	17,35	11,59	10,76
	H	4,74	4,74	4,74	4,74	4,74	5,56	17,44	16,21	9,69	5,56	8,23	13,90	12,34	8,72	5,82	5,56
Red pine	I	4,26	4,26	4,26	4,26	4,26	4,26	13,97	12,52	7,48	4,26	6,36	10,99	9,53	6,73	4,50	4,26
	F	15,48	15,97	15,48	14,96	16,03	23,53	27,11	27,54	26,63	26,26	24,69	25,69	21,71	21,51	21,50	20,67
Hemlock, cedar	G	5,47	5,47	5,47	5,47	5,47	7,96	25,02	23,93	14,30	7,96	12,15	20,81	18,22	12,87	8,59	7,96
	H	3,51	3,51	3,51	3,51	3,51	4,08	13,01	12,02	7,18	4,08	6,10	10,38	9,15	6,46	4,32	4,08
White pine, red pine, hemlock, cedar	I	3,19	3,19	3,19	3,19	3,19	3,23	10,36	9,29	5,55	3,23	4,72	8,15	7,07	4,99	3,33	3,23
	B	2,36	2,06	2,36	1,68	2,06	3,42	3,90	3,97	3,83	3,77	3,49	3,67	2,97	2,94	2,94	2,83
Oak, cherry, walnut, hickory	C	0,87	0,95	0,87	0,97	1,09	1,72	2,16	2,21	2,12	2,08	1,90	2,01	1,56	1,54	1,54	1,48
	A	25,35	25,35	25,35	25,35	25,35	56,88	75,26	74,61	65,30	47,51	43,47	69,70	51,57	42,51	36,53	30,47
Yellow birch, ash, basswood, elm	B	11,70	11,70	11,70	11,70	11,70	33,60	40,48	40,27	29,21	24,69	24,30	36,59	27,28	23,84	15,81	13,40
	C	4,86	4,86	4,86	4,86	4,86	13,44	16,19	16,10	11,68	9,87	9,72	14,63	10,91	9,53	6,32	5,36
White birch	A	22,51	22,51	22,51	22,51	22,51	56,88	75,26	74,61	65,30	47,51	43,47	69,70	51,57	42,51	36,53	30,47
	B	8,72	8,72	8,72	8,72	8,72	26,05	31,38	31,22	22,64	19,14	18,83	28,37	21,15	18,48	12,26	10,39
Sugar maple	C	3,47	3,47	3,47	3,47	3,47	10,42	12,55	12,48	9,05	7,65	7,53	11,34	8,46	7,39	4,90	4,16
	A	22,51	22,51	22,51	22,51	22,51	56,88	75,26	74,61	65,30	47,51	43,47	69,70	51,57	42,51	36,53	30,47
Other hardwoods	B	5,47	5,47	5,47	5,47	5,47	14,13	26,58	24,91	20,17	17,18	12,52	25,00	17,59	12,12	6,54	8,25
	C	1,98	1,98	1,98	1,98	1,98	5,54	10,63	9,96	8,07	6,87	5,01	10,00	7,03	4,84	2,61	3,30
Poplars (except poplars / aspen)	A	14,21	14,21	14,21	14,21	14,21	68,79	76,73	73,16	53,06	33,47	40,27	63,09	48,08	40,48	29,65	24,15
	B	10,45	10,45	10,45	10,45	10,45	26,29	29,32	27,96	22,69	14,31	13,16	20,76	16,05	13,53	10,45	10,45
All hardwoods (except poplars / aspen)	C	2,41	2,41	2,41	2,41	2,41	5,94	6,63	6,32	5,13	3,23	2,97	4,69	3,63	3,06	2,41	2,41
	B	3,95	3,95	3,95	3,95	3,95	10,42	12,55	12,49	9,06	7,66	7,53	11,35	8,46	7,39	4,90	4,16
D, E	C	1,75	1,75	1,75	1,75	1,75	4,17	5,47	5,68	4,65	3,35	3,01	4,60	3,38	2,96	1,96	1,75
	B	4,78	2,04	3,02	3,73	5,59	5,82	8,61	10,08	10,25	9,03	6,33	7,52	6,40	3,36	4,59	6,10
	D, E	1,30	1,30	1,30	1,30	1,30	3,00	5,47	5,68	4,65	2,82	2,72	4,60	3,23	1,59	1,30	1,55

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)															
		701	702	703	704	705	706	707	708	709	710	711	712	801	802	803	804
Fir, spruce, jack pine, tamarack	F	17,55	13,59	8,78	8,91	13,32	9,76	8,45	8,81	7,22	9,85	8,28	8,78	10,16	13,65	11,51	7,19
	B	13,42	5,48	4,91	5,31	6,91	4,56	5,11	6,60	5,52	4,79	3,25	3,25	4,67	9,39	10,62	3,25
White pine	G	34,77	33,49	31,35	28,83	29,80	26,61	18,54	20,37	11,81	10,76	10,76	10,76	25,10	23,62	32,22	28,79
	H	18,33	17,53	16,19	14,48	15,22	13,22	9,31	10,23	5,93	5,56	5,56	5,56	12,37	11,87	16,73	14,59
Red pine	I	14,31	13,85	13,27	11,19	11,91	10,46	7,19	7,90	4,58	4,26	4,26	4,26	9,74	9,17	14,25	12,23
	F	27,60	27,60	25,05	26,17	26,69	25,60	25,06	22,02	21,06	20,72	18,72	20,14	24,12	24,16	24,18	24,14
Oak, cherry, walnut, hickory	G	26,07	25,12	23,53	21,38	22,38	19,99	13,75	15,11	8,76	7,96	7,96	7,96	18,61	17,52	24,18	21,64
	H	13,67	13,07	12,08	10,74	11,36	9,88	6,91	7,59	4,40	4,08	4,08	4,08	9,25	8,80	12,48	10,90
Hemlock, cedar	I	10,61	10,27	9,84	8,30	8,83	7,76	5,33	5,86	3,40	3,23	3,23	3,23	7,22	6,80	10,57	9,07
	B	3,97	3,95	3,50	3,70	3,78	3,59	3,50	2,94	2,72	2,73	2,27	2,62	3,33	3,34	3,21	3,34
White pine, red pine, hemlock, cedar	C	2,20	2,16	1,86	1,99	2,06	1,93	1,86	1,57	1,47	1,45	1,24	1,39	1,76	1,75	1,68	1,75
	A	78,60	72,61	74,73	47,33	55,65	44,72	35,48	50,28	25,35	25,35	25,35	25,35	40,88	44,13	69,11	60,69
Yellow birch, ash, basswood, elm	B	41,43	35,04	33,53	23,75	31,48	23,91	16,99	26,29	11,70	11,70	11,70	11,70	22,13	20,58	34,81	33,60
	C	16,57	14,01	13,41	9,50	12,59	9,56	6,79	10,51	4,86	4,86	4,86	4,86	8,85	8,23	13,92	13,44
White birch	A	78,60	72,61	74,73	47,33	55,65	44,72	35,48	50,28	22,51	22,51	22,51	22,51	40,88	44,13	69,11	60,69
	B	32,12	27,17	25,99	18,41	24,40	18,53	13,17	20,38	8,72	8,72	8,72	8,72	17,16	15,95	26,99	26,05
Sugar maple	C	12,84	10,86	10,39	7,36	9,76	7,41	5,26	8,15	3,47	3,47	3,47	3,47	6,86	6,38	10,79	10,42
	A	78,60	72,61	74,73	47,33	55,65	44,72	35,48	50,28	22,51	22,51	22,51	22,51	40,88	44,13	69,11	60,69
Other hardwoods (except poplars / aspen)	B	26,69	24,20	24,35	17,24	20,76	15,83	12,02	16,52	5,47	5,47	5,47	5,47	15,19	16,85	22,32	22,67
	C	10,67	9,68	9,74	6,89	8,30	6,33	4,81	6,61	1,98	1,98	1,98	1,98	6,08	6,74	8,93	9,07
Poplars	A	81,62	63,59	57,95	41,21	60,07	45,57	29,65	43,25	15,66	16,74	14,21	14,22	40,18	36,53	68,17	54,12
	B	28,70	20,35	18,67	12,87	21,79	15,44	10,45	14,68	10,45	10,45	10,45	10,45	13,23	11,92	22,87	17,50
All hardwoods (except poplars / aspen)	C	6,49	4,95	4,82	2,91	4,93	3,49	2,41	3,32	2,41	2,41	2,41	2,41	2,99	2,69	5,17	3,96
	B	12,85	10,87	10,40	7,36	9,76	7,41	5,27	8,15	3,95	3,95	3,95	3,95	6,86	6,38	10,80	10,42
D, E	C	6,09	4,95	4,82	2,94	3,90	2,96	2,11	3,34	1,75	1,75	1,75	1,75	2,74	2,73	4,63	4,17
	B	6,44	6,52	5,13	5,31	5,31	3,78	3,77	4,65	3,05	3,51	2,38	2,04	6,88	8,34	9,46	7,48

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)															
		805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820
Fir, spruce, jack pine, tamarack	F	7,27	11,43	17,04	9,73	9,77	12,91	11,44	13,48	13,71	15,47	16,32	18,03	12,35	12,23	19,44	22,73
	B	3,25	8,58	16,89	8,18	6,36	4,56	11,34	8,05	12,25	10,29	14,80	17,87	8,84	12,02	19,27	22,52
White pine	G	23,71	25,74	28,61	18,97	10,76	10,76	19,54	14,25	15,64	10,76	10,76	10,76	10,76	13,51	17,99	10,76
	H	11,86	12,93	14,48	9,53	5,56	5,56	9,82	7,16	7,86	5,56	5,56	5,56	5,56	6,79	9,04	5,56
Red pine	I	9,20	9,99	11,90	7,36	4,26	4,26	7,58	5,53	6,07	4,26	4,26	4,26	4,26	5,24	6,98	4,26
	F	24,13	23,27	22,47	24,05	22,67	20,29	20,87	18,74	19,07	20,18	18,79	18,65	18,79	18,45	17,56	17,03
Oak, cherry, walnut, hickory	G	17,58	19,09	21,50	14,06	7,96	7,96	14,49	10,57	11,60	7,96	7,96	7,96	7,96	10,02	13,34	7,96
	H	8,83	9,59	10,81	7,07	4,08	4,08	7,28	5,31	5,83	4,08	4,08	4,08	4,08	5,03	6,70	4,08
Hemlock, cedar	I	6,82	7,41	8,82	5,46	3,23	3,23	5,62	4,10	4,50	3,23	3,23	3,23	3,23	3,89	5,18	3,23
	B	3,33	3,13	2,94	3,31	3,04	2,50	2,54	1,95	2,13	2,47	2,15	2,03	1,98	1,89	1,71	1,67
White pine, red pine, hemlock, cedar	C	1,76	1,65	1,55	1,75	1,62	1,38	1,39	1,11	1,24	1,37	1,23	1,21	1,13	1,10	1,07	1,05
	A	35,36	42,89	51,49	40,39	28,59	25,35	41,42	30,09	25,35	25,35	25,35	25,35	25,35	25,46	31,30	25,35
Yellow birch, ash, basswood, elm	B	19,59	20,06	20,65	20,07	13,88	11,70	14,56	12,08	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70
	C	7,83	8,02	8,26	8,02	5,55	4,86	5,82	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86
White birch	A	35,36	42,89	51,49	40,39	28,59	22,51	41,42	30,09	23,34	22,51	22,51	22,51	22,51	25,06	31,30	22,51
	B	15,18	15,55	16,01	15,56	10,76	8,72	11,29	9,29	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72
Sugar maple	C	6,07	6,22	6,40	6,22	4,30	3,47	4,51	3,64	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47
	A	35,36	42,89	51,49	40,39	28,59	22,51	41,42	29,33	23,34	22,51	22,51	22,51	22,51	24,37	31,30	22,51
Other hardwoods (except poplars / aspen)	B	11,52	11,36	13,06	11,02	7,21	5,65	11,39	6,14	5,65	5,47	5,47	5,47	5,47	5,69	8,17	6,90
	C	4,61	4,54	5,22	4,41	2,76	2,04	4,54	2,46	2,04	1,98	1,98	1,98	1,98	2,28	3,26	2,76
Poplars	A	39,20	33,84	38,18	29,65	16,49	14,21	29,65	24,37	15,88	14,21	14,21	14,21	14,21	22,20	26,21	14,21
	B	14,04	11,39	13,35	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45
All hardwoods (except poplars / aspen)	C	3,17	2,57	3,02	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41
	B	6,07	6,22	6,40	6,22	4,30	3,95	4,51	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
D, E	C	2,43	2,64	2,85	2,49	1,75	1,75	1,81	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75
	B	4,94	6,73	8,54	6,18	2,98	2,17	6,05	3,97	4,72	2,04	4,50	6,08	3,19	4,73	6,95	7,42

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Stumpage (\$/m ³)															
	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836
Fir, spruce, jack pine, tamarack	20,75	16,47	18,47	14,59	18,99	24,44	20,80	18,33	19,11	18,82	20,62	19,76	11,88	18,28	18,21	20,67
White pine	7,79	7,38	7,38	7,38	7,38	8,16	7,38	7,38	7,38	7,99	10,76	8,59	7,38	7,38	7,38	7,38
Red pine	16,78	17,28	16,43	15,07	16,55	16,83	16,18	16,55	16,47	16,45	16,98	16,36	14,39	15,90	15,74	14,92
Oak, cherry, walnut, hickory	5,78	5,47	5,47	5,47	5,47	6,05	5,47	5,47	5,47	5,93	7,96	6,37	5,47	5,47	5,47	5,47
Yellow birch, ash, basswood, elm	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	4,03	3,51	3,51	3,51	3,51	3,51
Hemlock, cedar	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19
White pine, red pine, hemlock, cedar	1,73	1,89	1,66	1,29	1,70	1,73	1,58	1,70	1,67	1,53	1,60	1,49	1,29	1,49	1,46	1,29
Oak, cherry, walnut, hickory	1,04	1,11	1,03	0,96	1,04	1,04	1,02	1,04	1,04	1,05	1,07	1,08	1,08	1,01	1,00	0,95
White birch	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35
Sugar maple	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70
Other hardwoods	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86
Poplars	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
All hardwoods (except poplars / aspen)	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72
	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47
	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	7,14	7,21	5,47	5,47	5,47	5,47
	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	2,04	2,76	2,76	1,98	1,98	1,98	1,98
	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21
	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45
	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41
	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75
	5,77	4,68	3,20	2,68	3,58	5,48	4,34	6,21	5,58	5,64	6,52	5,52	2,31	3,64	3,75	2,50
	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Stumpage (\$/m ³)															
	837	838	839	840	841	842	901	902	903	904	905	906	907	908	909	910
Fir, spruce, jack pine, tamarack	13,19	12,15	7,95	9,45	5,61	4,98	13,30	13,55	14,66	15,72	14,26	18,35	15,61	16,39	11,44	6,56
White pine	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38
Red pine	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74
	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26
	14,72	14,55	14,32	14,54	14,32	14,32	14,32	14,35	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32
	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51
	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19
Hemlock, cedar	1,29	1,29	1,29	1,29	1,29	1,29	1,68	1,90	1,68	1,60	1,43	1,63	1,59	1,34	1,29	1,29
White pine, red pine, hemlock, cedar	0,94	0,90	1,09	0,99	0,75	0,94	1,29	1,34	1,29	1,26	1,15	1,28	1,25	1,09	0,75	0,75
Oak, cherry, walnut, hickory	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35
	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70
	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86
Yellow birch, ash, basswood, elm	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72
	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47
White birch	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
	5,47	5,47	5,47	5,47	5,47	5,47	5,65	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	1,98	1,98	1,98	1,98	1,98	1,98	2,04	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98
Sugar maple	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21
	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45
	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41
Other hardwoods	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75
Poplars	2,04	2,74	2,04	2,04	2,50	2,04	4,44	4,88	4,27	2,04	2,04	2,04	2,04	2,04	2,04	2,04
All hardwoods (except poplars / aspen)	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)																	
		911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	999	
Fir, spruce, jack pine, tamarack	F	7,22	10,66	7,16	9,04	8,24	4,13	3,78	3,76	3,76	3,28	3,28	3,28	3,28	3,28	3,28	3,28	3,28	3,75
	B	6,74	9,86	7,10	6,44	6,39	3,32	3,25	3,25	3,25	3,25	3,25	3,25	3,25	3,25	3,25	3,25	3,25	3,25
	G	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38
White pine	H	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74
	I	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26
	F	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32
Red pine	G	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	H	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51
	I	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19
Hemlock, cedar	B	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29
	C	0,75	0,95	0,75	0,81	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75
	A	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35
Oak, cherry, walnut, hickory	B	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70
	C	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86
	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
Yellow birch, ash, basswood, elm	B	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72
	C	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47
	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
White birch	B	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	C	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98
	A	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21
Sugar maple	B	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45
	C	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41
	B	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
Other hardwoods	C	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75
	B	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04
	D, E	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30
All hardwoods (except poplars / aspen)																			

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

SCHEDULE II

(s.1)

PRICE INDEXES PER SPECIES, GROUPS OF SPECIES AND QUALITY

Species and groups of species	Quality ¹	Price index ²	Reference price index ³
Fir, spruce, jack pine, tamarack	F	Preserved or treated wood (v1575024)	107.1
	B	Index : Lumber, softwood, Québec (v1575011; 81.4%) Newsprint paper (v1575122; 8.9%) Paper board (v1575150; 1.0%) Woodpulp, sulfate, softwood, domestic (v1575107; 5.3%) Printing and speciality paper (v1575128; 3.4%)	100.0
White pine	G, H, I	White pine (Eastern Quotes and Comments)	879
Red pine	F	Preserved or treated wood (v1575024)	107.1
	G, H, I	White pine (Eastern Quotes and Comments)	879
Hemlock, cedar	B	Lumber, softwood, Québec (v1575011)	83.6
White pine, red pine, hemlock, cedar	C	Lumber, softwood, Québec (v1575011)	83.6
Oak, cherry, walnut, hickory	A	Veneer and plywood, hardwood (v1575039)	100.0
	B, C	Lumber, hardwood, birch (v1575035)	119.0
Yellow birch, ash, basswood, elm	A	Veneer and plywood, hardwood (v1575039)	100.0
	B, C	Lumber, hardwood, birch (v1575035)	119.0
White birch	A	Veneer and plywood, hardwood (v1575039)	100.0
	B, C	Lumber, hardwood, birch (v1575035)	119.0
Sugar maple	A	Veneer and plywood, hardwood (v1575039)	100.0
	B, C	Lumber, hardwood, maple (v1575034)	112.9
Poplar	B	Index :	100.0
		Waferboard OSB (Random Lengths; 79.7%)	
		Pallets (v1575072; 12.5%)	
		Woodpulp, sulphate, hardwood, domestic (v1575105; 7.8%)	
Other hardwoods	B, C	Lumber, hardwood, birch (v1575035)	119.0
All hardwoods except poplar	D, E	Index :	100.0
		Waferboard OSB (Random Lengths; 20.5%)	
		Lumber, hardwood, birch (v1575035; 55.0%)	
		Woodpulp, sulfate, hardwood, domestic (v1575105, 24.5%)	

¹ The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined on the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

² The source of the price indexes and the relative weight of each are indicated in parentheses. The price indexes from Statistics Canada are indicated according to their Cansim number.

³ The reference price index corresponds to the average of the price indexes calculated between 1 April 2003 and 31 March 2005.