

(3) general supervision and quality monitoring of silvicultural treatments;

(4) the taking of inventories after treatment, scaling and digitization of the areas treated; and

(5) cartography and preparation of the reports for carrying out the treatments and other activities.

11.3. On submitting the report referred to in section 70 of the Act, an agreement holder must provide vouchers for the costs of the silvicultural treatments and other activities to protect or develop forest resources, broken down into the costs relating to the carrying out, planning and monitoring, or a financial report relating to those costs audited by an accountant not employed by the agreement holder.

11.4. For the purposes of section 73.3 of the Act, the value of silvicultural treatments and other forest management activities is fixed annually. However, for the year 2006-2007, that value may be fixed a second time, not later than 1 July 2006.

The value of the treatments and activities consists of the costs relating to carrying them out and the costs relating to the planning and monitoring of the treatments or activities. The value of each of those components is indicated in the Minister's Order.

The value of the treatments and activities corresponds to the average unit costs of the silvicultural treatments or other forest management activities carried out pursuant to sections 65 and 96 of the Act.

In the absence of such treatments or activities, the value of the treatments or activities corresponds to the costs determined according to the cost approach applicable in matters of property assessment, by comparing the treatments or activities to similar treatments or activities whose unit costs are known."

3. Section 13 is amended

(1) by inserting "admissible" before "value of the activities" in the part preceding subparagraph 1 of the first paragraph;

(2) by replacing "subparagraph 1 of the first paragraph of section 11" in subparagraph 1 of the first paragraph by "section 11.4";

(3) by striking out "where the unit cost of an activity has not been fixed by the Minister in accordance with subparagraph 1 of the first paragraph of section 11, or" in the second paragraph;

(4) by striking out the third paragraph;

(5) by striking out "fixed in accordance with the third paragraph" in the fourth paragraph.

4. Section 15 is amended

(1) by replacing "their area and" and "as well as the cost for carrying them out and name of the person who carried them out" in subparagraph 1 of the first paragraph by "their area," and "the costs for their carrying out, planning and monitoring as defined in section 11.2 and the names of the persons who carried them out", respectively;

(2) by replacing "he has concluded or not a written contract with a third person for the carrying out" in subparagraph 3 of the first paragraph by "the agreement holder has concluded a written contract with a third person governing the carrying out, planning or monitoring";

(3) by replacing "related to the activities referred to in the second paragraph of section 11 that were paid over and above the cost of carrying out those silvicultural treatments" in subparagraph 3 of the first paragraph by "for the planning and monitoring that were paid to third persons".

5. This Regulation comes into force on the date of its publication in the *Gazette officielle du Québec*.

7595

M.O., 2006

Order number AM 2006-016 respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants dated 10 May 2006

Forest Act
(R.S.Q., c. F-4.1)

THE MINISTER OF NATURAL RESOURCES AND WILDLIFE,

CONSIDERING the third paragraph of section 5 of the Forest Act (R.S.Q., c. F-4.1) which provides that the Minister shall determine the unit rates for the classes of forest management permits for which the unit rates have not been determined by regulation of the Government;

CONSIDERING section 72 of that Act which provides that the Minister shall determine the unit rate corresponding to the stumpage value according to the rules of calculation determined by regulation of the Government;

CONSIDERING Order in Council number 372-87 dated 18 March 1987 according to which the Government made the Regulation respecting forest royalties;

CONSIDERING that, in accordance with section 2 and 7 of that Regulation, it is expedient to establish the unit rates for the stumpage value applicable to the calculation of the dues payable by the holder of a forest management permit for the supply of a wood processing plant for the 2006-2007 fiscal year;

CONSIDERING that, in accordance with sections 10, 12 and 13 of the Regulations Act (R.S.Q., c R-18.1), a draft of the Regulation attached to this Order was published in Part 2 of the *Gazette officielle du Québec* of 5 April 2006 with a notice that it could be made by the Minister upon the expiry of a 10-day period following that publication;

CONSIDERING that the 10-day period has expired;

CONSIDERING section 18 of that Act which provides that a regulation may come into force on the date of its publication in the *Gazette officielle du Québec*, or between that date and the date applicable under section 17 of that Act, where the authority that has made it is of the opinion that the urgency of the situation requires it;

CONSIDERING the same section which provides that the reason justifying such coming into force shall be published with the regulation;

CONSIDERING that in the opinion of the Minister the urgency due to the following circumstances justifies such coming into force:

— Given the difficult economic situation of the forest industry, it is expedient to implement the measure announced in the Discours sur le budget 2006-2007 concerning the admission in payment of forest royalties of the silvicultural treatments planning and following up costs, measure which influence the unit rates published in this regulation.

— The first silvicultural treatments in Québec are carried out in May and, without them, forest workers could see their working season significantly shortened if the measures proposed in the Regulation do not take effect in the very near term.

CONSIDERING that it is expedient to make the regulation with amendments;

ORDER:

The Regulation respecting unit rates applicable to the calculation of dues forest management permits for the supply of wood processing plants, attached to this Order, is made.

Québec, 10 May 2006

PIERRE CORBEIL,
Minister of Natural Resources and Wildlife

Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants

Forest Act
(R.S.Q., c. F-4.1, ss. 5 and 72)

1. The unit rates for stumpage in forests in the public domain by tariffing zone for the fiscal year 2006-2007 set out in Schedule I shall be indexed on 1 April, 1 July, 1 October 2006 and 1 January 2007 in accordance with the performance of the price indexes for the forest products specified in Schedule II. The index rates per species, group of species and quality shall be calculated in accordance with the following formulas:

Index rate at = 1 April 2006	Average price index for the months of December 2005, January and February 2006
---------------------------------	--

Average price index for
the months of April 2003
to March 2005

Index rate at = 1 July 2006	Average price index for the months of March, April and May 2006
--------------------------------	---

Average price index for
the months of April 2003
to March 2005

Index rate at = 1 October 2006	Average price index for the months of June, July and August 2006
-----------------------------------	--

Average price index for
the months of April 2003
to March 2005

Index rate at = Average price index for
1 January 2007 the months of September,
 October and November 2006

Average price index for
the months of April 2003
to March 2005

The amounts thus indexed shall apply, in each forest tariffing zone indicated in Schedule I, to the calculation of the dues payable by the holder of a forest management permit for the supply of a wood processing plant for the 3-month period following the date of indexing.

The amounts indexed in the manner prescribed in the first paragraph shall be reduced to the nearest fraction of \$0.10/m³ where they contain a fraction less than \$0.025/m³. They shall be rounded off to the nearest fraction of \$0.05/m³ where they contain a fraction equal to or greater than \$0.025/m³ but less than \$0.075/m³ and shall be increased to the nearest fraction of \$0.10/m³ where they contain a fraction equal to or greater than \$0.075/m³.

The Minister of Natural Resources and Wildlife inform the public, through Part I of the *Gazette officielle du Québec* and, where he considers it appropriate, by any other means, of the indexing calculated under this section.

2. This Regulation replaces the Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants, made by Minister's Order number AM 2006-009 of the Minister of Natural Resources and Wildlife dated 23 March 2006.

3. This Regulation comes into force at the date of its publication.

SCHEDULE I

(s. 1)

REFERENCE UNIT RATES FOR STUMPAGE IN FORESTS IN THE DOMAIN OF THE STATE FOR THE FISCAL YEAR 2006-2007

Species	Quality*	Zones																
		101	102	103	104	111	112	113	114	115	116	117	201	202	203	204	205	
Fir, spruce, jack pine, tamarack	F	12,60	12,45	13,29	13,12	10,06	11,16	7,01	8,01	9,28	11,37	12,23	18,85	16,68	21,24	21,99	22,28	
	B	12,48	12,34	13,17	13,01	9,73	11,06	4,56	5,86	8,04	11,27	12,12	18,68	14,57	21,05	18,53	22,08	
White pine	G	8,37	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	10,76	10,76	10,76	10,76	9,68	
	H	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	5,56	5,56	5,56	5,56	4,87	
Red pine	I	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	
	F	19,13	15,25	15,13	15,14	14,35	14,34	14,32	14,32	14,34	14,34	14,35	14,34	18,77	18,77	18,26	17,48	
Hemlock, cedar	G	6,20	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	7,96	7,96	7,96	7,96	7,18	
	H	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	4,08	4,08	4,08	4,08	3,61	
White pine, red pine, hemlock, cedar	I	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,23	3,23	3,21	3,23	3,19	
	B	3,00	2,57	2,55	2,55	2,40	2,40	2,39	2,39	2,40	2,40	2,40	2,76	2,76	2,85	2,25	2,45	
Oak, cherry, walnut, hickory	C	1,50	1,33	1,33	1,33	1,32	1,32	1,32	1,32	1,32	1,32	1,32	1,46	1,46	1,47	1,20	1,29	
	A	56,69	47,54	37,88	35,09	25,46	25,35	25,35	25,35	25,35	25,35	27,75	30,53	25,46	45,10	27,38	25,46	
Yellow birch, ash, basswood, elm	B	29,71	24,28	19,41	17,91	12,73	11,70	11,70	11,70	11,70	11,70	13,95	11,70	14,17	11,70	12,13	11,80	
	C	11,88	9,74	7,79	7,19	5,09	4,86	4,86	4,86	4,86	4,86	5,48	4,86	5,67	4,86	4,86	4,86	
White birch	A	56,69	46,78	37,11	34,32	25,14	22,51	22,51	22,51	22,51	27,75	22,51	30,53	25,07	45,32	27,38	25,06	
	B	23,03	18,70	14,93	13,77	9,87	8,72	8,72	8,72	8,72	8,72	10,27	8,72	10,98	8,72	9,40	8,72	
Sugar maple	C	9,21	7,48	5,97	5,51	3,89	3,47	3,47	3,47	3,47	3,47	3,89	3,47	4,39	3,47	3,76	3,47	
	A	56,69	45,65	35,98	33,19	23,50	22,51	22,51	22,51	22,51	23,50	22,51	30,53	23,54	44,19	27,38	25,06	
Other hardwoods	B	14,30	10,46	9,94	9,81	5,47	5,47	5,47	5,47	5,47	7,21	5,47	7,36	6,43	11,57	7,20	5,65	
	C	5,71	4,17	3,96	3,91	1,98	1,98	1,98	1,98	1,98	2,76	1,98	2,94	2,57	4,62	2,88	2,11	
Poplars	A	58,18	48,23	39,99	45,71	16,30	14,21	14,21	14,21	14,21	29,65	14,21	14,21	14,21	14,21	14,21	14,21	
	B	23,32	19,33	16,03	16,70	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	
All hardwoods (except poplars / aspen)	C	5,27	4,37	3,62	3,96	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	
	B	9,21	7,63	6,13	5,66	3,95	3,95	3,95	3,95	3,95	4,33	3,95	4,39	3,95	3,95	3,95	3,95	
All hardwoods (except poplars / aspen)	C	3,93	3,09	2,59	2,55	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,76	1,75	1,75	1,75	1,75	
	B	6,72	5,59	6,57	6,36	4,38	5,18	4,07	3,04	3,20	5,57	4,78	6,92	6,61	7,19	6,53	8,54	
All hardwoods (except poplars / aspen)	D,E	1,32	1,32	1,32	1,32	1,30	1,30	1,30	1,30	1,30	1,32	1,30	1,32	1,30	1,65	1,32	1,30	

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Zones															
		206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221
Fir, spruce, jack pine, tamarack	F	23,54	21,64	20,65	15,19	16,03	15,79	21,81	24,81	22,19	18,94	17,49	13,99	14,38	15,79	13,75	17,10
	B	15,99	21,45	20,47	15,06	15,88	15,65	21,62	24,59	21,99	18,77	17,34	12,28	14,25	15,65	13,62	16,95
White pine	G	7,67	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38
	H	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74
Red pine	I	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26
	F	16,79	16,69	15,97	15,39	14,36	15,26	16,05	16,66	16,44	14,66	14,51	15,21	14,45	14,49	14,44	14,35
Oak, cherry, walnut, hickory	G	5,69	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	H	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51
Hemlock, cedar	I	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19
	B	2,27	2,25	2,18	2,21	1,61	1,90	2,22	2,26	2,20	1,56	1,35	1,37	1,29	1,33	1,32	1,33
White pine, red pine, hemlock, cedar	C	1,23	1,19	1,26	1,33	1,19	1,21	1,27	1,23	1,13	1,04	0,94	0,86	0,99	0,96	0,95	0,99
	A	36,70	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35
Yellow birch, ash, basswood, elm	B	12,92	11,70	12,08	11,70	11,70	11,70	11,99	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70
	C	5,16	4,86	4,96	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86
White birch	A	35,93	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
	B	10,01	8,72	9,08	8,72	8,72	8,72	9,08	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72
Sugar maple	C	4,00	3,47	3,55	3,47	3,47	3,47	3,55	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47
	A	34,80	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
Other hardwoods	B	8,33	5,47	8,49	5,65	5,47	5,65	7,74	5,92	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	C	3,32	2,04	3,38	2,04	1,98	2,04	3,09	2,37	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98
Poplars	A	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21
	B	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45
All hardwoods (except poplars / aspen)	C	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41
	B	4,01	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.	C	2,14	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75
	B	8,15	6,93	7,34	6,29	4,59	4,61	6,70	7,38	6,16	4,78	4,53	2,04	2,27	2,38	3,03	4,91
	D, E	2,14	1,30	1,73	1,30	1,30	1,30	1,60	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)															
		222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237
Fir, spruce, jack pine, tamarack	F	22,24	17,80	18,40	19,70	14,57	11,70	9,31	7,19	3,87	3,74	6,51	11,81	7,70	16,75	12,48	12,67
	B	22,04	17,64	18,23	19,53	14,44	10,04	9,23	7,12	3,25	3,25	6,46	11,70	7,63	16,60	9,28	11,21
White pine	G	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38
	H	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74
Red pine	I	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26
	F	16,14	14,48	14,34	15,33	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32
Oak, cherry, walnut, hickory	G	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	H	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51
Hemlock, cedar	I	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19
	B	2,08	1,45	1,37	1,86	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,48	1,34
White pine, red pine, hemlock, cedar	C	1,09	1,04	1,01	1,16	0,97	0,96	0,75	0,75	0,75	0,75	0,75	0,90	0,75	1,06	1,24	1,21
	A	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35
Yellow birch, ash, basswood, elm	B	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70
	C	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86
White birch	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
	B	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72
Sugar maple	C	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47
	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
Other hardwoods	B	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	C	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98
Poplars	A	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21
	B	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45
All hardwoods (except poplars / aspen)	C	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41
	B	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
D, E	C	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75
	B	5,45	5,63	5,23	6,12	4,44	2,47	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,41	2,10	2,04

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)															
		238	239	301	302	303	304	305	306	401	402	403	404	405	406	407	408
Fir, spruce, jack pine, tamarack	F	11,77	4,71	14,54	10,12	9,89	15,66	10,85	17,10	20,26	22,96	21,62	17,06	21,55	19,15	13,05	19,52
	B	11,66	3,25	14,41	6,14	5,67	14,75	9,39	16,95	19,27	22,75	21,43	16,90	21,36	15,31	12,93	19,35
White pine	G	7,38	7,38	10,76	10,76	10,76	33,08	10,76	7,38	10,76	19,63	29,97	25,33	20,88	7,38	10,76	10,76
	H	4,74	4,74	5,56	5,56	5,56	17,27	5,45	4,74	5,56	9,86	15,06	12,72	10,49	4,74	5,56	5,56
Red pine	I	4,26	4,26	4,26	4,26	4,26	13,41	4,26	4,26	4,26	7,62	11,63	9,83	8,10	4,26	4,26	4,26
	F	14,32	14,32	23,46	17,94	18,69	24,82	15,96	15,50	23,81	24,38	26,22	23,05	22,34	17,38	20,87	15,55
Hemlock, cedar	G	5,47	5,47	7,96	7,96	7,96	24,82	7,96	5,47	7,96	14,56	22,23	18,78	15,48	5,47	7,96	7,96
	H	3,51	3,51	4,08	4,08	4,08	12,87	4,05	3,51	4,08	7,31	11,17	9,44	7,78	3,51	4,08	4,08
White pine, red pine, hemlock, cedar	I	3,19	3,19	3,23	3,23	3,23	9,95	3,19	3,19	3,23	5,65	8,63	7,29	6,01	3,19	3,23	3,23
	B	1,33	1,29	3,41	2,91	2,78	3,46	2,56	2,43	3,40	3,48	3,76	3,33	3,23	2,36	2,88	2,35
Oak, cherry, walnut, hickory	C	1,26	0,99	1,71	1,48	1,46	1,88	1,45	1,44	1,82	1,90	2,07	1,81	1,74	1,20	1,47	0,89
	A	25,35	25,35	64,07	25,46	40,83	55,62	25,35	25,35	47,84	65,01	67,17	51,60	57,46	25,35	25,46	25,35
Yellow birch, ash, basswood, elm	B	11,70	11,70	36,00	11,70	17,13	27,67	11,70	11,70	22,66	33,00	35,14	25,42	31,07	11,70	11,70	11,70
	C	4,86	4,86	14,40	4,86	6,85	11,06	4,86	4,86	9,06	13,20	14,05	10,17	12,42	4,86	4,86	4,86
White birch	A	22,51	22,51	64,07	25,06	40,83	55,62	23,10	22,51	47,84	65,01	67,17	51,60	57,46	22,51	25,06	22,51
	B	8,72	8,72	27,91	8,72	13,28	21,45	8,72	8,72	17,57	25,58	27,24	19,71	24,08	8,72	8,72	8,72
Sugar maple	C	3,47	3,47	11,16	3,47	5,31	8,58	3,47	3,47	7,02	10,23	10,89	7,88	9,63	3,47	3,47	3,47
	A	22,51	22,51	64,07	25,06	40,83	55,62	23,10	22,51	47,84	65,01	67,17	51,60	57,46	22,51	23,91	22,51
Other hardwoods	B	5,47	5,47	17,87	5,61	5,65	10,57	5,65	7,59	15,28	21,80	20,68	13,30	19,26	5,47	5,47	5,47
	C	1,98	1,98	7,14	2,04	2,04	4,23	2,04	3,02	6,11	8,72	8,27	5,32	7,70	1,98	2,04	1,98
Poplars	A	14,21	14,21	57,17	18,41	28,32	49,67	14,21	14,21	38,91	51,01	67,14	43,44	37,06	14,21	29,65	14,21
	B	10,45	10,45	22,92	10,45	12,15	21,30	10,45	10,45	16,69	21,87	28,79	18,63	15,89	10,45	10,45	10,45
All hardwoods (except poplars / aspen)	C	2,41	2,41	5,18	2,41	2,75	4,81	2,41	2,41	3,77	4,94	6,51	4,21	3,59	2,41	2,41	2,41
	B	3,95	3,95	11,16	3,95	5,31	8,58	3,95	3,95	7,03	10,23	10,90	7,88	9,63	3,95	3,95	3,95
D, E	C	1,75	1,75	4,46	1,75	2,12	3,97	1,75	1,75	3,00	4,13	5,42	3,33	4,08	1,75	1,75	1,75
	B	2,04	2,04	6,80	2,76	3,88	6,41	4,45	6,21	7,11	7,45	7,96	5,81	7,72	5,93	3,61	4,97
* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.	D, E	1,30	1,30	3,63	1,30	1,30	3,97	1,30	1,32	2,42	3,69	5,42	2,73	2,50	1,30	1,30	1,30

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Stumpage (\$/m ³)																
	Quality*	409	410	411	412	413	501	601	602	603	604	605	606	607	608	609	610
Fir, spruce, jack pine, tamarack	F	16,51	18,94	16,09	15,80	19,81	13,32	18,67	21,51	21,25	18,92	16,28	15,51	11,26	11,17	11,44	11,64
	B	13,23	9,41	15,17	14,60	19,63	10,20	17,95	21,32	21,06	18,75	14,87	14,58	11,04	8,18	11,34	7,85
White pine	G	7,38	7,38	7,38	7,38	7,38	10,76	33,36	32,27	19,11	10,76	16,24	27,68	24,35	17,20	11,48	10,76
	H	4,74	4,74	4,74	4,74	4,74	5,56	17,44	16,21	9,60	5,56	8,16	13,90	12,23	8,64	5,77	5,56
Red pine	I	4,26	4,26	4,26	4,26	4,26	4,26	13,97	12,52	7,42	4,26	6,30	10,99	9,45	6,67	4,46	4,26
	F	15,48	15,97	15,48	14,96	16,03	23,53	27,11	27,54	26,63	26,26	24,69	25,69	21,71	21,51	21,50	20,67
Oak, cherry, walnut, hickory	G	5,47	5,47	5,47	5,47	5,47	7,96	25,02	23,93	14,17	7,96	12,04	20,81	18,06	12,75	8,52	7,96
	H	3,51	3,51	3,51	3,51	3,51	4,08	13,01	12,02	7,12	4,08	6,05	10,38	9,07	6,41	4,28	4,08
Hemlock, cedar	I	3,19	3,19	3,19	3,19	3,19	3,23	10,36	9,29	5,50	3,23	4,67	8,15	7,01	4,95	3,30	3,23
	B	2,36	2,06	2,36	1,68	2,06	3,42	3,90	3,97	3,83	3,77	3,49	3,67	2,97	2,94	2,94	2,83
White pine, red pine, hemlock, cedar	C	0,87	0,95	0,87	0,97	1,09	1,72	2,16	2,21	2,12	2,08	1,90	2,01	1,56	1,54	1,54	1,48
	A	25,35	25,35	25,35	25,35	25,35	56,88	75,26	74,61	65,30	47,51	43,47	69,70	51,57	42,51	36,53	30,47
Yellow birch, ash, basswood, elm	B	11,70	11,70	11,70	11,70	11,70	33,60	40,48	40,27	29,21	24,69	24,30	36,59	27,28	23,84	15,81	13,40
	C	4,86	4,86	4,86	4,86	4,86	13,44	16,19	16,10	11,68	9,87	9,72	14,63	10,91	9,53	6,32	5,36
White birch	A	22,51	22,51	22,51	22,51	22,51	56,88	75,26	74,61	65,30	47,51	43,47	69,70	51,57	42,51	36,53	30,47
	B	8,72	8,72	8,72	8,72	8,72	26,05	31,38	31,22	22,64	19,14	18,83	28,37	21,15	18,48	12,26	10,39
Sugar maple	C	3,47	3,47	3,47	3,47	3,47	10,42	12,55	12,48	9,05	7,65	7,53	11,34	8,46	7,39	4,90	4,16
	A	22,51	22,51	22,51	22,51	22,51	56,88	75,26	74,61	65,30	47,51	43,47	69,70	51,57	42,51	36,53	30,47
Other hardwoods	B	5,47	5,47	5,47	5,47	5,47	14,03	26,58	24,91	20,17	17,18	12,52	25,00	17,59	12,12	6,54	8,25
	C	1,98	1,98	1,98	1,98	1,98	5,50	10,63	9,96	8,07	6,87	5,01	10,00	7,03	4,84	2,61	3,30
Poplars	A	14,21	14,21	14,21	14,21	14,21	68,28	76,16	72,62	52,67	33,22	40,27	63,09	48,08	40,48	29,65	23,97
	B	10,45	10,45	10,45	10,45	10,45	26,09	29,10	27,75	22,52	14,20	13,06	20,61	15,93	13,43	10,45	10,45
All hardwoods (except poplars / aspen)	C	2,41	2,41	2,41	2,41	2,41	5,90	6,58	6,27	5,09	3,21	2,95	4,66	3,60	3,04	2,41	2,41
	B	3,95	3,95	3,95	3,95	3,95	10,42	12,55	12,49	9,06	7,66	7,53	11,35	8,46	7,39	4,90	4,16
D, E	C	1,75	1,75	1,75	1,75	1,75	4,17	5,47	5,68	4,65	3,33	3,01	4,60	3,38	2,96	1,96	1,75
	B	4,73	2,04	2,99	3,69	5,54	5,82	8,61	10,08	10,25	9,03	6,33	7,45	6,34	3,33	4,59	6,10

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)															
		701	702	703	704	705	706	707	708	709	710	711	712	801	802	803	804
Fir, spruce, jack pine, tamarack	F	17,55	13,59	8,78	8,91	13,32	9,76	8,45	8,73	7,18	9,76	8,28	8,78	10,10	13,65	11,37	7,19
	B	13,42	5,48	4,91	5,31	6,91	4,56	5,11	6,54	5,49	4,74	3,25	3,25	4,65	9,39	10,49	3,25
White pine	G	34,77	33,49	31,35	28,83	29,80	26,61	18,37	20,19	11,71	10,76	10,76	10,76	25,10	23,41	32,22	28,79
	H	18,33	17,53	16,19	14,48	15,22	13,22	9,23	10,14	5,88	5,56	5,56	5,56	12,37	11,76	16,73	14,59
Red pine	I	14,31	13,85	13,27	11,19	11,91	10,37	7,13	7,84	4,54	4,26	4,26	4,26	9,74	9,09	14,25	12,23
	F	27,60	27,60	25,05	26,17	26,69	25,60	25,06	22,02	21,06	20,72	18,72	20,14	24,12	24,16	24,18	24,14
Hemlock, cedar	G	26,07	25,12	23,53	21,38	22,38	19,82	13,62	14,97	8,68	7,96	7,96	7,96	18,61	17,36	24,18	21,64
	H	13,67	13,07	12,08	10,74	11,36	9,88	6,84	7,52	4,36	4,08	4,08	4,08	9,25	8,72	12,48	10,90
White pine, red pine, hemlock, cedar	I	10,61	10,27	9,84	8,30	8,83	7,69	5,29	5,81	3,37	3,23	3,23	3,23	7,22	6,74	10,57	9,07
	B	3,97	3,95	3,50	3,70	3,78	3,59	3,50	2,94	2,72	2,73	2,27	2,62	3,33	3,34	3,21	3,34
Oak, cherry, walnut, hickory	C	2,20	2,16	1,86	1,99	2,06	1,93	1,86	1,57	1,47	1,45	1,24	1,39	1,76	1,75	1,68	1,75
	A	78,60	72,61	74,17	47,33	55,65	44,72	35,48	50,28	25,35	25,35	25,35	25,35	40,88	43,80	69,11	60,69
Yellow birch, ash, basswood, elm	B	41,43	35,04	33,53	23,75	31,48	23,91	16,99	26,29	11,70	11,70	11,70	11,70	22,13	20,58	34,81	33,60
	C	16,57	14,01	13,41	9,50	12,59	9,56	6,79	10,51	4,86	4,86	4,86	4,86	8,85	8,23	13,92	13,44
White birch	A	78,60	72,61	74,17	47,33	55,65	44,72	35,48	50,28	22,51	22,51	22,51	22,51	40,88	43,80	69,11	60,69
	B	32,12	27,17	25,99	18,41	24,40	18,53	13,17	20,38	8,72	8,72	8,72	8,72	17,16	15,95	26,99	26,05
Sugar maple	C	12,84	10,86	10,39	7,36	9,76	7,41	5,26	8,15	3,47	3,47	3,47	3,47	6,86	6,38	10,79	10,42
	A	78,60	72,61	74,17	47,33	55,65	44,72	35,48	50,28	22,51	22,51	22,51	22,51	40,88	43,80	69,11	60,69
Other hardwoods	B	26,69	24,20	24,35	17,24	20,76	15,83	12,02	16,52	5,47	5,47	5,47	5,47	15,19	16,85	22,32	22,67
	C	10,67	9,68	9,74	6,89	8,30	6,33	4,81	6,61	1,98	1,98	1,98	1,98	6,08	6,74	8,93	9,07
Poplars	A	81,01	63,59	57,95	40,90	59,62	45,23	29,65	43,25	15,54	16,62	14,21	14,21	40,18	36,53	67,66	53,72
	B	28,49	20,20	18,53	12,78	21,63	15,33	10,45	14,57	10,45	10,45	10,45	10,45	13,14	11,83	22,70	17,37
All hardwoods (except poplars / aspen)	C	6,44	4,95	4,77	2,89	4,89	3,46	2,41	3,29	2,41	2,41	2,41	2,41	2,97	2,67	5,13	3,93
	B	12,85	10,87	10,40	7,36	9,76	7,41	5,27	8,15	3,95	3,95	3,95	3,95	6,86	6,38	10,80	10,42
* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.	C	6,09	4,95	4,77	2,94	3,90	2,96	2,11	3,32	1,75	1,75	1,75	1,75	2,74	2,71	4,59	4,17
	B	6,38	6,46	5,13	5,31	5,25	3,74	3,73	4,61	3,03	3,47	2,38	2,04	6,88	8,34	9,46	7,48
	D, E	6,09	4,95	4,77	2,33	1,78	1,32	1,32	2,61	1,30	1,30	1,30	1,30	1,32	1,32	3,84	2,21

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)															
		805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820
Fir, spruce, jack pine, tamarack	F	7,27	11,43	17,04	9,73	9,73	12,91	11,44	13,48	13,71	15,47	16,14	18,03	12,35	12,23	19,44	22,73
	B	3,25	8,58	16,89	8,18	6,33	4,56	11,34	8,05	12,25	10,29	14,64	17,87	8,84	12,02	19,27	22,52
White pine	G	23,50	25,52	28,61	18,80	10,76	10,76	19,37	14,12	15,50	10,76	10,76	10,76	10,76	13,39	17,83	10,76
	H	11,81	12,82	14,48	9,44	5,56	5,56	9,73	7,10	7,79	5,56	5,56	5,56	5,56	6,73	8,96	5,56
Red pine	I	9,12	9,90	11,90	7,30	4,26	4,26	7,52	5,48	6,02	4,26	4,26	4,26	4,26	5,20	6,92	4,26
	F	24,13	23,27	22,47	24,05	22,67	20,29	20,87	18,74	19,07	20,18	18,79	18,65	18,79	18,45	17,56	17,03
Hemlock, cedar	G	17,43	18,92	21,50	13,94	7,96	7,96	14,37	10,47	11,50	7,96	7,96	7,96	7,96	9,93	13,22	7,96
	H	8,76	9,51	10,81	7,00	4,08	4,08	7,22	5,26	5,78	4,08	4,08	4,08	4,08	4,99	6,64	4,08
White pine, red pine, hemlock, cedar	I	6,76	7,34	8,82	5,41	3,23	3,23	5,58	4,06	4,46	3,23	3,23	3,23	3,23	3,85	5,13	3,23
	B	3,33	3,13	2,94	3,31	3,04	2,50	2,54	1,95	2,13	2,47	2,15	2,03	1,98	1,89	1,71	1,67
Oak, cherry, walnut, hickory	C	1,76	1,65	1,55	1,75	1,62	1,38	1,39	1,11	1,24	1,37	1,23	1,21	1,13	1,10	1,07	1,05
	A	35,36	42,89	51,49	40,39	28,59	25,35	41,11	30,09	25,35	25,35	25,35	25,35	25,35	25,46	31,07	25,35
Yellow birch, ash, basswood, elm	B	19,59	20,06	20,65	20,07	13,88	11,70	14,56	12,08	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70
	C	7,83	8,02	8,26	8,02	5,55	4,86	5,82	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86
White birch	A	35,36	42,89	51,49	40,39	28,59	22,51	41,11	30,09	23,16	22,51	22,51	22,51	22,51	25,06	31,07	22,51
	B	15,18	15,55	16,01	15,56	10,76	8,72	11,29	9,22	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72
Sugar maple	C	6,07	6,22	6,40	6,22	4,30	3,47	4,51	3,62	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47
	A	35,36	42,89	51,49	40,39	28,59	22,51	41,11	29,33	23,16	22,51	22,51	22,51	22,51	24,37	31,07	22,51
Other hardwoods (except poplars / aspen)	B	11,52	11,36	13,06	11,02	7,21	5,65	11,39	6,14	5,65	5,47	5,47	5,47	5,47	5,69	8,17	6,90
	C	4,61	4,54	5,22	4,41	2,76	2,04	4,54	2,46	2,04	1,98	1,98	1,98	1,98	2,28	3,26	2,76
Poplars	A	39,20	33,84	38,18	29,65	16,36	14,21	29,65	24,19	15,76	14,21	14,21	14,21	14,21	22,03	26,02	14,21
	B	13,94	11,30	13,25	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45
All hardwoods (except poplars / aspen)	C	3,15	2,55	3,00	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41
	B	6,07	6,22	6,40	6,22	4,30	3,95	4,51	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
D, E	C	2,43	2,64	2,85	2,49	1,75	1,75	1,81	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75
	B	4,90	6,67	8,46	6,12	2,98	2,17	6,00	3,94	4,72	2,04	4,50	6,08	3,16	4,68	6,88	7,42

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Stumpage (\$/m ³)															
	821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836
Fir, spruce, jack pine, tamarack	20,52	16,29	18,28	14,45	18,79	24,44	20,58	18,33	19,11	18,82	20,62	19,76	11,88	18,28	18,21	20,67
White pine	7,79	7,38	7,38	7,38	7,38	8,16	7,38	7,38	7,38	7,99	10,76	8,59	7,38	7,38	7,38	7,38
Red pine	16,78	17,28	16,43	15,07	16,55	16,83	16,18	16,55	16,47	16,45	16,98	16,36	14,39	15,90	15,74	14,92
Oak, cherry, walnut, hickory	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35
Yellow birch, ash, basswood, elm	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
White birch	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
Sugar maple	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21
Other hardwoods	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
Poplars	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75
All hardwoods (except poplars / aspen)	5,71	4,64	3,17	2,68	3,58	5,48	4,32	6,21	5,58	5,64	6,46	5,46	2,31	3,64	3,75	2,50
	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m ³)															
		837	838	839	840	841	842	901	902	903	904	905	906	907	908	909	910
Fir, spruce, jack pine, tamarack	F	13,06	12,15	7,95	9,45	5,61	4,98	13,22	13,45	14,23	15,09	14,26	18,35	15,61	16,20	11,26	6,43
	B	12,94	11,64	7,88	4,73	5,56	3,25	13,11	12,84	13,14	14,95	14,13	18,18	15,47	16,06	11,16	6,34
White pine	G	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38
	H	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74
Red pine	I	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26
	F	14,72	14,55	14,32	14,54	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32
Oak, cherry, walnut, hickory	G	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	H	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51
Hemlock, cedar	I	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19
	B	1,29	1,29	1,29	1,29	1,29	1,29	1,68	1,90	1,68	1,60	1,43	1,63	1,59	1,34	1,29	1,29
White pine, red pine, hemlock, cedar	C	0,94	0,90	1,09	0,99	0,75	0,94	1,29	1,34	1,29	1,26	1,15	1,28	1,25	1,09	0,75	0,75
	A	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35
Yellow birch, ash, basswood, elm	B	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70
	C	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86
White birch	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
	B	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72
Sugar maple	C	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47
	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
Other hardwoods	B	5,47	5,47	5,47	5,47	5,47	5,47	5,65	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	C	1,98	1,98	1,98	1,98	1,98	1,98	2,04	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98
Poplars	A	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21
	B	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45
All hardwoods (except poplars / aspen)	C	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41
	B	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
All hardwoods (except poplars / aspen)	C	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75
	B	2,04	2,74	2,04	2,04	2,50	2,04	4,44	4,83	4,23	2,04	2,04	2,04	2,04	2,04	2,04	2,04
* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.	D, E	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

		Stumpage (\$/m ³)																
		Zones																
Species	Quality*	911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	999
Fir, spruce, jack pine, tamarack	F	7,09	10,66	7,09	8,95	8,13	4,10	3,78	3,76	3,76	3,28	3,56	3,28	4,58	3,28	3,28	3,28	3,75
	B	6,62	9,86	7,02	6,38	6,31	3,29	3,25	3,25	3,25	3,25	3,25	3,25	4,29	3,25	3,25	3,25	3,25
White pine	G	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38	7,38
	H	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74	4,74
Red pine	I	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26	4,26
	F	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32	14,32
Hemlock, cedar	G	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	H	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51	3,51
White pine, red pine, hemlock, cedar	I	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19	3,19
	B	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29	1,29
Oak, cherry, walnut, hickory	C	0,75	0,95	0,75	0,81	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75	0,75
	A	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35	25,35
Yellow birch, ash, basswood, elm	B	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70	11,70
	C	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86	4,86
White birch	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
	B	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72	8,72
Sugar maple	C	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47	3,47
	A	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51	22,51
Other hardwoods	B	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47	5,47
	C	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98	1,98
Poplars (except poplars / aspen)	A	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21	14,21
	B	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45	10,45
All hardwoods (except poplars / aspen)	C	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41	2,41
	B	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95	3,95
D, E	C	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75	1,75
	B	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04	2,04

* The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

SCHEDULE II

(s.1)

PRICE INDEXES PER SPECIES, GROUPS OF SPECIES AND QUALITY

Species and groups of species	Quality ¹	Price index ²	Reference price index ³
Fir, spruce, jack pine, tamarack	F	Preserved or treated wood (v1575024)	107.1
	B	Index : Lumber, softwood, Québec (v1575011; 81.4%) Newsprint paper (v1575122; 8.9%) Paper board (v1575150; 1.0%) Woodpulp, sulfate, softwood, domestic (v1575107; 5.3%) Printing and speciality paper (v1575128; 3.4%)	100.0
White pine	G, H, I	White pine (Eastern Quotes and Comments)	879
Red pine	F	Preserved or treated wood (v1575024)	107.1
	G, H, I	White pine (Eastern Quotes and Comments)	879
Hemlock, cedar	B	Lumber, softwood, Québec (v1575011)	83.6
White pine, red pine, hemlock, cedar	C	Lumber, softwood, Québec (v1575011)	83.6
Oak, cherry, walnut, hickory	A	Veneer and plywood, hardwood (v1575039)	100.0
	B, C	Lumber, hardwood, birch (v1575035)	119.0
Yellow birch, ash, basswood, elm	A	Veneer and plywood, hardwood (v1575039)	100.0
	B, C	Lumber, hardwood, birch (v1575035)	119.0
White birch	A	Veneer and plywood, hardwood (v1575039)	100.0
	B, C	Lumber, hardwood, birch (v1575035)	119.0
Sugar maple	A	Veneer and plywood, hardwood (v1575039)	100.0
	B, C	Lumber, hardwood, maple (v1575034)	112.9
Poplar	B	Index :	100.0
		Waferboard OSB (Random Lengths; 79.7%)	
		Pallets (v1575072; 12.5%)	
		Woodpulp, sulphate, hardwood, domestic (v1575105; 7.8%)	
Other hardwoods	B, C	Lumber, hardwood, birch (v1575035)	119.0
All hardwoods except poplar	D, E	Index :	100.0
		Waferboard OSB (Random Lengths; 20.5%)	
		Lumber, hardwood, birch (v1575035; 55.0%)	
		Woodpulp, sulfate, hardwood, domestic (v1575105, 24.5%)	

¹ The letters A, B, C, D, E, F, G, H and I correspond to quality levels determined on the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

² The source of the price indexes and the relative weight of each are indicated in parentheses. The price indexes from Statistics Canada are indicated according to their Cansim number.

³ The reference price index corresponds to the average of the price indexes calculated between 1 April 2003 and 31 March 2005.