

## Regulation to amend the Regulation respecting titles similar to the title of financial planner\*

An Act respecting the distribution of financial products and services  
(R.S.Q., c. D-9.2, s. 215)

**1.** Section 1 of the Regulation respecting titles similar to the title of financial planner is amended by adding the following after paragraph 9:

“(9.1) private wealth advisor (PWA);”.

**2.** This Regulation comes into force on the fifteenth day following the date of its publication in the *Gazette officielle du Québec*.

8000

## Draft Regulation

Forest Act  
(R.S.Q., c. F-4.1)

### Unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants

Notice is hereby given, in accordance with sections 10 and 13 of the Regulations Act (R.S.Q., c. R-18.1), that the Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants, the text of which appears below, may be made on the expiry of 30 days following this publication.

This objective of this draft regulation is to fix, for the fiscal year 2007-2008, the unit rates of market value of standing timber applicable to the calculation of dues for forest management permits for the supply of wood processing plants.

Under section 12 of the Regulations Act, the draft Regulation may be made within a shorter period than the period provided for in section 11 of that Act, because the urgency due to the following circumstances requires it:

— The first paragraph of section 2 of the Regulation respecting forest royalties specifies that in order to determine a unit rate fixed by the Minister under section 72 of the Forest Act (R.S.Q., c. F-4.1), the stumpage value of standing timber shall be calculated on 1 April of each year in each forest tariffing zone, by species or group of species and quality of timber, according to the parity technique applicable in property assessment, by comparing the timber to similar timber for which the selling price is known.

For the application of that regulation, the rates must be calculated on 1 April next and must be effective as of that date, a deadline that the Minister could not meet were he to comply fully with the 45-day publication period provided for in Regulations Act.

Further information on the draft Regulation may be obtained by contacting Jean-Pierre Adam, head of the Service de la tarification et des évaluations économiques du ministère des Ressources naturelles et de la Faune, tel.: 418 627-8650, extension 4375, fax: 418 646-9245, e-mail: jean-pierre.adam@mrfn.gouv.qc.ca

Any person having comments to make on the draft Regulation is asked to send them in writing, before the expiry of the 30-day period, to Mrs. Paule Têtu, Associate Deputy Minister for Forêt Québec, Ministère des Ressources naturelles et de la Faune, 880, chemin Sainte-Foy, 10<sup>e</sup> étage, Québec (Québec) G1S 4X4.

PIERRE CORBEIL,  
*Minister of Natural Resources  
and Wildlife*

### Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants

Forest Act  
(R.S.Q., c. F-4.1, ss. 5 and 72)

**1.** The unit rates for stumpage in forests in the public domain by tariffing zone for the 2007-2008 fiscal year set out in Schedule I shall be indexed on 1 April, 1 July, 1 October 2007 and 1 January 2008 in accordance with the performance of the price indexes for the forest products specified in Schedule II. The index rates per species, group of species and quality shall be calculated in accordance with the following formulas:

\* The Regulation respecting titles similar to the title of financial planner, approved by Order in Council 835-99 dated 7 July 1999 (1999, G.O. 2, 2101), has not been amended since its approval.

Index rate at = 1 April 2007	Average price index for the months of December 2006, January and February 2007
	Average price index for the months of April 2004 to March 2006
Index rate at = 1 July 2007	Average price index for the months of March, April and May 2007
	Average price index for the months of April 2004 to March 2006
Index rate at = 1 October 2007	Average price index for the months of June, July and August 2007
	Average price index for the months of April 2004 to March 2006
Index rate at = 1 January 2008	Average price index for the months of September, October and November 2007
	Average price index for the months of April 2004 to March 2006

The amounts thus indexed shall apply, in each forest tariffing zone indicated in Schedule I, to the calculation of the dues payable by the holder of a forest management permit for the supply of a wood processing plant for the 3-month period following the date of indexing.

The amounts indexed in the manner prescribed in the first paragraph shall be reduced to the nearest fraction of  $\$0.10/\text{m}^3$  where they contain a fraction less than  $\$0.025/\text{m}^3$ . They shall be rounded off to the nearest fraction of  $\$0.05/\text{m}^3$  where they contain a fraction equal to or greater than  $\$0.025/\text{m}^3$  but less than  $\$0.075/\text{m}^3$  and shall be increased to the nearest fraction of  $\$0.10/\text{m}^3$  where they contain a fraction equal to or greater than  $\$0.075/\text{m}^3$ .

The Minister of Natural Resources and Wildlife inform the public, through Part I of the *Gazette officielle du Québec* and, where he considers it appropriate, by any other means, of the indexing calculated under this section.

**2.** This Regulation replaces the Regulation respecting unit rates applicable to the calculation of dues for forest management permits for the supply of wood processing plants, made by Minister's Order number AM 2006-016 of the Minister of Natural Resources and Wildlife dated 10 May 2006.

**3.** This Regulation comes into force on 1 April 2007.

**SCHEDULE I**  
(s. 1)

REFERENCE UNIT RATES FOR STUMPAGE IN FORESTS IN THE DOMAIN OF THE STATE THE 2007-2008 FISCAL YEAR

Species	Quality*	Stumpage (\$/m <sup>3</sup> )																
		101	102	103	104	111	112	113	114	115	116	117	201	202	203	204	205	
Fir, spruce, jack pine, tamarack	F	12,89	12,73	13,60	13,42	10,29	11,41	7,17	8,19	9,50	11,63	12,51	19,28	17,06	21,73	22,49	22,79	
	B, M	12,77	12,62	13,48	13,30	9,95	11,31	4,67	6,00	8,23	11,53	12,40	19,11	14,91	21,53	18,95	22,59	
White pine	G	8,56	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	11,01	11,01	11,01	11,01	9,91	
	H	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	5,43	5,43	5,43	5,43	4,98	
Red pine	I	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	
	F	19,09	15,22	15,10	15,11	14,32	14,31	14,29	14,29	14,32	14,32	14,31	18,74	18,74	18,23	16,67	17,44	
	G	6,35	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	8,14	8,14	8,14	8,14	7,35	
	H	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,94	3,94	3,94	3,94	3,69	
Hemlock, cedar	I	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	
	B	3,05	2,62	2,59	2,60	2,44	2,44	2,43	2,43	2,44	2,44	2,44	2,81	2,81	2,90	2,29	2,49	
White pine, red pine, hemlock, cedar	C	1,53	1,35	1,35	1,35	1,34	1,34	1,34	1,34	1,34	1,34	1,34	1,48	1,48	1,50	1,22	1,31	
Oak, cherry	A	58,00	48,64	38,75	35,89	26,05	25,93	25,93	25,93	25,93	25,93	28,39	25,93	31,23	26,05	46,13	28,01	26,05
	B	30,39	24,84	19,86	18,33	12,58	11,97	11,97	11,97	11,97	11,97	14,27	11,97	14,49	11,97	12,41	12,07	11,97
	C	11,79	6,51	5,21	6,14	5,21	4,97	4,97	4,97	4,97	4,97	4,97	5,21	4,97	5,21	4,97	4,97	4,97
Yellow birch	A	58,00	47,85	37,96	35,11	25,71	23,02	23,02	23,02	23,02	23,02	28,39	23,02	31,23	25,65	46,36	28,01	25,64
	B	23,56	19,13	15,28	14,09	9,72	8,92	8,92	8,92	8,92	8,92	10,51	8,92	11,24	8,92	9,62	9,35	8,92
	C	9,42	5,62	3,74	5,30	3,74	3,55	3,55	3,55	3,55	3,55	3,74	3,55	3,74	3,55	3,85	3,74	3,55
White birch	A	58,00	46,70	36,81	33,96	24,04	23,02	23,02	23,02	23,02	23,02	24,04	23,02	31,23	24,09	45,21	28,01	25,64
	B	11,50	6,94	5,68	8,37	5,60	5,60	5,60	5,60	5,60	5,60	5,68	5,60	5,68	5,68	9,23	7,37	5,68
	C	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02
Sugar maple	A	59,51	49,34	40,91	46,76	16,67	14,54	14,54	14,54	14,54	30,34	14,54	14,54	14,54	14,54	14,54	14,54	14,54
	B	23,86	19,78	16,40	17,08	10,69	10,69	9,68	9,68	9,68	10,69	10,69	9,68	10,69	10,69	10,69	10,69	10,69
	C	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17
Other hardwoods	B	9,42	7,81	6,27	5,79	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04
	C	4,02	3,03	1,82	2,61	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,80	1,79	1,79	1,79	1,79	1,79
	B	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09
All hardwoods (except poplars / aspen)	D, E	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25

\* The letters A, B, C, D, E, F, G, H, I and M correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )																
		206	207	208	209	210	211	212	213	214	215	216	217	218	219	220	221	
Fir, spruce, jack pine, tamarack	F	24,08	22,14	21,13	15,54	16,39	16,15	20,84	25,38	22,70	19,37	17,90	12,51	13,65	16,15	14,06	17,50	
	B, M	16,36	21,94	20,94	15,40	16,25	16,01	20,66	25,15	22,49	19,20	17,74	10,97	13,52	16,01	13,94	17,34	
White pine	G	7,85	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	
	H	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	
Red pine	I	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	
	F	16,76	16,65	15,94	15,36	14,33	15,23	16,02	16,63	16,41	14,63	14,48	15,18	14,42	14,46	14,41	14,32	
Hemlock, cedar	G	5,82	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	
	H	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	
White pine, red pine, hemlock, cedar	I	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	
	B	2,31	2,29	2,21	2,25	1,64	1,93	2,25	2,30	2,23	1,59	1,37	1,40	1,30	1,35	1,34	1,35	
Oak, cherry	C	1,25	1,21	1,29	1,35	1,21	1,23	1,29	1,25	1,14	1,06	0,96	0,87	1,01	0,97	0,96	1,01	
	A	37,54	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	
Yellow birch	B	13,21	11,97	12,36	11,97	11,97	11,97	12,27	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	
	C	5,28	4,97	5,08	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	
White birch	A	36,75	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	
	B	10,24	8,92	9,29	8,92	8,92	8,92	9,29	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	
Sugar maple	C	4,10	3,55	3,63	3,55	3,55	3,55	3,63	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	
	A	35,60	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	
Other hardwoods	B	8,52	5,60	8,68	5,68	5,60	5,68	7,65	5,68	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	
	C	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	
Poplars	A	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	
	B	10,69	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	
All hardwoods (except poplars / aspen)	C	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	
	B	4,10	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	
D,E	C	1,94	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	
	B	7,49	3,58	2,41	2,09	2,09	2,09	2,09	4,49	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	

\* The letters A, B, C, D, E, F, G, H, I and M correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )															
		222	223	224	225	226	227	228	229	230	231	232	233	234	235	236	237
Fir, spruce, jack pine, tamarack	F	22,75	18,21	18,82	19,24	13,77	11,79	8,42	3,23	3,07	2,97	6,52	12,08	4,01	15,05	9,14	10,21
	B, M	22,55	18,05	18,65	19,07	13,65	10,12	8,35	3,20	2,58	2,58	6,46	11,97	3,98	14,92	6,79	9,03
White pine	G	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55
	H	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85
Red pine	I	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13
	F	16,11	14,45	14,31	15,30	14,29	14,29	14,29	14,29	14,29	14,29	14,29	14,29	14,29	14,50	14,31	14,38
Hemlock, cedar	G	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60
	H	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59
White pine, red pine, hemlock, cedar	I	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12
	B	2,12	1,47	1,39	1,89	1,31	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,51	1,37	1,33
Oak, cherry	C	1,11	1,05	1,03	1,18	0,99	0,98	0,76	0,76	0,76	0,76	0,76	0,92	0,76	1,08	1,26	1,23
	A	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93
Yellow birch	B	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97
	C	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97
White birch	A	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02
	B	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92
Sugar maple	C	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55
	A	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02
Other hardwoods	B	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60
	C	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02
Poplars	A	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54
	B	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68
All hardwoods (except poplars / aspen)	C	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17
	B	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04
D, E	C	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79
	B	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09

\* The letters A, B, C, D, E, F, G, H, I and M correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )															
		238	239	301	302	303	304	305	306	401	402	403	404	405	406	407	408
Fir, spruce, jack pine, tamarack	F	9,89	3,74	14,87	10,35	10,12	13,87	11,10	17,50	20,73	23,49	22,12	16,85	22,05	19,59	13,35	19,97
	B, M	9,80	2,58	14,74	6,28	5,80	13,06	9,61	17,34	19,71	23,28	21,92	16,70	21,85	15,66	13,23	19,80
White pine	G	7,55	7,55	11,01	11,01	11,01	33,84	11,01	7,55	11,01	20,08	30,66	25,91	21,36	7,55	11,01	11,01
	H	4,85	4,85	5,43	5,43	5,43	13,99	5,43	4,85	5,43	8,20	5,43	5,43	4,85	5,43	5,43	5,43
Red pine	I	4,13	4,13	4,13	4,13	4,13	8,08	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13
	F	14,29	14,29	23,42	17,91	18,65	25,39	15,93	15,47	23,76	24,33	26,17	23,00	22,30	17,34	20,83	15,52
Hemlock, cedar	G	5,60	5,60	8,14	8,14	8,14	25,39	8,14	5,60	8,14	14,89	22,74	19,21	15,84	5,60	8,14	8,14
	H	3,59	3,59	3,94	3,94	3,94	10,38	3,94	3,59	3,94	6,08	3,94	3,94	3,59	3,94	3,94	3,94
White pine, red pine, hemlock, cedar	I	3,12	3,12	3,12	3,12	3,12	5,99	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12
	B	1,35	1,30	3,47	2,96	2,82	3,52	2,61	2,47	3,46	3,54	3,82	3,39	3,28	2,40	2,92	2,38
Oak, cherry	C	1,28	1,00	1,74	1,51	1,49	1,92	1,47	1,46	1,85	1,93	2,10	1,84	1,77	1,22	1,49	0,91
	A	25,93	25,93	65,54	26,05	41,77	56,90	25,93	25,93	48,94	66,50	68,71	52,79	58,78	25,93	26,05	25,93
Yellow birch	B	11,97	11,97	28,05	11,97	17,52	28,30	11,97	11,97	23,18	32,48	35,95	26,01	31,78	11,97	11,97	11,97
	C	4,97	4,97	8,44	4,97	5,21	11,27	4,97	4,97	5,21	10,93	14,37	7,87	11,24	4,97	4,97	4,97
White birch	A	23,02	23,02	65,54	25,64	41,77	56,90	23,63	23,02	48,94	66,50	68,71	52,79	58,78	23,02	25,64	23,02
	B	8,92	8,92	24,22	8,92	13,58	21,94	8,92	8,92	17,97	26,17	27,87	20,16	24,64	8,92	8,92	8,92
Sugar maple	C	3,55	3,55	7,29	3,55	4,13	8,77	3,55	3,55	4,26	9,44	11,14	6,80	9,71	3,55	3,55	3,55
	A	23,02	23,02	65,54	25,64	41,77	56,90	23,63	23,02	48,94	66,50	68,71	52,79	58,78	23,02	24,46	23,02
Other hardwoods	B	5,60	5,60	8,60	5,68	5,68	9,93	5,68	5,68	11,35	14,28	17,17	8,75	12,49	5,60	5,60	5,60
	C	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,25	5,13	2,02	2,02	2,02	2,02	2,02
Poplars	A	14,54	14,54	58,48	18,83	28,98	50,81	14,54	14,54	39,80	52,18	68,68	44,44	37,91	14,54	30,34	14,54
	B	9,68	9,68	23,44	10,69	12,43	21,79	10,69	9,68	17,07	22,38	29,46	19,06	16,26	9,68	10,69	10,69
All hardwoods (except poplars / aspen)	C	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,81	2,17	2,17	2,17	2,17	2,17
	B	4,04	4,04	11,42	4,04	5,43	8,78	4,04	4,04	7,19	10,47	11,15	8,06	9,85	4,04	4,04	4,04
D, E	C	1,79	1,79	3,93	1,79	2,17	3,75	1,79	1,79	2,30	4,23	4,77	3,41	4,18	1,79	1,79	1,79
	B	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	3,65	5,08	6,40	2,09	5,24	2,09	2,09	2,09
D, E		0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	2,80	0,25	0,25	0,25	0,25	0,25

\* The letters A, B, C, D, E, F, G, H, I and M correspond to quality levels determined of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Zones															
		409	410	411	412	413	501	601	602	603	604	605	606	607	608	609	610
Fir, spruce, jack pine, tamarack	F	16,89	17,22	16,05	14,99	19,53	13,62	19,10	21,34	20,95	17,37	16,65	15,87	11,52	11,43	11,71	11,91
	B, M	13,53	8,55	15,13	13,85	19,35	10,43	18,36	21,15	20,77	17,22	15,22	14,91	11,30	8,37	11,60	8,03
White pine	G	7,55	7,55	7,55	7,55	7,55	11,01	34,12	33,01	19,55	11,01	16,62	28,32	24,91	17,59	11,75	11,01
	H	4,85	4,85	4,85	4,85	4,85	5,43	17,84	14,35	6,77	5,43	5,43	12,15	8,59	5,59	5,43	5,43
Red pine	I	4,13	4,13	4,13	4,13	4,13	4,13	13,80	8,44	4,13	4,13	4,13	6,23	4,13	4,13	4,13	4,13
	F	15,45	15,94	15,44	14,93	16,00	23,48	27,06	27,49	26,58	26,21	24,65	25,64	21,67	21,47	21,46	20,63
Hemlock, cedar	G	5,60	5,60	5,60	5,60	5,60	8,14	25,59	24,48	14,50	8,14	12,32	21,29	18,47	13,05	8,71	8,14
	H	3,59	3,59	3,59	3,59	3,59	3,94	13,31	10,64	5,02	3,94	3,94	9,01	6,37	4,15	3,94	3,94
White pine, red pine, hemlock, cedar	I	3,12	3,12	3,12	3,12	3,12	3,12	10,23	6,26	3,12	3,12	3,12	4,62	3,12	3,12	3,12	3,12
	B	2,40	2,09	2,40	1,71	2,09	3,48	3,96	4,04	3,89	3,83	3,55	3,73	3,02	2,99	2,99	2,88
Oak, cherry	C	0,89	0,96	0,89	0,99	1,11	1,75	2,20	2,25	2,15	2,11	1,93	2,05	1,59	1,56	1,56	1,50
	A	25,93	25,93	25,93	25,93	25,93	58,19	76,99	76,33	66,80	48,60	44,47	71,30	52,75	43,49	37,37	31,18
Yellow birch	B	11,97	11,97	11,97	11,97	11,97	33,48	41,41	41,20	29,88	25,26	24,71	35,87	27,91	24,39	16,17	13,71
	C	4,97	4,97	4,97	4,97	4,97	9,09	16,56	16,47	11,95	10,10	5,21	14,54	8,08	5,21	5,21	5,21
White birch	A	23,02	23,02	23,02	23,02	23,02	58,19	76,99	76,33	66,80	48,60	44,47	71,30	52,75	43,49	37,37	31,18
	B	8,92	8,92	8,92	8,92	8,92	26,65	32,10	31,94	23,16	19,58	19,27	29,02	21,64	18,91	12,54	10,63
Sugar maple	C	3,55	3,55	3,55	3,55	3,55	7,85	12,84	12,77	9,26	7,83	3,74	11,60	6,98	3,74	3,74	3,74
	A	23,02	23,02	23,02	23,02	23,02	58,19	76,99	76,33	66,80	48,60	44,47	71,30	52,75	43,49	37,37	31,18
Other hardwoods	B	5,60	5,60	5,60	5,60	5,60	12,25	19,83	18,28	20,64	14,77	5,76	17,80	11,85	6,68	5,68	5,68
	C	2,02	2,02	2,02	2,02	2,02	2,02	7,79	6,24	5,56	2,02	2,02	5,07	2,02	2,02	2,02	2,02
Poplars	A	14,54	14,54	14,54	14,54	14,54	69,85	77,91	74,29	53,88	33,98	41,20	64,54	49,19	41,41	30,34	24,52
	B	9,68	9,68	9,68	9,68	9,68	26,69	29,77	28,39	23,04	14,53	13,36	21,08	16,29	13,74	10,69	10,69
All hardwoods (except poplars / aspen)	C	2,17	2,17	2,17	2,17	2,17	3,11	6,43	4,68	2,17	2,17	2,17	2,63	2,17	2,17	2,17	2,17
	B	4,04	4,04	4,04	4,04	4,04	10,66	12,84	12,77	9,26	7,83	7,71	11,61	8,65	7,56	5,01	4,25
D, E	C	1,79	1,79	1,79	1,79	1,79	4,23	5,41	5,42	4,19	3,40	1,82	4,70	3,46	1,96	1,82	1,79
	B	2,09	2,09	2,09	2,09	2,09	6,99	10,31	10,48	8,17	2,42	5,04	2,09	2,09	2,09	2,09	2,09

\* The letters A, B, C, D, E, F, G, H, I and M correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )															
		701	702	703	704	705	706	707	708	709	710	711	712	801	802	803	804
Fir, spruce, jack pine, tamarack	F	17,96	13,90	8,98	9,12	12,62	5,67	8,64	8,93	7,35	9,98	6,77	8,99	7,52	12,61	9,84	5,70
	B, M	13,73	5,61	5,03	5,43	6,55	2,65	5,23	6,69	5,62	4,85	2,66	3,33	3,46	8,67	9,08	2,58
White pine	G	35,57	34,26	32,07	29,49	30,48	27,22	18,80	20,66	11,98	11,01	11,01	11,01	25,68	23,95	32,96	29,46
	H	18,75	17,93	15,58	12,52	15,07	10,78	6,26	6,46	5,43	5,43	5,43	5,43	9,32	5,96	16,96	10,10
Red pine	I	14,55	14,03	9,66	6,60	9,16	4,87	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	11,04	4,19
	F	27,54	27,54	25,00	26,12	26,64	25,55	25,01	21,97	21,02	20,68	18,68	20,10	24,07	24,11	24,73	24,10
Hemlock, cedar	G	26,67	25,70	24,07	21,87	22,90	20,27	13,94	15,32	8,88	8,14	8,14	8,14	19,04	17,76	24,73	22,13
	H	13,98	13,38	11,55	9,28	11,18	8,00	4,64	4,79	3,94	3,94	3,94	3,94	6,91	4,42	12,58	7,49
White pine, red pine, hemlock, cedar	I	10,79	10,40	7,17	4,90	6,79	3,61	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	8,19	3,12
	B	4,04	4,01	3,56	3,76	3,85	3,65	3,56	2,99	2,77	2,78	2,31	2,67	3,38	3,39	3,26	3,39
Oak, cherry	C	2,24	2,20	1,89	2,02	2,09	1,96	1,89	1,59	1,49	1,47	1,26	1,41	1,79	1,78	1,71	1,78
	A	80,40	74,28	75,88	48,41	56,93	45,75	36,30	51,44	25,93	25,93	25,93	25,93	41,82	44,81	70,70	62,08
Yellow birch	B	41,30	35,85	34,30	24,29	27,59	20,93	17,38	26,90	11,97	11,97	11,97	11,97	22,64	21,05	35,62	34,37
	C	16,95	14,34	13,71	5,21	5,76	5,21	5,21	7,64	4,97	4,97	4,97	4,97	5,21	6,90	14,24	13,39
White birch	A	80,40	74,28	75,88	48,41	56,93	45,75	36,30	51,44	23,02	23,02	23,02	23,02	41,82	44,81	70,70	62,08
	B	32,86	27,79	26,59	18,83	23,83	18,08	13,47	20,85	8,92	8,92	8,92	8,92	17,55	16,32	27,61	26,65
Sugar maple	C	13,14	11,11	10,63	3,81	4,97	3,74	3,74	6,60	3,55	3,55	3,55	3,55	3,74	5,96	11,04	10,66
	A	80,40	74,28	75,88	48,41	56,93	45,75	36,30	51,44	23,02	23,02	23,02	23,02	41,82	44,81	70,70	62,08
Other hardwoods	B	23,27	21,02	18,21	11,57	11,05	5,68	5,68	10,54	5,60	5,60	5,60	5,60	9,30	12,43	20,80	16,57
	C	8,44	6,19	5,62	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	7,20	2,97
Poplars	A	82,88	65,05	59,28	41,85	60,99	46,27	30,34	44,24	15,90	17,00	14,54	14,54	41,10	37,37	69,22	54,95
	B	29,14	20,66	18,96	13,07	22,13	15,68	10,69	14,91	10,69	10,69	10,69	10,69	13,44	12,10	23,22	17,77
All hardwoods (except poplars / aspen)	C	6,59	2,17	2,44	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,20	2,17
	B	13,14	11,12	10,63	7,53	9,99	7,58	5,39	8,34	4,04	4,04	4,04	4,04	7,02	6,53	11,04	10,66
* The letters A, B, C, D, E, F, G, H, I and M correspond to quality levels determined of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.	C	5,44	4,80	4,27	2,05	2,68	1,82	1,82	3,39	1,79	1,79	1,79	1,79	1,82	2,77	4,70	4,26
	B	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	4,35	7,97
	D, E	4,31	0,25	0,88	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25

\* The letters A, B, C, D, E, F, G, H, I and M correspond to quality levels determined of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.



Species	Quality*	Stumpage (\$/m <sup>3</sup> )															
		805	806	807	808	809	810	811	812	813	814	815	816	817	818	819	820
Fir, spruce, jack pine, tamarack	F	5,77	10,26	16,53	9,96	9,95	13,21	11,70	12,70	14,03	15,83	16,51	18,45	12,63	12,51	19,89	23,25
	B, M	2,58	7,71	16,38	8,37	6,48	4,67	11,60	7,59	12,53	10,53	14,98	18,28	9,04	12,29	19,71	23,04
White pine	G	24,05	26,10	29,27	19,23	11,01	11,01	19,82	14,45	15,86	11,01	11,01	11,01	11,01	13,70	18,24	11,01
	H	9,22	6,19	10,69	5,43	5,43	5,43	5,43	5,43	5,43	5,43	5,43	5,43	5,43	5,43	5,43	5,43
Red pine	I	4,13	4,13	4,78	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13
	F	24,08	23,23	22,42	24,01	22,63	20,25	20,83	18,71	19,03	20,14	18,75	18,61	18,75	18,41	17,53	17,00
Hemlock, cedar	G	17,83	19,36	21,99	14,26	8,14	8,14	14,70	10,71	11,76	8,14	8,14	8,14	8,14	10,16	13,53	8,14
	H	6,83	4,59	7,93	3,94	3,94	3,94	3,94	3,94	3,94	3,94	3,94	3,94	3,94	3,94	3,94	3,94
White pine, red pine, hemlock, cedar	I	3,12	3,12	3,54	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12
	B	3,38	3,18	2,99	3,37	3,09	2,54	2,59	1,99	2,17	2,51	2,19	2,06	2,01	1,92	1,74	1,70
Oak, cherry	C	1,79	1,68	1,57	1,78	1,65	1,41	1,41	1,13	1,26	1,39	1,26	1,23	1,15	1,12	1,09	1,07
	A	36,17	43,87	52,68	41,32	29,25	25,93	42,06	30,78	25,93	25,93	25,93	25,93	25,93	26,05	31,78	25,93
Yellow birch	B	20,04	20,52	21,12	20,53	14,20	11,97	14,89	12,36	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97
	C	5,21	7,93	8,45	5,21	5,21	4,97	5,21	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97
White birch	A	36,17	43,87	52,68	41,32	29,25	23,02	42,06	30,78	23,70	23,02	23,02	23,02	23,02	25,64	31,78	23,02
	B	15,53	15,90	16,38	15,92	11,01	8,92	11,54	9,43	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92
Sugar maple	C	3,74	6,36	6,55	3,74	3,74	3,55	3,74	3,70	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55
	A	36,17	43,87	52,68	41,32	29,25	23,02	42,06	30,00	23,70	23,02	23,02	23,02	23,02	24,93	31,78	23,02
Other hardwoods	B	7,99	10,62	13,36	6,78	5,68	5,68	6,56	5,68	5,68	5,68	5,60	5,60	5,60	5,68	8,36	7,06
	C	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02
Poplars	A	40,10	34,62	39,06	30,34	16,74	14,54	30,34	24,74	16,12	14,54	14,54	14,54	14,54	22,54	26,61	14,54
	B	14,26	11,56	13,56	10,69	10,69	10,69	10,69	10,69	10,69	10,69	10,69	10,69	10,69	10,69	10,69	9,68
All hardwoods (except poplars / aspen)	C	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17
	B	6,21	6,36	6,55	6,37	4,40	4,04	4,62	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04
D, E	C	1,82	2,70	2,92	1,82	1,79	1,79	1,82	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79
	B	2,09	2,09	3,52	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09
	D, E	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25

\* The letters A, B, C, D, E, F, G, H, I and M correspond to quality levels determined of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )															
		821	822	823	824	825	826	827	828	829	830	831	832	833	834	835	836
Fir, spruce, jack pine, tamarack	F	20,27	15,96	16,25	13,10	18,35	24,83	19,97	18,47	19,55	18,58	20,63	18,46	11,03	17,82	16,58	17,50
	B, M	19,30	14,58	10,43	12,90	18,18	24,61	19,79	17,86	17,84	14,41	17,70	10,83	7,26	17,66	16,43	17,35
White pine	G	7,97	7,55	7,55	7,55	7,55	8,34	7,55	7,55	7,55	8,18	11,01	8,79	7,55	7,55	7,55	7,55
	H	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	5,43	4,85	4,85	4,85	4,85	4,85
Red pine	I	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13
	F	16,75	17,25	16,40	15,04	16,51	16,80	16,15	16,51	16,44	16,42	16,95	16,33	14,36	15,87	15,71	14,89
Hemlock, cedar	G	5,91	5,60	5,60	5,60	5,60	6,19	5,60	5,60	5,60	6,06	8,14	6,52	5,60	5,60	5,60	5,60
	H	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,94	3,59	3,59	3,59	3,59	3,59
White pine, red pine, hemlock, cedar	I	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12
	B	1,75	1,92	1,69	1,30	1,72	1,76	1,61	1,72	1,70	1,56	1,63	1,52	1,30	1,51	1,48	1,30
Oak, cherry	C	1,06	1,12	1,05	0,97	1,06	1,06	1,04	1,06	1,05	1,06	1,08	1,10	1,10	1,02	1,01	0,97
	A	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93
Yellow birch	B	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97
	C	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97
White birch	A	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02
	B	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92
Sugar maple	C	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55
	A	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02
Other hardwoods	B	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,68	5,68	5,60	5,60	5,60	5,60
	C	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02
Poplars	A	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54
	B	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68
All hardwoods (except poplars / aspen)	C	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17
	B	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04
D, E	C	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79
	B	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09

\* The letters A, B, C, D, E, F, G, H, I and M correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Zones															
		837	838	839	840	841	842	901	902	903	904	905	906	907	908	909	910
Fir, spruce, jack pine, tamarack	F	9,93	10,81	3,78	5,16	2,60	3,95	11,44	12,49	11,24	11,53	14,51	18,77	15,97	14,77	9,49	3,62
	B, M	9,84	10,35	3,74	2,58	2,58	2,58	11,34	11,93	10,38	11,42	14,38	18,60	15,82	14,64	9,41	3,57
White pine	G	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55
	H	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85
Red pine	I	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13
	F	14,70	14,52	14,29	14,51	14,29	14,29	14,29	14,32	14,29	14,29	14,29	14,29	14,29	14,29	14,29	14,29
Hemlock, cedar	G	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60
	H	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59
White pine, red pine, hemlock, cedar	I	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12
	B	1,30	1,30	1,30	1,30	1,30	1,30	1,71	1,93	1,71	1,63	1,45	1,66	1,61	1,37	1,30	1,30
Oak, cherry	C	0,95	0,92	1,11	1,01	0,76	0,96	1,32	1,37	1,31	1,28	1,17	1,30	1,28	1,11	0,76	0,76
	A	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93
Yellow birch	B	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97
	C	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97
White birch	A	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02
	B	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92
Sugar maple	C	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55
	A	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02
Other hardwoods	B	5,60	5,60	5,60	5,60	5,60	5,60	5,68	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60
	C	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02
Poplars	A	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54
	B	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68
All hardwoods (except poplars / aspen)	C	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17
	B	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04
D, E	C	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79
	B	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09

\* The letters A, B, C, D, E, F, G, H, I and M correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

Species	Quality*	Stumpage (\$/m <sup>3</sup> )																				
		911	912	913	914	915	916	917	918	919	920	921	922	923	924	925	926	927	928	929	930	
Fir, spruce, jack pine, tamarack	F	3,31	10,30	4,28	4,38	7,39	3,21	3,00	2,98	2,98	2,60	2,82	2,60	2,75	2,60	2,60	2,60	2,60	2,60	2,60	2,60	2,97
	B, M	3,09	9,53	4,24	3,12	5,73	2,58	2,58	2,58	2,58	2,58	2,58	2,58	2,58	2,58	2,58	2,58	2,58	2,58	2,58	2,58	2,58
White pine	G	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55	7,55
	H	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85	4,85
Red pine	I	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13	4,13
	F	14,29	14,29	14,29	14,29	14,29	14,29	14,29	14,29	14,29	14,29	14,29	14,29	14,29	14,29	14,29	14,29	14,29	14,29	14,29	14,29	14,29
Hemlock, cedar	G	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60
	H	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59	3,59
White pine, red pine, hemlock, cedar	I	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12	3,12
	B	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30	1,30
Oak, cherry	C	0,76	0,96	0,76	0,82	0,76	0,76	0,76	0,76	0,76	0,76	0,76	0,76	0,76	0,76	0,76	0,76	0,76	0,76	0,76	0,76	0,76
	A	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93	25,93
Yellow birch	B	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97	11,97
	C	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97	4,97
White birch	A	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02
	B	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92	8,92
Sugar maple	C	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55	3,55
	A	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02	23,02
Other hardwoods	B	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60	5,60
	C	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02	2,02
Poplars	A	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54	14,54
	B	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68	9,68
All hardwoods (except poplars / aspen)	C	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17	2,17
	B	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04	4,04
D, E	C	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79	1,79
	B	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09	2,09
	D, E	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25	0,25

\* The letters A, B, C, D, E, F, G, H, I and M correspond to quality levels determined of the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

**SCHEDULE II**

(s.1)

## PRICE INDEXES PER SPECIES, GROUPS OF SPECIES AND QUALITY

Species and groups of species	Quality <sup>1</sup>	Price index <sup>2</sup>	Reference price index <sup>3</sup>
Fir, spruce, jack pine, tamarack	F	Preserved or treated wood (v1575024)	108.2
	B, M	Lumber, softwood, Québec (v1575011)	86.9
White pine	G, H, I	White pine (Random Lengths)	825.0
Red pine	F	Preserved or treated wood (v1575024)	108.2
	G, H, I	White pine (Random Lengths)	825.0
Hemlock, cedar	B	Lumber, softwood, Québec (v1575011)	86.9
White pine, red pine, hemlock, cedar	C	Lumber, softwood, Québec (v1575011)	86.9
Oak, cherry	A	Veneer and plywood, hardwood (v1575039)	97.5
	B, C	Lumber, hardwood, birch (v1575035)	114.3
Yellow birch	A	Veneer and plywood, hardwood (v1575039)	97.5
	B, C	Lumber, hardwood, birch (v1575035)	114.3
White birch	A	Veneer and plywood, hardwood (v1575039)	97.5
	B, C	Lumber, hardwood, birch (v1575035)	114.3
Sugar maple	A	Veneer and plywood, hardwood (v1575039)	97.5
	B, C	Lumber, hardwood, maple (v1575034)	113.1
Poplar	B	Index: Waferboard OSB (Random Lengths; 79.7%) Pallets (v1575072; 12.5%) Woodpulp, sulphate, hardwood, domestic (v1575105; 7.8%)	100.0
Other hardwoods	B, C	Lumber, hardwood, birch (v1575035)	114.3
All hardwoods except poplar	D, E	Index: Waferboard OSB (Random Lengths; 20.5%) Lumber, hardwood, birch (v1575035; 55.0%) Woodpulp, sulfate, hardwood, domestic (v1575105, 24.5%)	100.0

<sup>1</sup> The letters A, B, C, D, E, F, G, H, I and M correspond to quality levels determined on the basis of the assessment of cuts according to species, diameter, length and imperfections observed on crosscuts and trunks.

<sup>2</sup> The source of the price indexes and the relative weight of each are indicated in parentheses. The price indexes from Statistics Canada are indicated according to their Cansim number.

<sup>3</sup> The reference price index corresponds to the average of the price indexes calculated between 1 April 2004 and 31 March 2006.