

| Trades | As of 12 February 2020 | As of 12 February 2021 | As of 12 February 2022 | As of 12 February 2023 |
|---|---------------------------|---------------------------|---------------------------|---------------------------|
| (7) Service salesperson – Adviser: | | | | |
| 1st year | \$13.96 | \$14.52 | \$14.88 | \$15.25 |
| 2nd year | \$15.29 | \$15.90 | \$16.30 | \$16.70 |
| 3rd year | \$16.69 | \$17.36 | \$17.79 | \$18.24 |
| 4th year | \$17.82 | \$18.53 | \$19.00 | \$19.47 |
| 5th year | \$18.17 | \$18.90 | \$19.37 | \$19.85 |
| After five years | \$18.54 | \$19.28 | \$19.76 | \$20.26 |

* The notion of journeyman includes the trades of mechanic, diesel mechanic, welder, electrician, machinist, body-worker, wheel aligner, automatic transmission specialist, painter, upholsterer and bodyman.

The wage rate not provided for the trades of messenger and washer corresponds to the rate of the minimum wage payable to an employee, in accordance with section 3 of the Regulation respecting labour standards (chapter N-1.1, r. 3), increased by \$0.25 per hour as of the date of adjustment of the minimum wage rate.

9.01.1. The minimum wage provided for in the Regulation respecting labour standards (chapter N-1.1, r. 3), increased by \$0.25, applies as soon as it is higher than a minimum hourly rates provided for in section 9.01.”.

16. Section 9.02 is amended by replacing the first paragraph by the following:

“Wages must be paid in cash in a sealed envelope, by cheque or by bank transfer.”.

17. Section 13.01 is amended by replacing “31 December 2018” by “12 February 2024” and by replacing “June 2018” and “June” respectively by “August 2023” and “August”.

18. This Decree comes into force on the date of its publication in the *Gazette officielle du Québec*.

104253

M.O., 2020

Order of the Minister of the Environment and the Fight Against Climate Change and the Minister of Forests, Wildlife and Parks dated 28 January 2020

An Act respecting threatened or vulnerable species (chapter E-12.01)

Replacement of the List of plant and wildlife species which are likely to be designated as threatened or vulnerable

THE MINISTER OF THE ENVIRONMENT AND THE FIGHT AGAINST CLIMATE CHANGE AND THE MINISTER OF FORESTS, WILDLIFE AND PARKS,

CONSIDERING the first paragraph of section 9 of the Act respecting threatened or vulnerable species (chapter E-12.01), which provides that the Minister of Sustainable Development, Environment and Parks and the Minister of Natural Resources and Wildlife may establish jointly, by order, a list of threatened or vulnerable species which are likely to be so designated;

CONSIDERING the second paragraph of section 9 of the Act, which provides that the order is to be published in the *Gazette officielle du Québec*;

CONSIDERING Décret 1280-2018 dated 18 October 2018, published in the *Gazette officielle du Québec* of 31 October 2018, which provides that the Minister and the ministry of Sustainable Development, Environment and Parks are from then on designated Minister and ministry of the Environment and the Fight Against Climate Change;

CONSIDERING Décret 1291-2018 dated 18 October 2018, published in the *Gazette officielle du Québec* of 31 October 2018, which provides that the functions and responsibilities of the Minister of Natural Resources and Wildlife provided for in particular in the Act respecting threatened or vulnerable species (chapter E-12.01) be entrusted to the Minister of Forests, Wildlife and Parks;

CONSIDERING that the Minister of Sustainable Development, Environment and Parks and the Minister of Natural Resources and Wildlife established jointly, by the List of plant and wildlife species which are likely to be designated as threatened or vulnerable (chapter E-12.01, r. 5), the plant and wildlife species which are likely to be designated as threatened or vulnerable;

CONSIDERING that it is expedient to replace the Schedules to the List, in particular to remove and add plant species, reclassify certain wildlife species and make technical corrections;

ORDER AS FOLLOWS:

The Schedules to the List of plant and wildlife species which are likely to be designated as threatened or vulnerable (chapter E-12.01, r. 5) are hereby replaced by those attached to this Order;

This Order comes into force on the date of its publication in the *Gazette officielle du Québec*.

Québec, 28 January 2020

BENOIT CHARETTE,
*Minister of the Environment
and the Fight Against
Climate Change*

PIERRE DUFOUR,
*Minister of Forests,
Wildlife and Parks*

SCHEDULE I

(s. 1)

**PLANT SPECIES WHICH ARE LIKELY TO BE DESIGNATED
AS THREATENED OR VULNERABLE**

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|--|---------------------------|-------------------------|
| VASCULAR PLANTS (246 species) | | |
| <i>Achillea alpina</i> L. subsp. <i>multiflora</i> (Hook.) D.F. Murray & Elven | Achillée multiflore | Siberian Yarrow |
| <i>Agastache nepetoides</i> (L.) Kuntze | Agastache faux-népéta | Yellow Giant-hyssop |
| <i>Agoseris aurantiaca</i> (Hook.) Greene var. <i>aurantiaca</i> | Agoséride orangée | Orange Agoseris |
| <i>Agrimonia pubescens</i> Wallr. | Aigremoine pubescente | Soft Groovebur |
| <i>Alchemilla alpina</i> L. | Alchémille des Alpes | Alpine Lady's Mantle |
| <i>Alnus serrulata</i> (Aiton) Willd. | Aulne tendre | Brookside Alder |
| <i>Amelanchier amabilis</i> Wiegand | Amélanchier gracieux | Beautiful Serviceberry |
| <i>Anchistea virginica</i> (L.) C. Presl | Woodwardie de Virginie | Virginia Chain Fern |
| <i>Andersonglossum boreale</i> (Fernald) Jiménez-Mejías, J.I. Cohen & Naczi | Cynoglosse boréale | Northern Wild Comfrey |
| <i>Antennaria rosea</i> Greene subsp. <i>confinis</i> (Greene) Bayer | Antennaire des frontières | Brown-edged Pussytoes |
| <i>Arnica chamissonis</i> Less. | Arnica de Chamisso | Leafy Arnica |
| <i>Artemisia tilesii</i> Ledeb. | Armoise de Tilesius | Tilesius Wormwood |
| <i>Asclepias exaltata</i> L. | Asclépiade très grande | Poke Milkweed |
| <i>Asplenium platyneuron</i> (L.) Britton, Sterns & Poggenb. | Doradille ébène | Ebony Spleenwort |
| <i>Asplenium rhizophyllum</i> L. | Doradille ambulante | Walking-fern Spleenwort |
| <i>Astragalus americanus</i> (Hook.) M.E. Jones | Astragale d'Amérique | American Milk-vetch |
| <i>Astragalus australis</i> (L.) Lam. var. <i>glabriusculus</i> (Hook.) Isely | Astragale austral | Southern Milk-vetch |
| <i>Bartonia virginica</i> (L.) Britton, Sterns & Poggenb. | Bartonie de Virginie | Yellow Screwstem |
| <i>Bidens heterodoxa</i> (Fernald) Fernald & H. St. John | Bident différent | Connecticut Beggarticks |
| <i>Blephilia hirsuta</i> (Pursh) Benth. | Bléphilie hirsute | Hairy Woodmint |
| <i>Boechea collinsii</i> (Fernald) Á. Löve & D. Löve | Arabette de Collins | Collin's Rockcress |
| <i>Borodinia canadensis</i> (L.) P.J. Alexander & Windham | Arabette du Canada | Sicklepod Rockcress |
| <i>Borodinia laevigata</i> (Muhl. ex Willd.) P.J. Alexander & Windham | Arabette lisse | Smooth Rockcress |
| <i>Botrychium ascendens</i> W.H. Wagner | Botryche ascendant | Upswept Moonwort |

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|---|------------------------------|------------------------|
| <i>Botrychium campestre</i> W.H. Wagner & Farrar var. <i>lineare</i> (W.H. Wagner) Farrar | Botryche linéaire | Narrow-leaved Moonwort |
| <i>Botrychium michiganense</i> W.H. Wagner ex A.V. Gilman, Farrar & Zika | Botryche du Michigan | Michigan Moonwort |
| <i>Botrychium mormo</i> W.H. Wagner | Botryche petit-lutin | Little Goblin Moonwort |
| <i>Botrychium pallidum</i> W.H. Wagner | Botryche pâle | Pale Moonwort |
| <i>Botrychium pedunculatum</i> W.H. Wagner | Botryche pédonculé | Stalked Moonwort |
| <i>Botrychium pinnatum</i> H. St. John | Botryche à lobes obtus | Northern Moonwort |
| <i>Botrychium spathulatum</i> W.H. Wagner | Botryche à segments spatulés | Spatulate Moonwort |
| <i>Braya humilis</i> (C.A. Mey.) B.L. Rob. subsp. <i>humilis</i> | Braya délicat | Low Braya |
| <i>Braya linearis</i> Rouy | Braya à fruits linéaires | Narrow-fruit Braya |
| <i>Bromus pubescens</i> Spreng. | Brome pubescent | Hairy Woodland Brome |
| <i>Calypso bulbosa</i> (L.) Oakes var. <i>americana</i> (R. Br.) Luer | Calypso d'Amérique | Calypso |
| <i>Canadanthus modestus</i> (Lindl.) G. L. Nesom | Aster modeste | Great Northern Aster |
| <i>Cardamine bulbosa</i> (Schreb. ex Muhl.) Britton, Sterns & Poggenb. | Cardamine bulbeuse | Bulbous Bitter-cress |
| <i>Carex annectens</i> (E.P. Bicknell) E.P. Bicknell | Carex à gaine tronquée | Yellow-fruit Sedge |
| <i>Carex argyrantha</i> Tuck. ex Dewey | Carex argenté | Hay Sedge |
| <i>Carex atherodes</i> Spreng. | Carex épi-de-blé | Wheat Sedge |
| <i>Carex atlantica</i> L.H. Bailey subsp. <i>capillacea</i> (L.H. Bailey) Reznicek | Carex à feuilles capillaires | Prickly Bog Sedge |
| <i>Carex baileyi</i> Britton | Carex de Bailey | Bailey's Sedge |
| <i>Carex cephalophora</i> Muhl. ex Willd. | Carex porte-tête | Oval-leaf Sedge |
| <i>Carex cumulata</i> (L.H. Bailey) Fernald | Carex dense | Clustered Sedge |
| <i>Carex echinodes</i> (Fernald) P.E. Rothrock, Reznicek & Hipp | Carex épineux | Quill Sedge |
| <i>Carex folliculata</i> L. | Carex folliculé | Long Sedge |
| <i>Carex formosa</i> Dewey | Carex joli | Handsome Sedge |
| <i>Carex hirsutella</i> Mack. | Carex hirsute | Hirsute Sedge |
| <i>Carex laxiculmis</i> Schwein. var. <i>laxiculmis</i> | Carex à tiges faibles | Spreading Sedge |
| <i>Carex macloviana</i> d'Urv. (Gaspésie–Îles-de-la-Madeleine (11)) | Carex des Malouines | Falkland Island Sedge |
| <i>Carex mesochorea</i> Mack. | Carex de l'arrière-pays | Midland Sedge |

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|---|---------------------------|---------------------------|
| <i>Carex molesta</i> Mack. ex Bright | Carex dérangent | Troublesome Sedge |
| <i>Carex muehlenbergii</i> Schkuhr ex Willd. var. <i>muehlenbergii</i> | Carex de Mühlenberg | Muhlenberg's Sedge |
| <i>Carex oligocarpa</i> Willd. | Carex à fruits clairsemés | Eastern Few-fruited Sedge |
| <i>Carex richardsonii</i> R. Br. | Carex de Richardson | Richardson's Sedge |
| <i>Carex sartwellii</i> Dewey | Carex de Sartwell | Sartwell's Sedge |
| <i>Carex siccata</i> Dewey | Carex sec | Dry-spike Sedge |
| <i>Carex swanii</i> (Fernald) Mack. | Carex de Swan | Swan's Sedge |
| <i>Carex sychnocephala</i> J. Carey | Carex compact | Many-headed Sedge |
| <i>Carex tincta</i> (Fernald) Fernald | Carex coloré | Tinged Sedge |
| <i>Carex trichocarpa</i> Muhl. ex Willd. | Carex à fruits velus | Hairy-fruited Sedge |
| <i>Carex typhina</i> Michx. | Carex massette | Cattail Sedge |
| <i>Carex virescens</i> Muhl. ex Willd. | Carex virescent | Ribbed Sedge |
| <i>Carya ovata</i> (Mill.) K. Koch var. <i>ovata</i> | Caryer ovale | Shagbark Hickory |
| <i>Ceanothus americanus</i> L. | Céanothe d'Amérique | New Jersey Tea |
| <i>Cerastium nutans</i> Raf. var. <i>nutans</i> | Céraiste penché | Nodding Chickweed |
| <i>Cerastium regelii</i> Ostenf. | Céraiste de Regel | Regel's Chickweed |
| <i>Chenopodium foggii</i> Wahl | Chénopode de Fogg | Fogg's Goosefoot |
| <i>Chimaphila maculata</i> (L.) Pursh | Chimaphile maculée | Spotted Wintergreen |
| <i>Claytonia virginica</i> L. | Claytonie de Virginie | Narrowleaf Springbeauty |
| <i>Cochlearia tridactylites</i> Banks ex DC. | Cranson tridactyle | Limestone Scurvygrass |
| <i>Corallorhiza striata</i> Lindl. var. <i>striata</i> | Corallorhize striée | Striped Coralroot |
| <i>Corallorhiza striata</i> Lindl. var. <i>vreelandii</i> (Rydb.) L.O. Williams | Corallorhize de Vreeland | Vreeland's Coralroot |
| <i>Corylus americana</i> Walter | Noisetier d'Amérique | American Hazelnut |
| <i>Crataegus brainerdii</i> Sarg. | Aubépine de Brainerd | Brainerd's Hawthorn |
| <i>Crataegus canadensis</i> Sarg. | Aubépine du Canada | Canadian Hawthorn |
| <i>Crataegus coccinioides</i> Ashe | Aubépine dilatée | Kansas Hawthorn |
| <i>Crataegus crus-galli</i> L. var. <i>crus-galli</i> | Aubépine ergot-de-coq | Cockspur Hawthorn |
| <i>Crataegus schuettei</i> Ashe var. <i>schuettei</i> | Aubépine de Schuette | Schuette's Hawthorn |
| <i>Crataegus suborbiculata</i> Sarg. | Aubépine suborbiculaire | Caughnawaga Hawthorn |
| <i>Crocianthemum canadense</i> (L.) Britton | Hélianthème du Canada | Long-branched Frostweed |
| <i>Cyperus dentatus</i> Torr. | Souchet denté | Toothed Sedge |
| <i>Cyperus erythrorhizos</i> Muhl. | Souchet à racines rouges | Red-rooted Flatsedge |
| <i>Cyperus houghtonii</i> Torr. | Souchet de Houghton | Houghton's Umbrella-sedge |

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|--|-------------------------------------|-----------------------------------|
| <i>Cyperus odoratus</i> L. | Souchet odorant | Rusty Flatsedge |
| <i>Cyperus schweinitzii</i> Torr. | Souchet de Schweinitz | Schweinitz's Flatsedge |
| <i>Cyperus subsquarrosus</i> (Muhl.) Bauters | Lipocarphe à petites fleurs | Small-flowered Lipocarpa |
| <i>Cypripedium reginae</i> Walter | Cypripède royal | Showy Lady's-slipper |
| <i>Cystopteris laurentiana</i> (Weath.) Blasdel | Cystoptère laurentienne | Laurentian Bladder Fern |
| <i>Deschampsia alpina</i> (L.) Roem. & Schult. | Deschampsie alpine | Alpine Hairgrass |
| <i>Descurainia pinnata</i> (Walter) Britton subsp. <i>brachycarpa</i> (Richardson) Detling | Moutarde-tanaisie verte | Short-fruit Tansy Mustard |
| <i>Desmodium paniculatum</i> (L.) DC. var. <i>paniculatum</i> | Desmodie paniculée | Panicled Tick-trefoil |
| <i>Draba arctica</i> J. Vahl | Drave arctique | Arctic Draba |
| <i>Draba cayouettei</i> G.A. Mulligan & Al-Shehbaz | Drave de Cayouette | Cayouette's Draba |
| <i>Draba corymbosa</i> R. Br. ex DC. | Drave en corymbe | Flat-top Whitlow-grass |
| <i>Draba micropetala</i> Hook. | Drave à petits pétales | Small-flowered Draba |
| <i>Draba nemorosa</i> L. | Drave des bois | Woodland Draba |
| <i>Draba peasei</i> Fernald | Drave de Pease | Pease's Draba |
| <i>Draba pilosa</i> Adams ex DC. | Drave poilue | Pilose Draba |
| <i>Draba puvirnituiqii</i> G.A. Mulligan & Al-Shehbaz | Drave des monts de Puvirnituiq | Puvirnituiq Mountain Draba |
| <i>Draba subcapitata</i> Simmons | Drave subcapitée | Ellesmere Island Whitlow-grass |
| <i>Echinochloa walteri</i> (Pursh) A. Heller | Échinochloé de Walter | Walter's Barnyard Grass |
| <i>Elatine ojibwayensis</i> Garneau | Élatine du lac Ojibway | Ojibway Waterwort |
| <i>Eleocharis aestuum</i> Hines ex A. Haines | Éléocharide des estuaires | Tidal Spikerush |
| <i>Eleocharis compressa</i> Sull. var. <i>compressa</i> | Éléocharide comprimée | Flat-stem Spikerush |
| <i>Eleocharis diandra</i> C. Wright | Éléocharide à deux étamines | Wright's Spikerush |
| <i>Eleocharis mamillata</i> (H. Lindb.) H. Lindb. subsp. <i>mamillata</i> . | Éléocharide à tétons | Soft-stemmed Spikerush |
| <i>Elymus villosus</i> Muhl. ex Willd. | Élyme velu | Downy Wildrye |
| <i>Epilobium brachycarpum</i> C. Presl | Épilobe d'automne | Tall Annual Willowherb |
| <i>Epilobium saximontanum</i> Hausskn. | Épilobe des Rocheuses | Rocky Mountain Willowherb |
| <i>Erigeron compositus</i> Pursh (Bas-Saint-Laurent (01) et Gaspésie-Îles-de-la-Madeleine (11)) | Vergerette à feuilles segmentées | Cut-leaved Fleabane |
| <i>Euphorbia polygonifolia</i> L. | Euphorbe à feuilles de renouée | Seaside Spurge |

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|---|----------------------------------|-----------------------------|
| <i>Festuca baffinensis</i> Polunin (Gaspésie–Îles-de-la-Madeleine (11)) | Féтуque de Baffin | Baffin Island Fescue |
| <i>Festuca frederikseniae</i> E.B. Alexeev | Féтуque de Frederiksen | North Atlantic Fescue |
| <i>Galearis spectabilis</i> (L.) Raf. | Orchis brillant | Showy Orchis |
| <i>Galium brevipes</i> Fernald & Wiegand | Gaillet à pédicelles courts | Limestone Swamp Bedstraw |
| <i>Gentiana clausa</i> Raf. | Gentiane close | Closed Gentian |
| <i>Gentianella propinqua</i> (Richardson) J.M. Gillett subsp. <i>propinqua</i> (Côte-Nord (09) et Gaspésie–Îles-de-la-Madeleine (11)) | Gentiane fausse- amarelle | Four-parted Gentian |
| <i>Gentianella quinquefolia</i> (L.) Small var. <i>quinquefolia</i> | Gentiane à cinq feuilles | Stiff Gentian |
| <i>Gentianopsis crinita</i> (Froel.) Ma | Gentiane frangée | Fringed Gentian |
| <i>Gentianopsis virgata</i> (Raf.) Holub subsp. <i>macounii</i> (Holm) J.S. Pringle | Gentiane de Macoun | Macoun's Fringed Gentian |
| <i>Geranium carolinianum</i> L. | Géranium de Caroline | Carolina Geranium |
| <i>Geranium maculatum</i> L. | Géranium maculé | Wild Crane's-bill |
| <i>Gymnocarpium continentale</i> (Petrov) Pojarkova | Gymnocarpe frêle | Nahanni Oak Fern |
| <i>Homalosorus pycnocarpos</i> (Spreng.) Pichi Sermolli | Athyrie à sores denses | Glade Fern |
| <i>Houstonia longifolia</i> Gaertn. | Houstonie à longues feuilles | Long-leaved Bluets |
| <i>Hylodesmum nudiflorum</i> (L.) H. Ohashi & R.R. Mill | Desmodie nudiflore | Naked-flower Tick-trefoil |
| <i>Hypericum ascyron</i> L. subsp. <i>pyramidatum</i> (Aiton) N. Robson | Millepertuis à grandes fleurs | Great St. John's-wort |
| <i>Hypericum virginicum</i> L. | Millepertuis de Virginie | Marsh St. John's-wort |
| <i>Iris virginica</i> L. var. <i>shrevei</i> (Small) E.S. Anderson | Iris de Shreve | Shreve's Iris |
| <i>Isoetes tuckermanii</i> A. Braun | Isoète de Tuckerman | Tuckerman's Quillwort |
| <i>Juglans cinerea</i> L. | Noyer cendré | Butternut |
| <i>Juncus antheratus</i> (Wiegand) R.E. Brooks | Jonc branchu | Slender Rush |
| <i>Juncus ensifolius</i> Wikstr. | Jonc à épées | Dagger-leaved Rush |
| <i>Juncus greenei</i> Oakes & Tuck. | Jonc de Greene | Greene's Rush |
| <i>Juncus longistylis</i> Torr. | Jonc longistyle | Long-styled Rush |
| <i>Juncus torreyi</i> Coville | Jonc de Torrey | Torrey's Rush |
| <i>Lathyrus venosus</i> Muhl. ex Willd. | Gesse veinée | Veiny Vetchling |
| <i>Liparis liliifolia</i> (L.) Rich. ex Lindl. | Liparis à feuilles de lis | Purple Twayblade |
| <i>Lobelia spicata</i> Lam. | Lobélie à épi | Pale-spike Lobelia |
| <i>Lysimachia hybrida</i> Michx. | Lysimaque hybride | Lanceleaf Loosestrife |

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|--|--------------------------------|-------------------------|
| <i>Melica smithii</i> (Porter ex A. Gray) Vasey | Mélique de Smith | Smith's Melicgrass |
| <i>Micranthes gaspensis</i> (Fernald) Small | Saxifrage de Gaspésie | Gaspé Saxifrage |
| <i>Micranthes stellaris</i> (L.) Galasso, Banfi & Soldano | Saxifrage étoilée | Starry Saxifrage |
| <i>Muhlenbergia sylvatica</i> (Torr.) Torr. ex A. Gray | Muhlenbergie des bois | Woodland Muhly |
| <i>Mulgedium pulchellum</i> (Pursh) G. Don | Laitue bleue | Blue Lettuce |
| <i>Myriophyllum heterophyllum</i> Michx. | Myriophylle à feuilles variées | Broadleaf Water-milfoil |
| <i>Myriophyllum humile</i> (Raf.) Morong | Myriophylle menu | Low Water-milfoil |
| <i>Najas gracillima</i> (A. Braun ex Engelm.) Magnus | Naïade grêle | Thread-like Naiad |
| <i>Najas guadalupensis</i> (Spreng.) Magnus subsp. <i>olivacea</i> (Rosend. & Butters) R.R. Haynes & Hellq. | Naïade olivâtre | Southern Naiad |
| <i>Nardus stricta</i> L. | Nard raide | Moor Matgrass |
| <i>Neottia borealis</i> (Morong) Szlach. | Listère boréale | Northern Twayblade |
| <i>Oenothera gaura</i> W.L. Wagner & Hoch | Gaura bisannuel | Biennial Gaura |
| <i>Oenothera pilosella</i> Raf. | Onagre piloselle | Meadow Evening-primrose |
| <i>Ophioglossum pusillum</i> Raf. | Ophioglosse nain | Northern Adder's-tongue |
| <i>Oxytropis borealis</i> DC. var. <i>viscida</i> (Nutt.) S.L. Welsh | Oxytrope visqueux | Sticky Locoweed |
| <i>Oxytropis deflexa</i> (Pall.) DC. subsp. <i>foliolosa</i> (Hook.) Cody (Gaspésie–Îles-de-la-Madeleine (11)) | Oxytrope à folioles nombreuses | Foliose Locoweed |
| <i>Panicum flexile</i> (Gatt.) Scribn. | Panic flexible | Wiry Witch Grass |
| <i>Panicum philadelphicum</i> Bernh. ex Trin. | Panic de Philadelphie | Philadelphia Witchgrass |
| <i>Panicum virgatum</i> L. | Panic raide | Old Switch Panicgrass |
| <i>Pedicularis palustris</i> L. subsp. <i>palustris</i> | Pédiculaire des marais | Marsh Lousewort |
| <i>Pellaea glabella</i> Mett. ex Kuhn subsp. <i>glabella</i> | Pelléade glabre | Smooth Cliffbrake |
| <i>Peltandra virginica</i> (L.) Schott | Peltandre de Virginie | Green Arrow-arum |
| <i>Penstemon hirsutus</i> (L.) Willd. | Penstémon hirsute | Hairy Beardtongue |
| <i>Persicaria arifolia</i> (L.) Haraldson | Renouée à feuilles d'arum | Halberd-leaf Tearthumb |
| <i>Persicaria careyi</i> (Olney) Greene | Renouée de Carey | Carey's Smartweed |
| <i>Persicaria robustior</i> (Small) E.P. Bicknell | Renouée robuste | Stout Smartweed |

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|--|------------------------------------|------------------------------|
| <i>Physostegia virginiana</i> (L.) Benth. subsp. <i>virginiana</i> | Physostégie de Virginie | Virginia False Dragonhead |
| <i>Platanthera flava</i> (L.) Lindl. var. <i>herbiola</i> (R. Br.) Luer | Platanthère petite-herbe | Pale-green Orchid |
| <i>Platanthera macrophylla</i> (Goldie) P.M. Br. | Platanthère à grandes feuilles | Large Round-leaved Orchid |
| <i>Platanthera unalascensis</i> (Spreng.) Kurtz | Pipérie d'Unalaska | Alaska Rein Orchid |
| <i>Platanus occidentalis</i> L. | Platane occidentale | Sycamore |
| <i>Poa flexuosa</i> J.E. Smith subsp. <i>consauliae</i> J.L. Gillespie & Soreng | Pâturin de Consaul | Consaul's Lax Bluegrass |
| <i>Poa saltuensis</i> Fernald & Wiegand subsp. <i>languida</i> (Hitchc.) A. Haines | Pâturin faible | Drooping Bluegrass |
| <i>Poa secunda</i> J. Presl subsp. <i>secunda</i> var. <i>secunda</i> | Pâturin de Sandberg | Sandberg's Bluegrass |
| <i>Podostemum ceratophyllum</i> Michx. | Podostémon à feuilles cornées | Threadfoot |
| <i>Polanisia dodecandra</i> (L.) DC. subsp. <i>dodecandra</i> | Polanisie à douze étamines | Common Clammyweed |
| <i>Polygala ambigua</i> Nutt. | Polygale alterne | Whorled Milkwort |
| <i>Polygala polygama</i> Walter | Polygale polygame | Racemed Milkwort |
| <i>Polygala senega</i> L. | Polygale sénéca | Seneca Snakeroot |
| <i>Polypodium sibiricum</i> Sipliv. | Polypode de Sibérie | Siberian Polypody |
| <i>Potamogeton berchtoldii</i> Fieber subsp. <i>gemmaiparus</i> (J.W. Robbins) Les & Tippery | Potamot à gemmes | Budding Pondweed |
| <i>Potamogeton illinoensis</i> Morong | Potamot de l'Illinois | Illinois Pondweed |
| <i>Potamogeton strictifolius</i> A. Benn. | Potamot à feuilles raides | Straight-leaved Pondweed |
| <i>Potamogeton vaseyi</i> J.W. Robbins | Potamot de Vasey | Vasey's Pondweed |
| <i>Potentilla arenosa</i> (Turcz.) Juz. subsp. <i>chamissonis</i> (Hultén) Elven & D.F. Murray | Potentille de Chamisso | Chamisso's Cinquefoil |
| <i>Proserpinaca palustris</i> L. | Proserpinie des marais | Marsh Mermaidweed |
| <i>Prunus pumila</i> L. var. <i>susquehanae</i> (Willd.) H. Jaeger | Cerisier de la Susquehanna | Susquehana Sand Cherry |
| <i>Puccinellia angustata</i> (R. Br.) E.L. Rand & Redfield | Puccinellie étroite | Northern Alkali Grass |
| <i>Puccinellia nuttalliana</i> (Schult.) Hitchc. | Puccinellie de Nuttall | Nuttall's Alkaligrass |
| <i>Pycnanthemum tenuifolium</i> Schrad. | Pycnanthème à feuilles étroites | Slender Mountainmint |
| <i>Quercus bicolor</i> Willd. | Chêne bicolore | Swamp White Oak |
| <i>Ranunculus rhomboideus</i> Goldie | Renoncule rhomboïde | Prairie Buttercup |
| <i>Ranunculus sulphureus</i> Sol. ex C.J. Phipps | Renoncule soufrée | Sulphur Buttercup |

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|--|---------------------------------|--------------------------|
| <i>Rhus glabra</i> L. | Sumac glabre | Smooth Sumac |
| <i>Rhynchospora capillacea</i> Torr. | Rhynchospore capillaire | Horned Beakrush |
| <i>Ribes oxycanthoides</i> L. subsp. <i>oxycanthoides</i> | Groseillier du Nord | Canada Gooseberry |
| <i>Rorippa aquatica</i> (Eaton) E.J. Palmer & Steyerl. | Armoracie des étangs | Lake-cress |
| <i>Sabulina litorea</i> (Fernald) Rydb. | Sabline des grèves | Seashore Stitchwort |
| <i>Sabulina michauxii</i> (Fenzl) Dillenb. & Kadereit | Sabline de Michaux | Michaux's Stitchwort |
| <i>Sabulina rossii</i> (R. Br. ex Richardson) Dillenb. & Kadereit | Sabline de Ross | Ross' Stitchwort |
| <i>Sagina nodosa</i> (L.) Fenzl subsp. <i>nodosa</i> | Sagine noueuse | Knotted Pearlwort |
| <i>Sagina saginoides</i> (L.) H. Karst. (Bas-Saint-Laurent (01) et Gaspésie-Îles-de-la-Madeleine (11)) | Sagine des Alpes | Alpine Pearlwort |
| <i>Salix amygdaloides</i> Andersson | Saule à feuilles de pêcher | Peachleaf Willow |
| <i>Salix arbusculoides</i> Andersson | Saule arbustif | Little-tree Willow |
| <i>Salix maccalliana</i> Rowlee | Saule de McCalla | Mccalla's Willow |
| <i>Salix pseudomonticola</i> C.R. Ball | Saule pseudomonticole | False Mountain Willow |
| <i>Samolus parviflorus</i> Raf. | Samole à petites fleurs | Water Pimpernel |
| <i>Sanicula canadensis</i> L. var. <i>canadensis</i> | Sanicle du Canada | Canadian Black-snakeroot |
| <i>Sceptridium oneidense</i> (Gilbert) Holub | Botryche d'Oneida | Blunt-lobe Grapefern |
| <i>Schizaea pusilla</i> Pursh | Schizée naine | Little Curly-grass Fern |
| <i>Schoenoplectus heterochaetus</i> (Chase) Soják | Scirpe à soies inégales | Slender Bulrush |
| <i>Scirpus ancistrochaetus</i> Schuyler | Scirpe à crochets | Northeastern Bulrush |
| <i>Sedum villosum</i> L. | Orpin velu | Purple Stonecrop |
| <i>Sisyrinchium angustifolium</i> Mill. | Bermudienne à feuilles étroites | Pointed Blue-eyed-grass |
| <i>Sparganium glomeratum</i> (Beurl. ex Laest.) Neuman | Rubanier aggloméré | Northern Bur-reed |
| <i>Spiranthes casei</i> Catling & Cruise var. <i>casei</i> | Spiranthe de Case | Case's Ladies'-tresses |
| <i>Sporobolus compositus</i> (Poir.) Merr. var. <i>compositus</i> | Sporobole rude | Tall Dropseed |
| <i>Stellaria alsine</i> Grimm | Stellaire fausse-alsine | Bog Starwort |
| <i>Strophostyles helvola</i> (L.) Elliott | Strophostyle ochracé | Trailing Wild Bean |
| <i>Suaeda rolandii</i> Bassett & Crompton | Suéda de Roland | Roland's Sea-blite |
| <i>Symphotrichum lanceolatum</i> (Willd.) G.L. Nesom subsp. <i>lanceolatum</i> var. <i>interior</i> (Wiegand) G.L. Nesom | Aster continental | Interior White Aster |

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|---|--|-----------------------------------|
| <i>Symphotrichum pilosum</i> (Willd.) G.L. Nesom var. <i>pringlei</i> (A. Gray) G.L. Nesom | Aster de Pringle | Pringle's Aster |
| <i>Symphotrichum robynianum</i> (Rouss.) L. Brouillet & Labrecque (Outaouais (07) et Laurentides (15)) | Aster de Robyns | Robyns' Aster |
| <i>Symphotrichum subulatum</i> (Michx.) G.L. Nesom var. <i>subulatum</i> | Aster subulé | Annual Saltmarsh Aster |
| <i>Taenidia integerrima</i> (L.) Drude | Ténidia à feuilles entières | Yellow-pimpernel |
| <i>Taraxacum latilobum</i> DC. | Pissenlit à lobes larges | Large-lobed Dandelion |
| <i>Taraxacum laurentianum</i> Fernald | Pissenlit du golfe du Saint-Laurent | Gulf of St. Lawrence Dandelion |
| <i>Thalictrum dasycarpum</i> Fisch. & Avé-Lall. | Pigamon pourpré | Purple Meadowrue |
| <i>Tofieldia coccinea</i> Richardson | Tofieldie écarlate | Purple Featherling |
| <i>Torreyochloa pallida</i> (Torr.) G.L. Church var. <i>pallida</i> | Glycérie pâle | Pale Manna Grass |
| <i>Toxicodendron vernix</i> (L.) Kuntze | Sumac à vernis | Poison-sumac |
| <i>Trichophorum pumilum</i> (Vahl) Schinz & Thell. | Trichophore nain | Dwarf Clubrush |
| <i>Trichostema brachiatum</i> L. | Trichostème à sépales égaux | False Pennyroyal |
| <i>Trichostema dichotomum</i> L. | Trichostème fourchu | Forked Bluecurls |
| <i>Utricularia radiata</i> Small | Utriculaire rayonnante | Little Floating Bladderwort |
| <i>Verbena stricta</i> Vent. | Verveine veloutée | Hoary Vervain |
| <i>Veronica alpina</i> L. | Véronique alpine | Alpine Speedwell |
| <i>Veronica catenata</i> Pennell | Véronique en chaîne | Sessile Water-speedwell |
| <i>Viburnum recognitum</i> Fernald | Viorne litigieuse | Smooth Arrowwood |
| <i>Vicia americana</i> Muhl. ex Willd. var. <i>americana</i> | Vesce d'Amérique | American Vetch |
| <i>Viola rostrata</i> Pursh | Violette à long éperon | Long-spur Violet |
| <i>Viola sagittata</i> Aiton var. <i>ovata</i> (Nutt.) Torr. & A. Gray | Violette à feuilles frangées | Sand Violet |
| <i>Viola sagittata</i> Aiton var. <i>sagittata</i> | Violette sagittée | Arrowleaf Violet |
| <i>Woodsia oregana</i> D.C. Eaton subsp. <i>cathcartiana</i> (B.L. Rob.) Windham | Woodsie de Cathcart | Cathcart's Woodsia |
| <i>Woodsia scopulina</i> D.C. Eaton subsp. <i>laurentiana</i> Windham | Woodsie du golfe Saint- Laurent | Laurentian Woodsia |

INVASCULAR PLANTS (187 species)

| | | |
|--|-----------------|------------------|
| <i>Acaulon muticum</i> Schreb. ex Hedw.) Müll. Hal. var. <i>muticum</i> | Acaulon mutique | Dwarf Earth Moss |
|--|-----------------|------------------|

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|--|--------------------------------|-----------------------------|
| <i>Aloina brevirostris</i> (Hook. & Grev.) Kindb. | Aloina à bec court | Short-beaked Screw Moss |
| <i>Andreaea crassinervia</i> Bruch | Lanterne à nervure épaisse | Thick-nerved Rock Moss |
| <i>Andreaea nivalis</i> Hook. | Lanterne des neiges | Snow Rock Moss |
| <i>Aneura maxima</i> (Schiffn.) Steph. | Grand aneura | Large Greasewort |
| <i>Anthoceros agrestis</i> Paton | Anthocéroto des champs | Field Hornwort |
| <i>Aongstroemia longipes</i> (Sommerf.) Bruch & Schimp. | Branchette dressée | Sprig Moss |
| <i>Apopellia endiviifolia</i> (Dicks.) Nebel & D. Quandt | Pellie ramifiée | Endive Pellia |
| <i>Arctoa anderssonii</i> Wich. | Faux-dicrane arctique | Andersson's Arctic Moss |
| <i>Asterella tenella</i> (L.) P. Beauv. | Astérelle délicate | Delicate Starwort |
| <i>Aulacomnium androgynum</i> (Hedw.) Schwägr. | Petite aulacomnie | Little Groove Moss |
| <i>Biantheridion undulifolium</i> (Nees) Konstant. & Vilnet | Sylphide ondulée | Marsh Flapwort |
| <i>Brachythecium glaciale</i> Schimp. | Buissonnette des neiges | Snow Feather Moss |
| <i>Brachythecium latifolium</i> Kindb. | Buissonnette à feuilles larges | Wide-leaved Ragged Moss |
| <i>Bruchia flexuosa</i> (Schwägr.) Müll. Hal. | Bruchie flexueuse | Bending Bruch's Moss |
| <i>Bryum demaretianum</i> Arts | Bryum des champs | Orange-tuber Bryum |
| <i>Bryum elegans</i> Nees | Bryum élégant | Revolvute Rustwort |
| <i>Bryum gemmiparum</i> De Not. | Bryum gemmipare | Bud-tipped Bryum |
| <i>Bryum knowltonii</i> Barnes | Bryum nordique | Knowlton's Bryum |
| <i>Bryum longisetum</i> Blandow ex Schwägr. var. <i>longisetum</i> | Bryum à soie longue | Long-stalked Bryum |
| <i>Bryum marratii</i> Hook. & Wilson | Bryum furtif | Baltic Bryum |
| <i>Bryum rubens</i> Mitt. | Bryum à tubercules rouges | Crimson-tuber Bryum |
| <i>Bryum warneum</i> (Röhl.) Brid. | Bryum marin | Sea Bryum |
| <i>Buxbaumia piperi</i> Best | Gnome mat | Piper's Shield Moss |
| <i>Campylophyllum sommerfeltii</i> (Myrin) Hedenäs | Campylie ambiguë | Sommerfelt's Fine Wet Moss |
| <i>Campylopus schimperi</i> J. Milde | Torpiéd arctique | Schimper's Swan-neck Moss |
| <i>Campylostelium saxicola</i> (F. Weber & D. Mohr) Bruch & Schimp. | Servan des rochers | Sandstone Swan-neck Moss |
| <i>Cephaloziella rubella</i> (Nees) Warnst. var. <i>sullivantii</i> (Austin) Müll. Frib. | Céphalozielle bois-pourri | Sullivant's Threadwort |
| <i>Cephaloziella uncinata</i> R.M. Schust. | Céphalozielle à crochets | Hooked Threadwort |
| <i>Ceratodon heterophyllus</i> Kindb. | Cératodon varié | Round-leaved Ceratodon Moss |

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|---|----------------------------------|-------------------------------|
| <i>Cinclidium latifolium</i> Lindb. | Mnie à feuilles larges | Wide-leaved Cinclidium Moss |
| <i>Clevea hyalina</i> (Sommerf.) Lindb. | Morgane évanescence | Hyaline Liverwort |
| <i>Climacium americanum</i> Brid. | Climacie méridionale | American Tree Moss |
| <i>Ctenidium subrectifolium</i> (Brid.) G. Pedano ex W.R. Buck & B.H. Allen | Hypne papilleuse | Chalk Comb Moss |
| <i>Cynodontium glaucescens</i> (Lindb. & Arnell) Paris | Cynodonte glauque | Glaucous Dogtooth Moss |
| <i>Cynodontium schisti</i> (F. Weber & D. Mohr) Lindb. | Cynodonte arctique | Hairy Dogtooth Moss |
| <i>Dichelyma uncinatum</i> Mitt. | Fontinale à feuilles arquées | Sickle-leaved Claw Moss |
| <i>Dicranella palustris</i> (Dicks.) Crundw. | Dicranelle des marais | Marsh Forklet Moss |
| <i>Dicranella staphylina</i> H. Whitehouse | Dicranelle des champs | Field Forklet Moss |
| <i>Dicranodontium denudatum</i> (Brid.) E. Britton | Dicranodonte effeuillé | Beaked Bow Moss |
| <i>Didymodon maschalogena</i> (Renauld & Cardot) Broth. | Pixie arctique | Michigan Beard Moss |
| <i>Diplophyllum obtusatum</i> (R.M. Schust.) R.M. Schust. | Fausse-scapanie obtuse | Blunted Earwort |
| <i>Discelium nudum</i> (Dicks.) Brid. | Discélie nue | Naked Flag Moss |
| <i>Ditrichum pallidum</i> (Hedw.) Hampe | Ditric pâle | Pale Cow-hair Moss |
| <i>Drepanocladus arcticus</i> (R.S. Williams) Hedenäs | Faucillette arctique | Arctic Hook Moss |
| <i>Encalypta affinis</i> R. Hedw. subsp. <i>affinis</i> | Éteignoir des neiges | Cylindrical Extinguisher Moss |
| <i>Encalypta brevipes</i> Schljakov | Petit éteignoir | Stubby Extinguisher Moss |
| <i>Encalypta longicollis</i> Bruch | Éteignoir à long col | Red-toothed Extinguisher Moss |
| <i>Endogemma caespiticia</i> (Lindenb.) Konstant., Vilnet & A.V. Troitsky | Jongermanne grégaire | Carpet-like Flapwort |
| <i>Ephemerum serratum</i> | Éphémère à feuilles dentées | Serrated Earth Moss |
| <i>Eremonotus myriocarpus</i> (Carrington) Lindb. & Kaal. ex Pearson | Fausse-céphalozielle cuivrée | Clubwort |
| <i>Fissidens exilis</i> Hedw. | Fissident mince | Pygmy Pocket Moss |
| <i>Fissidens fontanus</i> (Bach. Pyl.) Steud. | Fissident des sources | Water Pocket Moss |
| <i>Fissidens grandifrons</i> Brid. | Fissident raide | Large-Leaved Pocket Moss |
| <i>Fissidens obtusifolius</i> Wilson | Fissident à feuilles obtusées | Blunt Pocket Moss |
| <i>Fissidens subbasilaris</i> Hedw. | Fissident obscur | Tree Pocket Moss |

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|---|-------------------------------|-------------------------------|
| <i>Forsstroemia trichomitria</i> (Hedw.) Lindb. | Hyade à chapeau poilu | Fan Moss |
| <i>Frullania brittoniae</i> A. Evans | Frullanie papilleuse | Britton's scalewort |
| <i>Frullania inflata</i> Gottsche var. <i>communis</i> R.M. Schust. | Frullanie enflée | Inflated Scalewort |
| <i>Frullania riparia</i> Hampe | Frullanie des rochers | River Scalewort |
| <i>Fuscocephaloziopsis catenulata</i> (Huebener) Váňa & L. Söderstr. subsp. <i>catenulata</i> | Céphalozie chaînon | Chain Pincerwort |
| <i>Fuscocephaloziopsis macrostachya</i> (Kaal.) Váňa & L. Söderstr. var. <i>macrostachya</i> | Célaphozie des marais | Bog Pincerwort |
| <i>Grimmia atrata</i> Miel. ex Hornsch. | Grimmie du cuivre | Copper Grimmia |
| <i>Grimmia crinitoleucophaea</i> Cardot | Grimmie ventripotente | Bow-stalked Grimmia |
| <i>Grimmia elongata</i> Kaulf. | Grimmie élancée | Brown Grimmia |
| <i>Grimmia incurva</i> Schwägr. | Grimmie noire | Black Grimmia |
| <i>Grimmia mollis</i> Bruch & Schimp. | Grimmie à feuilles molles | Water Grimmia |
| <i>Grimmia olneyi</i> Sull. | Grimmie col-de-cygne | Olney's Grimmia |
| <i>Grimmia pilifera</i> P. Beauv. | Grimmie porte-poil | Hair Grimmia |
| <i>Grimmia sessitana</i> De Not. | Grimmie ambiguë | Alpine Grimmia |
| <i>Grimmia teretinervis</i> Limpr. | Grimmie à nervure cylindrique | Round-nerved Grimmia |
| <i>Grimmia trichophylla</i> Grev. | Grimmie à feuilles aristées | Hair-pointed Grimmia |
| <i>Gymnocolea inflata</i> (Huds.) Dumort. subsp. <i>acutiloba</i> (Schiffn.) R.M. Schust. & Damsh. ex L. Söderstr. & Váňa | Gobelin à lobes aigus | Welsh Notchwort |
| <i>Gymnomitrium obtusum</i> Lindb. | Gymnomitrium à lobes obtus | Blunt Frostwort |
| <i>Gymnomitrium revolutum</i> (Nees) H. Philib. | Marsupelle révoluée | Revolute Rustwort |
| <i>Harpanthus drummondii</i> (Taylor) Grolle | Harpanthe bois-pourri | Drummond's Flapwort |
| <i>Hygroamblystegium noterophilum</i> (Sull. & Lesq.) Warnst. | Amblystégie à pointe raide | Notable Feather Moss |
| <i>Hygrobrella laxifolia</i> (Hook.) Spruce | Hygrobelle à feuilles lâches | Lax Notchwort |
| <i>Hygrohypnum montanum</i> (Lindb.) Broth. | Riverine des montagnes | Mountain Brook Moss |
| <i>Hygrohypnum subeugyrium</i> (Renauld & Cardot) Broth. | Riverine ovale | Denticulate-leaved Brook Moss |
| <i>Hyophila involuta</i> (Hook.) A. Jaeger | Hyophile à feuilles enroulées | Rolled-Leaved Wet-Ground Moss |
| <i>Hypnum andoi</i> A.J.E. Sm. | Hypne apprimée | Ando's Plait Moss |
| <i>Hypnum callichroum</i> Brid. | Hypne lustrée | Downy Plait Moss |

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|--|-------------------------------------|---|
| <i>Jungermannia atrovirens</i> Dumort. | Jongermanne vert foncé | Dark-green Flapwort |
| <i>Jungermannia polaris</i> Lindb. | Jongermanne polaire | Arctic Flapwort |
| <i>Kiaeria falcata</i> (Hedw.) I. Hagen | Faux-dicrane faucille | Sickle-leaved Fork Moss |
| <i>Leskea obscura</i> Hedw. | Leskée obscure | Blunt Leske's Moss |
| <i>Lophozia silvicola</i> H. Buch | Lophozie des forêts | Forest Notchwort |
| <i>Lophozia ventricosa</i> (Dicks.) Dumort. var. <i>uliginosa</i> Breidl. ex Schiffn. | Lophozie des sphaignes | Bog Tumid Notchwort |
| <i>Mannia fragrans</i> (Balb.) Frye & L. Clark | Mannie odorante | Fragrant Macewort |
| <i>Mannia gracilis</i> (F. Weber) D.B. Schill & D.G. Long | Astérelle gracieuse | Thin Starwort |
| <i>Mannia pilosa</i> (Hornem.) Frye & L. Clark | Mannie poilue | Small Macewort |
| <i>Marchantia polymorpha</i> L. subsp. <i>montivagans</i> Bischl. & Boissel.- Dub. | Marchantie des montagnes | Mountain Liverwort |
| <i>Marsupella aquatica</i> (Lindenb.) Schiffn. | Marsupelle aquatique | Aquatic Notched Rustwort |
| <i>Marsupella boeckii</i> (Austin) Lindb. ex Kaal. | Marsupelle fausse- céphalozielle | Boeck's Rustwort |
| <i>Marsupella condensata</i> (Ångstr. ex C. Hartm.) Lindb. ex Kaal. | Marsupelle pressée | Compact Rustwort |
| <i>Marsupella sparsifolia</i> (Lindb.) Dumort. | Marsupelle arrondie | Rounded Rustwort |
| <i>Mesoptychia bantriensis</i> (Hook.) L. Söderstr. & Váňa | Lophozie trompeuse | Imbricated Liverwort |
| <i>Microlejeunea ulicina</i> (Taylor) Steph. | Collier des fées | Fairy Beads |
| <i>Micromitrium tenerum</i> (Bruch & Schimp.) Crosby | Éphémère délicat | Millimetre Moss |
| <i>Moerckia blyttii</i> (Mørch) Brockm. | Colerette des montagnes | Blytt's Notchwort |
| <i>Nardia insecta</i> Lindb. | Nardie bilobée | Two-lobed Flapwort |
| <i>Nardia scalaris</i> Gray | Nardie échelonnée | Ladder Flapwort |
| <i>Notothylas orbicularis</i> (Schwein.) Sull. | Anthocérote orbiculaire | Short-horned Liverwort |
| <i>Odontoschisma sphagni</i> (Dicks.) Dumort. | Vénusté des sphaignes | Bog Flapwort |
| <i>Oligotrichum falcatum</i> Steere | Polytric à feuilles falciformes | Sickle-leaved Hair Moss |
| <i>Orthothecium chryseon</i> (Schwägr.) Schimp. var. <i>cochleariifolium</i> (Lindb.) Limpr. | Stylite cuillère | Spoon-leaved Golden Erect-capsule Moss |
| <i>Orthotrichum pallens</i> Bruch ex Brid. | Houpe pâle | Pale Bristle Moss |
| <i>Pelekium minutulum</i> (Hedw.) A. Touw | Thuidie minuscule | Tiny Cedar Moss |

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|--|-------------------------------------|-----------------------------|
| <i>Phascum cuspidatum</i> Hedw. | Phasque à feuilles cuspidées | Cuspidate Earth Moss |
| <i>Physcomitrella patens</i> (Hedw.) Bruch & Schimp. | Korrigan à feuilles étalées | Spreading-leaved Earth Moss |
| <i>Plagiomnium curvatulum</i> (Lindb.) Schljakov | Mnie recourbée | Curved Leafy Moss |
| <i>Plagiothecium piliferum</i> (Sw.) Schimp. | Satinette porte-poil | Hair Silk Moss |
| <i>Platylomella lescurii</i> (Sull.) A.L. Andrews | Leskée marginée | Bordered Brook Moss |
| <i>Pohlia melanodon</i> (Brid.) A.J. Shaw | Pohlie à dents noires | Black-toothed Nodding Moss |
| <i>Polytrichastrum ohioense</i> (Renauld & Cardot) G.L. Sm. | Polytric méridional | Ohio Haircap Moss |
| <i>Pseudocalliergon brevifolium</i> (Lindb.) Hedenäs | Pseudocalliergon à feuilles courtes | Short-leaved Spear Moss |
| <i>Pseudoleskea patens</i> (Lindb.) Kindb. | Leskée étalée | Patent Leske's Moss |
| <i>Pseudoleskea stenophylla</i> Renauld & Cardot | Leskée à feuilles étroites | Narrow-leaved Leske's Moss |
| <i>Psilopilum cavifolium</i> (Wilson) I. Hagen | Polytric à feuilles concaves | Little Wolverine Moss |
| <i>Pterygoneurum ovatum</i> (Hedw.) Dixon | Nisse ovale | Ovate Pterygoneurum |
| <i>Racomitrium canescens</i> (Hedw.) Brid. subsp. <i>latifolium</i> (Lange & C.E.O. Jensen) Frisvoll | Frangine à feuilles larges | Slender Grey Rock Moss |
| <i>Racomitrium elongatum</i> Ehrh. ex Frisvoll | Frangine élancée | Elongate Rock Moss |
| <i>Racomitrium panschii</i> (Müll. Hal.) Kindb. | Frangine arctique | Arctic Rock Moss |
| <i>Rhizomnium andrewsianum</i> (Steere) T.J. Kop. | Mnie ondulée | Andrew's Leafy Moss |
| <i>Rhytidiadelphus loreus</i> (Hedw.) Warnst. | Ébouriffe lanière | Lanky Moss |
| <i>Riccia beyrichiana</i> Hampe ex Lehm. | Riccie frangée | Purple Crystalwort |
| <i>Riccia bifurca</i> Hoffm. | Riccie fourchue | Lizard Crystalwort |
| <i>Riccia cavernosa</i> Hoffm. | Riccie caverneuse | Cavernous Crystalwort |
| <i>Riccia frostii</i> Austin | Riccie à marges rouges | Frost's Crystalwort |
| <i>Riccia rhenana</i> Lorb. ex Müll. Frib. | Riccie précieuse | Pond Crystalwort |
| <i>Riccia sorocarpa</i> Bisch. | Riccie grisâtre | Greyish Crystalwort |
| <i>Saccobasis polita</i> (Nees) H.Buch | Tritomaire élégante | Flush Notchwort |
| <i>Sanionia orthothecioides</i> (Lindb.) Loeske | Faucillette faux-stylite | Coastal Hook Moss |
| <i>Sauteria alpina</i> (Nees) Nees | Sauterie alpine | Snow Lungwort |
| <i>Scapania carinthiaca</i> J.B. Jack ex Lindb. var. <i>carinthiaca</i> | Scapanie bois-pourri | Carinthian Earwort |

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|---|------------------------------|-----------------------------|
| <i>Scapania glaucocephala</i> (Taylor) Austin var. <i>glaucocephala</i> | Scapanie glauque | Glaucous-headed Earwort |
| <i>Scapania irrigua</i> (Nees) Nees subsp. <i>rufescens</i> (Loeske) R.M. Schust. | Scapanie des plages | Beach Earwort |
| <i>Scapania kaurinii</i> Ryan | Scapanie inusitée | Kaurin's Earwort |
| <i>Scapania ligulifolia</i> R.M. Schust. | Scapanie à feuilles ligulées | Strap-leaved Earwort |
| <i>Scapania pseudocalcicola</i> R.M. Schust. | Scapanie calcicole | Arctic Calcareous Earwort |
| <i>Scapania scandica</i> (Arnell & H. Buch) Macvicar | Scapanie à petites feuilles | Norwegian Earwort |
| <i>Schistidium atrichum</i> (Müll. Hal. & Kindb.) W.A. Weber | Grimmie glabre | Small Bloom Moss |
| <i>Schistidium crassipilum</i> H.H. Blom | Grimmie à soie épaisse | Thickpoint Bloom Moss |
| <i>Schistidium cryptocarpum</i> Mogensen & H.H. Blom | Grimmie à capsule cachée | Cryptic Bloom Moss |
| <i>Schistidium flexipile</i> (Lindb. ex Broth.) G. Roth | Grimmie variable | Flexible Bloom Moss |
| <i>Schistidium frigidum</i> H.H. Blom | Grimmie des montagnes | Arctic-alpine Bloom Moss |
| <i>Schistidium grandirete</i> H.H. Blom | Grimmie rougeâtre | Large-celled Bloom Moss |
| <i>Schistidium holmenianum</i> Steere & Brassard | Grimmie des tourbières | Holmen's Bloom Moss |
| <i>Schistidium pulchrum</i> H.H. Blom | Grimmie ravissante | Showy Bloom Moss |
| <i>Schistidium venetum</i> H.H. Blom | Grimmie azurée | Bluish Bloom Moss |
| <i>Schistochilopsis grandiretis</i> (Lindb. ex Kaal.) Konstant. | Lophozie à ventre noir | Purple-lobed Notchwort |
| <i>Seligeria brevifolia</i> (Lindb.) Lindb. | Séligérie à feuilles courtes | Short-leaved Bristle Moss |
| <i>Seligeria diversifolia</i> Lindb. | Séligérie à feuilles variées | Diverse-leaved Bristle Moss |
| <i>Seligeria recurvata</i> (Hedw.) Bruch & Schimp. | Séligérie à soie courbée | Recurved Bristle Moss |
| <i>Sphagnum aongstroemii</i> C. Hartm. | Sphaigne d'Angström | Aongstroem's Peat Moss |
| <i>Sphagnum austinii</i> Sull. | Sphaigne d'Austin | Austin's Peat Moss |
| <i>Sphagnum mirum</i> Flatberg & Thingsg. | Sphaigne étrange | Splendid Peat Moss |
| <i>Sphagnum molle</i> Sull. | Sphaigne molle | Blushing Peat Moss |
| <i>Sphagnum orientale</i> L.I. Savicz | Sphaigne orientale | Oriental Peat Moss |
| <i>Sphagnum perfoliatum</i> L.I. Savicz | Sphaigne perfoliée | Glossy Peat Moss |
| <i>Sphagnum rubiginosum</i> Flatberg | Sphaigne panachée | Variegated Peat Moss |
| <i>Sphagnum strictum</i> Sull. | Sphaigne dressée | Pale Bog-Moss |
| <i>Splachnum pensylvanicum</i> (Brid.) Grout ex H.A. Crum | Splanc étroit | Pennsylvania Dung Moss |

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|---|--------------------------------|-------------------------------|
| <i>Stegonia latifolia</i> (Schwägr.) Venturi ex Broth. var. <i>latifolia</i> | Stégonie à feuilles larges | Broad-leaved Stegonia Moss |
| <i>Stegonia latifolia</i> (Schwägr.) Venturi ex Broth. var. <i>pilifera</i> (Dicks.) Broth. | Stégonie porte-poil | Awned Stegonia Moss |
| <i>Tayloria acuminata</i> Hornsch. | Taylorie acuminée | Acuminate Trumpet Moss |
| <i>Tayloria splachnoides</i> (Schleich. ex Schwägr.) Hook. | Taylorie faux-splanc | Splachnoid Trumpet Moss |
| <i>Tetraplodon pallidus</i> I. Hagen | Tétraplodon pâle | Pale Nitrogen Moss |
| <i>Tetodontium brownianum</i> (Dicks.) Schwägr. | Quadrident variable | Brown's Four-toothed Moss |
| <i>Tetodontium ovatum</i> (Funck) Schwägr. | Quadrident ovale | Ovate Four-toothed Moss |
| <i>Tetodontium repandum</i> (Funck) Schwägr. | Quadrident ondulé | Small Four-toothed Moss |
| <i>Thelia asprella</i> (Schimp.) Sull. | Thélie papilleuse | Rough Thelia |
| <i>Thelia hirtella</i> (Hedw.) Sull. | Thélie hirsute | Common Thelia |
| <i>Timmia norvegica</i> J.E. Zetterst. var. <i>excurrens</i> Bryhn | Timmie à nervure excurrente | Nerved Norwegian Timmia |
| <i>Timmia sibirica</i> Lindb. & Arnell | Timmie papilleuse | Siberian Timmia |
| <i>Tortella inclinata</i> (R. Hedw.) Limpr. | Tortelle inclinée | Inclined Twisted Moss |
| <i>Tortula laureri</i> (Schultz) Lindb. | Tortule de Laurer | Laurer's Screw Moss |
| <i>Tortula leucostoma</i> (R. Br.) Hook. & Grev. | Tortule blanche | Alpine Screw Moss |
| <i>Tortula nevadensis</i> (Cardot & Thér.) R.H. Zander | Tortule édentée | Nevada Screw Moss |
| <i>Trichostomum arcticum</i> Kaal. | Trichostome arctique | Arctic Crisp Moss |
| <i>Tritomaria capitata</i> (Hook.) Stotler & Crand.-Stotl. | Lophozie des sables | Delicate Notchwort |
| <i>Tritomaria laxa</i> (Hook.) Stotler & Crand.-Stotl. | Lophozie lâche | Marsh Notchwort |
| <i>Tritomaria quinquedentata</i> (Huds.) H. Buch subsp. <i>turgida</i> (Lindb.) Damsh. | Tritomaire enflée | Large Notchwort |
| <i>Weissia muhlenbergiana</i> (Sw.) W.D. Reese & B.A.E. Lemmon | Weissie à capsule immergée | Mühlenberg's Weissia |
| <i>Weissia phascopsis</i> R.H. Zander | Weissie faux-phasque | Phascum-like Weissia |
| <i>Zygodon rupestris</i> Schimp. ex Lorentz | Houpe des rochers | Park Yoke Moss |

SCHEDULE II

(s. 2)

WILDLIFE SPECIES WHICH ARE LIKELY TO BE DESIGNATED AS THREATENED OR VULNERABLE

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|-------------------------------------|-----------------------------|-------------------|
| FISHES (25 species) | | |
| <i>Acipenseridae</i> | | |
| <i>Acipenser fulvescens</i> | Esturgeon jaune | Lake Sturgeon |
| <i>Acipenser oxyrinchus</i> | Esturgeon noir | Atlantic Sturgeon |
| <i>Anarhichadidae</i> | | |
| <i>Anarhichas denticulatus</i> | Loup à tête large | Northern Wolffish |
| <i>Anarhichas lupus</i> | Loup atlantique | Atlantic Wolffish |
| <i>Anarhichas minor</i> | Loup tacheté | Spotted Wolffish |
| <i>Anguillidae</i> | | |
| <i>Anguilla rostrata</i> | Anguille d'Amérique | American Eel |
| <i>Carcharhinidae</i> | | |
| <i>Prionace glauca</i> | Requin bleu | Blue Shark |
| <i>Centrarchidae</i> | | |
| <i>Lepomis peltastes</i> | Crapet du Nord | Northern Sunfish |
| <i>Cottidae</i> | | |
| <i>Myoxocephalus quadricornis</i> | Chaboisseau à quatre cornes | Fourhorn Sculpin |
| <i>Myoxocephalus thompsonii</i> | Chabot de profondeur | Deepwater Sculpin |
| <i>Cyprinidae</i> | | |
| <i>Hybognathus hankinsoni</i> | Méné laiton | Brassy Minnow |
| <i>Notropis rubellus</i> | Tête rose | Rosyface Shiner |
| <i>Esocidae</i> | | |
| <i>Esox americanus vermiculatus</i> | Brochet vermiculé | Grass Pickerel |
| <i>Esox niger</i> | Brochet maillé | Chain Pickerel |
| <i>Gadidae</i> | | |
| <i>Brosme brosme</i> | Brosme | Cusk |
| <i>Gadus morhua</i> | Morue franche | Atlantic Cod |

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|---|----------------------------------|--|
| <i>Ictaluridae</i> | | |
| <i>Ameiurus natalis</i> | Barbotte jaune | Yellow Bullhead |
| <i>Noturus flavus</i> | Chat-fou des rapides | Stonecat |
| <i>Noturus insignis</i> | Chat-fou liséré | Margined Madtom |
| <i>Lamidae</i> | | |
| <i>Lamna nasus</i> | Maraîche | Porbeagle |
| <i>Percidae</i> | | |
| <i>Etheostoma caeruleum</i> | Dard arc-en-ciel | Rainbow Darter |
| <i>Rajidae</i> | | |
| <i>Leucoraja ocellata</i> | Raie tachetée | Winter skate |
| <i>Salmonidae</i> | | |
| <i>Coregonus artedi</i> | Cisco de printemps | Spring Cisco |
| <i>Salvelinus alpinus</i> <i>oquassa</i> | Ombre chevalier | <i>Oquassa</i> Landlocked Arctic Char |
| AMPHIBIANS (4 species) | | |
| <i>Hylidae</i> | | |
| <i>Pseudacris maculata</i> | Rainette faux-grillon boréale | Boreal Chorus Frog |
| <i>Plethodontidae</i> | | |
| <i>Desmognathus fuscus</i> | Salamandre sombre du Nord | Northern Dusky Salamander |
| <i>Hemidactylum scutatum</i> | Salamandre à quatre orteils | Four-toed Salamander |
| <i>Ranidae</i> | | |
| <i>Lithobates palustris</i> | Grenouille des marais | Pickerel Frog |
| TURTLES (1 Species) | | |
| <i>Emydidae</i> | | |
| <i>Clemmys guttata</i> | Tortue ponctuée | Spotted Turtle |
| SNAKES (6 species) | | |
| <i>Colubridae</i> | | |
| <i>Lampropeltis triangulum</i> | Couleuvre tachetée | Milksnake |
| <i>Opheodrys vernalis</i> | Couleuvre verte | Smooth Greensnake |

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|-------------------------------|-----------------------------------|-------------------------------------|
| <i>Dipsadidae</i> | | |
| <i>Diadophis punctatus</i> | Couleuvre à collier | Ring-necked Snake |
| <i>Natricidae</i> | | |
| <i>Nerodia sipedon</i> | Couleuvre d'eau | Northern Watersnake |
| <i>Storeria dekayi</i> | Couleuvre brune | Dekay's Brownsnake |
| <i>Thamnophis saurita</i> | Couleuvre mince | Eastern Ribbonsnake |
| BIRDS (16 species) | | |
| <i>Apodidae</i> | | |
| <i>Chaetura pelagica</i> | Martinet ramoneur | Chimney Swift |
| <i>Caprimulgidae</i> | | |
| <i>Antrorstomus vociferus</i> | Engoulevent bois-pourri | Whip-poor-will |
| <i>Chordeiles minor</i> | Engoulevent d'Amérique | Common Nighthawk |
| <i>Falconidae</i> | | |
| <i>Falco peregrinus</i> | Faucon pèlerin <i>tundrius</i> | Peregrine falcon <i>tundrius</i> |
| <i>Hydrobatidae</i> | | |
| <i>Oceanodroma leucorhoa</i> | Océanite cul-blanc | Leach's Storm-petrel |
| <i>Icteridae</i> | | |
| <i>Euphagus carolinus</i> | Quiscale rouilleux | Rusty Blackbird |
| <i>Parulidae</i> | | |
| <i>Cardellina canadensis</i> | Paruline du Canada | Canada Warbler |
| <i>Parkesia motacilla</i> | Paruline hochequeue | Louisiana Waterthrush |
| <i>Vermivora chrysoptera</i> | Paruline à ailes dorées | Golden-winged Warbler |
| <i>Passerellidae</i> | | |
| <i>Ammodramus savannarum</i> | Bruant sauterelle | Grasshopper Sparrow |
| <i>Ammospiza nelsoni</i> | Bruant de Nelson | Nelson's Sparrow |
| <i>Scolopacidae</i> | | |
| <i>Calidris canutus rufa</i> | Bécasseau maubèche <i>rufa</i> | Red Knot <i>rufa</i> |
| <i>Strigidae</i> | | |
| <i>Asio flammeus</i> | Hibou des marais | Short-eared Owl |
| <i>Troglodytidae</i> | | |
| <i>Cistothorus platensis</i> | Troglodyte à bec court | Sedge Wren |

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|--------------------------------|---|---|
| <i>Tyrannidae</i> | | |
| <i>Contopus cooperi</i> | Moucherolle à côtés olive | Olive-sided Flycatcher |
| <i>Tytonidae</i> | | |
| <i>Tyto alba</i> | Effraie des clochers | Barn Owl |
| MAMMALS (21 species) | | |
| <i>Balaenidae</i> | | |
| <i>Eubalaena glacialis</i> | Baleine noire | Black Right Whale |
| <i>Balaenopteridae</i> | | |
| <i>Balaenoptera musculus</i> | Rorqual bleu | Blue Whale |
| <i>Balaenoptera physalus</i> | Rorqual commun | Fin Whale |
| <i>Cricetidae</i> | | |
| <i>Microtus chrotorrhinus</i> | Campagnol des rochers | Rock Vole |
| <i>Microtus pinetorum</i> | Campagnol sylvestre | Woodland Vole |
| <i>Synaptomys cooperi</i> | Campagnol-lemming de Cooper | Southern Bog Lemming |
| <i>Felidae</i> | | |
| <i>Puma concolor</i> | Cougar | Cougar |
| <i>Monodontidae</i> | | |
| <i>Delphinapterus leucas</i> | Béluga, population de la baie d'Ungava | Beluga Whale, Ungava Bay Population |
| <i>Delphinapterus leucas</i> | Béluga, population de l'est de la baie d'Hudson | Beluga Whale, Eastern Hudson Bay Population |
| <i>Mustelidae</i> | | |
| <i>Mustela nivalis</i> | Belette pygmée | Least Weasel |
| <i>Odobenidae</i> | | |
| <i>Odobenus rosmarus</i> | Morse | Walrus |
| <i>Phocidae</i> | | |
| <i>Phoca vitulina mellonae</i> | Phoque commun des lacs des Loups Marins | Lacs des Loups Marins Harbour Seal |
| <i>Phocoenidae</i> | | |
| <i>Phocoena phocoena</i> | Marsouin commun | Harbour Porpoise |
| <i>Sciuridae</i> | | |
| <i>Glaucomys volans</i> | Petit polatouche | Southern Flying Squirrel |

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|------------------------------------|-------------------------------|-------------------------------|
| Soricidae | | |
| <i>Sorex dispar</i> | Musaraigne longicaude | Long-tailed Shrew |
| <i>Sorex gaspensis</i> | Musaraigne de Gaspé | Gaspé Shrew |
| Vespertilionidae | | |
| <i>Lasionycteris noctivagans</i> | Chauve-souris argentée | Silver-haired Bat |
| <i>Lasiurus borealis</i> | Chauve-souris rousse | Eastern Red Bat |
| <i>Lasiurus cinereus</i> | Chauve-souris cendrée | Hoary Bat |
| <i>Myotis leibii</i> | Chauve-souris pygmée de l'Est | Eastern Small-footed Bat |
| <i>Perimyotis subflavus</i> | Pipistrelle de l'Est | Eastern Pipistrelle |
| BIVALVIA (8 species) | | |
| Margaritiferidae | | |
| <i>Margaritifera margaritifera</i> | Mulette-perlière de l'Est | Eastern Pearlshell |
| Unionidae | | |
| <i>Alasmidonta marginata</i> | Alasmidonte rugueuse | Elkoe |
| <i>Elliptio crassidens</i> | Elliptio à dents fortes | Elephantear |
| <i>Elliptio dilatata</i> | Elliptio pointu | Spike |
| <i>Leptodea fragilis</i> | Leptodée fragile | Fragile Papershell |
| <i>Obovaria olivaria</i> | Obovarie olivâtre | Hickorynut |
| <i>Potamilus alatus</i> | Potamile ailé | Pink Heelsplitter |
| <i>Utterbackiana implicata</i> | Anondonte du gaspareau | Alewife Floater |
| GASTEROPODS (2 species) | | |
| Acroloxidae | | |
| <i>Acroloxus coloradensis</i> | Patelle d'eau douce pointue | Rocky Mountain Capshell |
| Hydrobiidae | | |
| <i>Birgella subglobosus</i> | Somatogyre globuleux | Globe Siltsnail |
| INSECTS (32 species) | | |
| Coleoptera | | |
| Carabidae | | |
| <i>Cicindela lepida</i> | Cicindèle blanche | White Tiger Beetle |
| <i>Cicindela patruela</i> | Cicindèle verte des pinèdes | Northern Barrens Tiger Beetle |
| <i>Trechus crassiscapus</i> | Tréchine à scapes | — |

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|--------------------------------|---------------------------------|--------------------------|
| Cerambycidae | | |
| <i>Neospondylis upiformis</i> | Spondyle ténébrion | Longhorned Beetle |
| <i>Phymatodes maculicollis</i> | Phymatode à col maculé | Phymatodes Maculicollis |
| Coccinellidae | | |
| <i>Adalia bipunctata</i> | Coccinelle à deux points | Twospotted Lady Beetle |
| <i>Coccinella novemnotata</i> | Coccinelle à neuf points | Ninespotted Lady Beetle |
| Scarabaeidae | | |
| <i>Xyloryctes jamaicensis</i> | Dynaste rhinocéros | Rhinoceros Beetle |
| Stenotrachelidae | | |
| <i>Cephaloon unguare</i> | Faux-longicorne scalaire | False Longhorned Beetle |
| Hymenoptera | | |
| Apidea | | |
| <i>Bombus affinis</i> | Bourdon à tache rousse | Rusty-patched Bumble Bee |
| <i>Bombus terricola</i> | Bourdon terricole | Yellow-banded Bumble Bee |
| Formicidae | | |
| <i>Dolichoderus mariae</i> | — | — |
| <i>Lasius minutus</i> | — | — |
| Lepidoptera | | |
| Adelidae | | |
| <i>Adela caeruleella</i> | Fée noire aux longues antennes | Longhorned Fairy Moth |
| Hesperiidae | | |
| <i>Erynnis martialis</i> | Hespérie tachetée | Mottled Duskywing |
| <i>Euphyes dion</i> | Hespérie de Dioné | Dion Skipper |
| <i>Pompeius verna</i> | Hespérie à taches vitreuses | Little Glassywing |
| Lycaenidae | | |
| <i>Lycaena dospassosi</i> | Cuivré des marais salés | Maritime Copper |
| Noctuidae | | |
| <i>Acronicta rubricoma</i> | Acronicta à virgules rougeâtres | Ruddy Dagger Moth |

| SCIENTIFIC NAME | FRENCH NAME | ENGLISH NAME |
|---------------------------------|---------------------------------------|---------------------------|
| <i>Nymphalidae</i> | | |
| <i>Euptoieta claudia</i> | Fritillaire panachée | Variegated Fritillary |
| <i>Oeneis bore gaspeensis</i> | Nordique à nervures blanches de Gaspé | Gaspé White-veined Arctic |
| <i>Odonata</i> | | |
| <i>Aeshnidae</i> | | |
| <i>Gomphaeschna furcillata</i> | Aeschne pygmée | Harlequin Darner |
| <i>Nasiaeschna pentacantha</i> | Aeschne Cyrano | Cyrano Darner |
| <i>Corduliidae</i> | | |
| <i>Somatochlora incurvata</i> | Cordulie incurvée | Incurvate Emerald |
| <i>Williamsonia fletcheri</i> | Cordulie bistrée | Ebony Boghaunter |
| <i>Gomphidae</i> | | |
| <i>Gomphus ventricosus</i> | Gomphe ventru | Skillet Clubtail |
| <i>Ophiogomphus anomalus</i> | Ophiogomphe bariolé | Extra-striped Snaketail |
| <i>Lestidae</i> | | |
| <i>Lestes vigilax</i> | Leste matinal | Swamp Spreadwing |
| <i>Libellulidae</i> | | |
| <i>Erythemis simplicicollis</i> | Érythème des étangs | Eastern Pondhawk |
| <i>Erythrodiplax berenice</i> | Érythrodiplax côtier | Seaside Dragonlet |
| <i>Sympetrum corruptum</i> | Sympétrum bagarreur | Variegated Meadowhawk |
| <i>Orthoptera</i> | | |
| <i>Acrididae</i> | | |
| <i>Melanoplus gaspesiensis</i> | Mélanople de Gaspésie | Spur-throated Grasshopper |